

Python3:

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 3: Intro to Conditional Statements

Exit Full Screen View

Problem

Submissions

Leaderboard

Discussions

Editorial

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

3

Sample Output 0

Change Theme

Language Python 3

🔄 ⋮

```
1  #!/bin/python3
2
3  import math
4  import os
5  import random
6  import re
7  import sys
8
9
10
11  if __name__ == '__main__':
12      N = int(input().strip())
13      if N % 2 == 1:
14          print("Weird")
15      else:
16          if N >= 2 and N <= 5:
17              print("Not Weird")
18          elif N >= 6 and N <= 20:
19              print("Weird")
20          elif N > 20:
21              print("Not Weird")
22
23  
```

Line: 23 Col: 1

⬇ Upload Code as File

Run Code

Submit Code

Problem

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

```
3
```

Sample Output 0

Submissions

Leaderboard

Discussions

Editorial

☐ Test against custom input

You have earned 30.00 points!
You are now 3 challenges away from the 2nd star for your 30 days of code badge.

40% 4/7

Congratulations

You solved this challenge. Would you like to challenge your friends?

[Next Challenge](#)☒ Test case 0☒ Test case 1☒ Test case 2 ☒ Test case 3 ☒ Test case 4 ☒ Test case 5 ☒ Test case 6

Compiler Message

Success

Input (stdin)

[Download](#)

1

3

Expected Output

[Download](#)

1

Weird

C++:

HackerRank

[Prepare](#) > [Tutorials](#) > [30 Days of Code](#) > [Day 3: Intro to Conditional Statements](#)

Exit Full Screen View

Problem

Submissions

Leaderboard

Discussions

Editorial

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print **Weird**
- If n is even and in the inclusive range of 2 to 5, print **Not Weird**
- If n is even and in the inclusive range of 6 to 20, print **Weird**
- If n is even and greater than 20, print **Not Weird**

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print **Weird** if the number is weird; otherwise, print **Not Weird**.

Sample Input 0

```
3
```

Sample Output 0

```
Weird
```

Change Theme

Language C++11

```
1  #include <bits/stdc++.h>
2
3  using namespace std;
4
5  string ltrim(const string &);
6  string rtrim(const string &);
7
8
9
10 int main()
11 {
12     string N_temp;
13     getline(cin, N_temp);
14
15     int N = stoi(ltrim(rtrim(N_temp)));
16     if (N % 2 == 1){
17         cout << "Weird" << endl;
18     } else {
19         if(N >=2 and N <= 5){
20             cout << "Not Weird" << endl;
21         } else if(N >= 6 and N <= 20){
22             cout << "Weird" << endl;
23         } else if(N > 20) {
24             cout << "Not Weird" << endl;
25         }
26     }
27
28     return 0;
29 }
30
31 string ltrim(const string &str) {
32     string s(str);
33
34     s.erase(
35         s.begin(),
36         find_if(s.begin(), s.end(), not1
```

Line: 24 Col: 41

Upload Code as File

Run Code

Submit Code

Problem

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

```
3
```

Sample Output 0

```
Not Weird
```

Submissions

Leaderboard

Discussions

Editorial

```
34 s.erase(  
35     s.begin(),  
36     find_if(s.begin(), s.end(), not1
```

Line: 24 Col: 41

Upload Code as File

Run Code

Submit Code

☐ Test against custom input

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

✔ Test case 0

✔ Test case 1

✔ Test case 2

✔ Test case 3

✔ Test case 4

✔ Test case 5

✔ Test case 6

Compiler Message

Success

Input (stdin)

Download

1

3

Expected Output

Download

1

Weird

JavaScript (Node js):

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 3: Intro to Conditional Statements

Exit Full Screen View

Problem

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

3

Sample Output 0

Change Theme

Language JavaScript (Node.js)

```
1 process.stdin.resume();
2 process.stdin.setEncoding('utf-8');
3
4 let inputString = '';
5 let currentLine = 0;
6
7 process.stdin.on('data', function(inputStdin)
8 {
9   inputString += inputStdin;
10 });
11
12 process.stdin.on('end', function() {
13   inputString = inputString.split('\n');
14   main();
15 });
16
17 function readLine() {
18   return inputString[currentLine++];
19 }
20
21
22
23
24
25 function main() {
26   const N = parseInt(readLine().trim(), 10);
27   if(N % 2 == 1){
28     console.log("Weird")
29   } else {
30     if(N >= 2 && N <= 5){
31       console.log("Not Weird")
32     } else if(N >= 6 && N <= 20){
33       console.log("Weird")
34     } else if(N > 20){
35       console.log("Not Weird")
36     }
37   }
38 }
```

Line: 31 Col: 30

Upload Code as File

Run Code

Submit Code

Problem

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

```
3
```

Sample Output 0

```
Not Weird
```

Submissions

Leaderboard

Discussions

Editorial

```
37 |  
38 | }  
39 |
```

Line: 31 Col: 30

Upload Code as File

Run Code

Submit Code

☐ Test against custom input

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

✓ Test case 0

✓ Test case 1

✓ Test case 2 Hidden test case ⁽ⁿ⁾

Download

✓ Test case 3

✓ Test case 4

✓ Test case 5

✓ Test case 6

Compiler Message

Success

1

3

Expected Output

Download

1

Weird

C#:

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 3: Intro to Conditional Statements

Exit Full Screen View

Problem

Submissions

Leaderboard

Discussions

Editorial

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

3

Sample Output 0

Change Theme

Language C#

```
1 using System.CodeDom.Compiler;
2 using System.Collections.Generic;
3 using System.Collections;
4 using System.ComponentModel;
5 using System.Diagnostics.CodeAnalysis;
6 using System.Globalization;
7 using System.IO;
8 using System.Linq;
9 using System.Reflection;
10 using System.Runtime.Serialization;
11 using System.Text.RegularExpressions;
12 using System.Text;
13 using System;
14
15
16
17 class Solution
18 {
19     public static void Main(string[] args)
20     {
21         int N = Convert.ToInt32(Console.
22             ReadLine().Trim());
23         if (N % 2 == 1){
24             Console.WriteLine("Weird");
25         } else{
26             if(N >= 2 && N <= 5){
27                 Console.WriteLine("Not
28                     Weird");
29             } else if(N >= 6 && N <= 20){
30                 Console.WriteLine("Weird");
31             } else if(N > 20){
32                 Console.WriteLine("Not
33                     Weird");
34             }
35         }
36     }
37 }
```

Line: 30 Col: 48

Upload Code as File

Run Code

Submit Code

Kotlin:

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 3: Intro to Conditional Statements

Exit Full Screen View

Problem

Objective

Task

Input Format

Constraints

Output Format

Sample Input 0

Sample Output 0

Submissions

Leaderboard

Discussions

Editorial

Change Theme

Language Kotlin

↺

⋮

```
1 import java.io.*
2 import java.math.*
3 import java.security.*
4 import java.text.*
5 import java.util.*
6 import java.util.concurrent.*
7 import java.util.function.*
8 import java.util.regex.*
9 import java.util.stream.*
10 import kotlin.collections.*
11 import kotlin.comparisons.*
12 import kotlin.io.*
13 import kotlin.jvm.*
14 import kotlin.jvm.functions.*
15 import kotlin.jvm.internal.*
16 import kotlin.ranges.*
17 import kotlin.sequences.*
18 import kotlin.text.*
19
20
21
22 fun main(args: Array<String>) {
23     val N = readLine()!!.trim().toInt()
24     if (N % 2 == 1){
25         println("Weird")
26     } else{
27         if(N >= 2 && N <= 5){
28             println("Not Weird")
29         } else if(N >= 6 && N <= 20){
30             println("Weird")
31         } else if(N > 20){
32             println("Not Weird")
33         }
34     }
35 }
36
```

Line: 33 Col: 10

⬇ Upload Code as File

Run Code

Submit Code

Problem

Objective

In this challenge, we learn about conditional statements. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print `Weird`
- If n is even and in the inclusive range of 2 to 5, print `Not Weird`
- If n is even and in the inclusive range of 6 to 20, print `Weird`
- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

```
3
```

Sample Output 0

Submissions

Leaderboard

Discussions

Editorial

```
34 |  
35 | }  
36 |
```

Line: 33 Col: 10

Upload Code as File

Run Code

Submit Code

☐ Test against custom input

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

✓ Test case 0

✓ Test case 1

✓ Test case 2

✓ Test case 3

✓ Test case 4

✓ Test case 5

✓ Test case 6

Compiler Message

Success

Input (stdin)

Download

1

3

Expected Output

Download

1

Weird