

Presentación:

Nombre:

Algelis Severino

Tema:

Introducción a la Programación y Diagrama de flujo.

Tecnico:

Ciberseguridad Semipresencial

Facilitador:

Kevin Feliz Henriquez

Centro:

Diapiato Pro salud

Descripción:

En este documento .pdf adjunto capturas del reto 11 de 30 days of code de HackerRank.

Python3:

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 4 0
0 0 0 2 0 0
0 0 1 2 4 0

Sample Output

19

Explanation

`A` contains the following hourglasses:

1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0

0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 2 4 2 4 4 4 0

1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0

0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0

The hourglass with the maximum sum (19) is:

2 4 4

Change Theme

Language

Python 3

Exit Full Screen View

```
1  #!/bin/python3
2
3  import math
4  import os
5  import random
6  import re
7  import sys
8
9
10
11 if __name__ == '__main__':
12
13     arr = []
14
15     for _ in range(6):
16         arr.append(list(map(int, input().rstrip().split())))
17
18     suma_max = -100
19
20     for i in range(4):
21         for j in range(4):
22             sup = arr[i][j] + arr[i][j+1] + arr[i][j+2]
23             mid = arr[i+1][j+1]
24             bot = arr[i+2][j] + arr[i+2][j+1] + arr[i+2][j+2]
25             suma_actual = sup + mid + bot
26
27             if suma_actual > suma_max:
28                 suma_max = suma_actual
29
30     print(suma_max)
31
```

Upload Codes as File

Test against custom input

Run Code

Submit Code

Line: 31 Col: 1

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 4 0
0 0 0 2 0 0
0 0 1 2 4 0

Sample Output

19

Explanation

`A` contains the following hourglasses:

1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0

0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 2 4 2 4 4 4 0

1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0

0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0

The hourglass with the maximum sum (19) is:

2 4 4

Upload Codes as File

Test against custom input

Run Code

Submit Code

30

Days of Code

★

You have earned 30,000 points!

You are now 3 challenges away from the 3rd star for your 30 days of code badge.

63%

12/15

Congratulations

You solved this challenge. Would you like to challenge your friends?

Facebook Twitter LinkedIn

Next Challenge

Test case 0

Test case 1

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Hidden Test Case

Unlock this test case for 5 hacks.

Unlock

JavaScripts(Node js):

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 4 0
0 0 0 2 0 0
0 0 1 2 4 0

Sample Output

19

Explanation

`A` contains the following hourglasses:

1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0

0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 2 4 2 4 4 4 0

1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0

0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0

The hourglass with the maximum sum (19) is:

2 4 4

Change Theme

Language JavaScript (Node.js)

Exit Full Screen View

```
13 process.stdin.on('end', function() {  
14     inputString = inputString.split("\n");  
15  
16     main();  
17 });  
18  
19 function readLine() {  
20     return inputString[currentLine++];  
21 }  
22  
23  
24  
25 function main() {  
26  
27     let arr = Array(6);  
28  
29     for (let i = 0; i < 6; i++) {  
30         arr[i] = readLine().replace(/\s+$/g, '').split(' ').map(arrTemp => parseInt(arrTemp, 10));  
31     }  
32     let suma_max = -100;  
33     for (let i = 0; i < 4; i++) {  
34         for (let j = 0; j < 4; j++) {  
35             let sup = arr[i][j] + arr[i][j+1] + arr[i][j+2];  
36             let mid = arr[i+1][j+1];  
37             let bot = arr[i+2][j] + arr[i+2][j+1] + arr[i+2][j+2];  
38  
39             let sum_actual = sup + mid + bot;  
40  
41             if (sum_actual > suma_max) {  
42                 suma_max = sum_actual;  
43             }  
44         }  
45     }  
46     console.log(suma_max)  
47 }  
48
```

Line: 47 Col: 5

Upload Codes File

Test against custom input

Run Code

Submit Code

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 4 0
0 0 0 2 0 0
0 0 1 2 4 0

Sample Output

19

Explanation

`A` contains the following hourglasses:

1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0

0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 2 4 2 4 4 4 0

1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0

0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0

The hourglass with the maximum sum (19) is:

2 4 4

Upload Codes File

Test against custom input

Run Code

Submit Code

30
Days of Code
★

You have earned 30.00 points!
You are now 3 challenges away from the 3rd star for your 30 days of code badge.

63%
12/15

Congratulations

You solved this challenge. Would you like to challenge your friends?

Facebook Twitter LinkedIn

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Success

Input (stdin)

Download

1 1 1 0 0 0
2 0 1 0 0 0
3 1 1 1 0 0
4 0 0 2 4 4 0
5 0 0 0 2 0 0
6 0 0 1 2 4 0

Expected Output

Download

1 19

C#:

Submissions

Leaderboard

Discussions

Editorial

Tutorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 11: 2D Arrays

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

```
1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 0
0 0 0 2 0 0
0 0 1 2 4 0
```

Sample Output

```
19
```

Explanation

`A` contains the following hourglasses:

```
1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0
0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 4 0 4
0 0 0 0 0 2 0 2 0 2 0 0
0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0
```

The hourglass with the maximum sum (19) is:

```
2 4 4
```

Change Theme

Language C#

Exit Full Screen View

```
10 using System.Runtime.Serialization;
11 using System.Text.RegularExpressions;
12 using System.Text;
13 using System;
14
15
16
17 class Solution
18 {
19     public static void Main(string[] args)
20     {
21         List<List<int>> arr = new List<List<int>>();
22
23         for (int i = 0; i < 6; i++)
24         {
25             arr.Add(Console.ReadLine().TrimEnd().Split(' ').ToList().Select(arrTemp => Convert.ToInt32(arrTemp)).ToList());
26         }
27         int suma_max = -100;
28         for (int i = 0; i < 4; i++)
29         {
30             int sup = arr[i][i] + arr[i][i+1] + arr[i][i+2];
31             int mid = arr[i+1][i+1];
32             int bot = arr[i+2][i] + arr[i+2][i+1] + arr[i+2][i+2];
33
34             int suma_actual = sup + mid + bot;
35             if (suma_actual > suma_max)
36             {
37                 suma_max = suma_actual;
38             }
39         }
40         Console.WriteLine(suma_max);
41     }
42 }
43
44
```

Line: 31 Col: 62

Upload Code as File

Test against custom input

Run Code

Submit Code

Submissions

Leaderboard

Discussions

Editorial

Tutorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 11: 2D Arrays

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

```
1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 0
0 0 0 2 0 0
0 0 1 2 4 0
```

Sample Output

```
19
```

Explanation

`A` contains the following hourglasses:

```
1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0
0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0 0
0 0 2 0 4 0 4
0 0 0 0 0 2 0 2 0 2 0 0
0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0
```

The hourglass with the maximum sum (19) is:

```
2 4 4
```

Upload Code as File

Test against custom input

Run Code

Submit Code

30

Days of Code

You have earned 30.00 points!

You are now 3 challenges away from the 3rd star for your 30 days of code badge.

63%

12/15

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 3

Test case 0

Test case 1

Test case 2

Test case 4

Test case 5

Test case 6

Hidden Test Case

Unlock this test case for 5 hacks.

Unlock

Java 7:

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

```
1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 0
0 0 0 2 0 0
0 0 1 2 4 0
```

Sample Output

```
19
```

Explanation

`A` contains the following hourglasses:

```
1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0
0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0
0 0 2 0 2 4 4 4 0
1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0
0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0
```

The hourglass with the maximum sum (19) is:

```
2 4 4
```

Change Theme Language Java 7

```
11 public class Solution {
12     public static void main(String[] args) throws IOException {
13         // Read input
14         BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
15
16         for (int i = 0; i < 6; i++) {
17             String[] arrRowTempItems = br.readLine().replaceAll("\\s+", "").split(" ");
18
19             List<Integer> arrRowItems = new ArrayList<>();
20
21             for (int j = 0; j < 6; j++) {
22                 int arrItem = Integer.parseInt(arrRowTempItems[j]);
23                 arrRowItems.add(arrItem);
24             }
25
26             arr.add(arrRowItems);
27         }
28
29         int suma_max = -100;
30         for (int i = 0; i < 4; i++) {
31             for (int j = 0; j < 4; j++) {
32                 int sup = arr.get(i).get(j) + arr.get(i).get(j+1) + arr.get(i).get(j+2);
33                 int mid = arr.get(i+1).get(j+1);
34                 int bot = arr.get(i+2).get(j) + arr.get(i+2).get(j+1) + arr.get(i+2).get(j+2);
35
36                 int suma_actual = sup + mid + bot;
37                 if (suma_actual > suma_max) {
38                     suma_max = suma_actual;
39                 }
40             }
41         }
42
43         System.out.println(suma_max);
44         br.close();
45     }
46 }
47
48 }
```

Line: 37 Col: 44

Upload Code as File

Test against custom input

Run Code

Submit Code

Output Format

Print the maximum hourglass sum in `A`.

Sample Input

```
1 1 1 0 0 0
0 1 0 0 0 0
1 1 1 0 0 0
0 0 2 4 0
0 0 0 2 0 0
0 0 1 2 4 0
```

Sample Output

```
19
```

Explanation

`A` contains the following hourglasses:

```
1 1 1 1 1 0 1 0 0 0 0 0
1 0 0 0 0
1 1 1 1 1 0 1 0 0 0 0 0
0 1 0 1 0 0 0 0 0 0 0 0
1 1 0 0
0 0 2 0 2 4 4 4 0
1 1 1 1 1 0 1 0 0 0 0 0
0 2 4 4
0 0 0 0 0 2 0 2 0 2 0 0
0 0 2 0 2 4 2 4 4 4 0
0 0 2 0
0 0 1 0 1 2 1 2 4 2 4 0
```

The hourglass with the maximum sum (19) is:

```
2 4 4
```

Upload Code as File

Test against custom input

Run Code

Submit Code

30
Days of Code

You have earned 30.00 points!
You are now 3 challenges away from the 3rd star for your 30 days of code badge.

63%
12/15

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Success

Input (stdin)

```
1 1 1 0 0 0
2 0 1 0 0 0
3 1 1 0 0 0
4 0 0 2 4 0
5 0 0 0 2 0 0
6 0 0 1 2 4 0
```

Expected Output

```
1 19
```