

Presentación:

Nombre:
Algelis Severino

Tema:
Introducción y Fundamentos de Redes.


Tecnico:
Ciberseguridad Semipresencial

Facilitador:
Kevin Feliz Henriquez

Centro:
Diapiato Pro salud

Descripción:
En este documento .pdf esta el paso a paso que seguí para resolver la máquina Fawm según los hallazgos que me dio el escaneo.

Dirección ip maquina victima:



ping -c 1 10.129.86.94:
para enviar un paquete y confirmar que la máquina me responde.

```
┌──(kali㉿kali)-[~]
└─$ ping -c 1 10.129.86.94
PING 10.129.86.94 (10.129.86.94) 56(84) bytes of data.
64 bytes from 10.129.86.94: icmp_seq=1 ttl=63 time=71.5 ms

── 10.129.86.94 ping statistics ──
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 71.549/71.549/71.549/0.000 ms
```

Escaneo:

sudo nmap -p- –open -vvv -n -T5 10.129.86.94:

sudo nmap: para ejecutar nmap con privilegios elevados.
-p- –open: para indicarle a nmap que escanee todo los puertos y me muestre solo los que están abiertos.
-vvv: para que según vaya encontrando puertos me los vayas mostrando en la pantalla.
-n: para que no me aplique resolución dns.
-T5: para que el escaneo sea rápido..

```
┌──(kali㉿kali)-[~]
└─$ sudo nmap -p- --open -vvv -n -T5 10.129.86.94
[sudo] password for kali:
Starting Nmap 7.95 ( https://nmap.org ) at 2026-10-17 09:17 EDT
Initiating Ping Scan at 09:17
Scanning 10.129.86.94 [4 ports]
Completed Ping Scan at 09:17, 0.09s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 09:17
Scanning 10.129.86.94 [65535 ports]
Discovered open port 21/tcp on 10.129.86.94
Completed SYN Stealth Scan at 09:17, 23.06s elapsed (65535 total ports)
Nmap scan report for 10.129.86.94
Host is up, received reset ttl 63 (0.075s latency).
Scanned at 2026-10-17 09:17:27 EDT for 23s
Not shown: 64616 closed tcp ports (reset), 918 filtered tcp ports (no-response)
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit
PORT   STATE SERVICE REASON
21/tcp open  ftp     syn-ack ttl 63

Read data files from: /usr/share/nmap
Nmap done: 1 IP address (1 host up) scanned in 23.35 seconds
           Raw packets sent: 73391 (3.229MB) | Rcvd: 70894 (2.836MB)
```

sudo nmap -sCV 10.129.86.94:


para indicarle a nmap que ejecute una serie de script básicos que ya el tiene y me muestre los servicios y las versiones que estan corriendo en la maquina victima.

```
┌──(kali㉿kali)-[~]
└─$ sudo nmap -sCV 10.129.86.94
Starting Nmap 7.95 ( https://nmap.org ) at 2026-10-17 09:18 EDT
Nmap scan report for 10.129.86.94
Host is up (0.076s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
21/tcp open  ftp     vsftpd 3.0.3
| ftp-anon: Anonymous FTP login allowed (FTP code 230)
|_-rw-r--r--    1 0        0              32 Jun 04  2021 flag.txt
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to ::ffff:10.10.15.215
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      At session startup, client count was 2
|      vsFTPd 3.0.3 - secure, fast, stable
|_End of status
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 3.49 seconds
```


Hallazgos: Credenciales expuestas.

La máquina permite loguearse por ftp con usuario Anonymous y sin contraseña.




ftp 10.129.86.94:

para conectarme por ftp, luego le indico el usuario Anonymous y en password simplemente doy enter porque me permite entrar sin contraseña.




Ya estando dentro ls para listar lo que tiene expuesto la maquina por ftp y ahi encontre la flag.




get flag.txt:

para descargarme el archivo a mi maquina de atacante.



y ya teniendolo descargar cat flag.txt para ver la flag.



Maquina resuelta!

