

Cucumber Report

04-Apr-2025, 4:25:49 pm

Start : Apr 04, 4:23:39.518 pm

End : Apr 04, 4:25:47.083 pm

Duration : 2 m 7.565 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 9
FAILED - 4
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DemoWorkShop</u>	24.470 s	2	1	1	0	6	4	1	1
<u>Title of your feature</u>	40.015 s	1	0	1	0	5	3	1	1
<u>Title of your feature</u>	1 m 2.996 s	2	0	2	0	8	2	2	4

#	Feature Name	Scenario Name
1	<u>DemoWorkShop</u>	<u>Login</u>
2	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>
3		<u>Registering as New User</u>
4		<u>Registering as New User</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	5	1	4	0	3	0	3	0
@Login	1	1	0	0	1	0	1	0
@Invalid	2	0	2	0	2	0	2	0
@Navigation	1	0	1	0	1	0	1	0
@Register	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	DemoWorkShop	2	1	1	0	24.470 s
2	Title of your feature	1	0	1	0	40.015 s
3	Title of your feature	2	0	2	0	1 m 2.996 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	<u>Login</u>	3	3	0	0	14.959 s
2		<u>Login</u>	3	1	1	1	9.463 s
3	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>	5	3	1	1	40.014 s
4		<u>Registering as New User</u>	4	1	1	2	32.831 s
5		<u>Registering as New User</u>	4	1	1	2	30.149 s

DemoWorkShop


FAILED	DURATION - 24.470 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 4:23:39.518 pm // 4:24:03.988 pm /					

Login

PASSED	DURATION - 14.959 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:23:39.525 pm // 4:23:54.484 pm /				
DemoWorkShop				
@tag @Login				


#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	4.319 s
2	When The User click on the Login option and enters Username and Password	PASSED	2.286 s
3	Then Check is the user on Login page	PASSED	0.001 s

Login



FAILED	DURATION - 9.463 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:23:54.525 pm // 4:24:03.988 pm /				
DemoWorkShop				
@Invalid @tag				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	2.625 s
2	When The User click on the Login option and enters Username as asdfg and Password as qweqwe io.cucumber.java.PendingException: TODO: implement me at StepDef.DemoWebStep. the_user_click_on_the_login_option_and_enters_username_as_asdfg_and_password_as_qweqwe(DemoWebStep.java:36) at ?.The User click on the Login option and enters Username as asdfg and Password as qweqwe(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/DemoWeb.feature:35) * Not displayable characters are replaced by '?'. 	FAILED	0.021 s
3	Then Check is the user on Login page	SKIPPED	0.001 s

Title of your feature

FAILED	DURATION - 40.015 s	Scenarios		Steps	
/ 4:24:04.021 pm // 4:24:44.036 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 5 Pass - 3 Fail - 1 Skip - 1	

Navigate to MyAccounts

FAILED	DURATION - 40.014 s		Steps	
/ 4:24:04.022 pm // 4:24:44.036 pm /				
Title of your feature				
@tag @Navigation				


#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	2.883 s
2	When The User click on the Login option and enters Username and Password	PASSED	1.907 s
3	When The user clicks on MyAccounts	PASSED	0.633 s
4	When it opens the Customer enters the details and saves it org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@value="Save"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.30.0',	FAILED	27.128 s

#	Step / Hook Details	Status	Duration
	<pre> revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [6c31b91c-6834-446a-9c7f-cff5eb2c0ca1, findElement {using=xpath, value=//input[@value="Save"]}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 61408, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 6c31b91c-6834-446a-9c7f-cff5eb2c0ca1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at Actions.AccountActions.Saveit(AccountActions.java:40) at StepDef.DemoWebStep.it_opens_the_customer_enters_the_details_and_saves_it(DemoWebStep.java:51) at ?.it opens the Customer enters the details and saves it(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/Navigation.feature:29) * Not displayable characters are replaced by '?'. </pre>		
5	Then Click on logout	SKIPPED	0.001 s

Title of your feature

FAILED	DURATION - 1 m 2.996 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 2 Fail - 2 Skip - 4	
/ 4:24:44.087 pm // 4:25:47.083 pm /					

Registering as New User

FAILED DURATION - 32.831 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:24:44.087 pm // 4:25:16.918 pm /				
Title of your feature				
@tag @Register				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	5.814 s
2	When The User click on the Login option and enters Username and Password org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@name="Email"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [374978af-f60a-4262-8ad4-ee0a37cc12b8, findElement {using=xpath, value=//input[@name="Email"]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 61434, moz:profile: /var/folders/my/_xczdvd396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int..)} Session ID: 374978af-f60a-4262-8ad4-ee0a37cc12b8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source)	FAILED	20.066 s

#	Step / Hook Details	Status	Duration
	at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:25) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/Register.feature:10) * Not displayable characters are replaced by '?'.		
3	When the user click on Resgister ASDFG QWERT poiuytre@gmail.com qwaszx qwaszx	SKIPPED	0.010 s
4	Then Click on Register	SKIPPED	0.000 s

Registering as New User

FAILED DURATION - 30.149 s / 4:25:16.934 pm // 4:25:47.083 pm / Title of your feature @Invalid @tag		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	3.422 s
2	When The User click on the Login option and enters Username and Password org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@name="Email"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [31953250-9c45-4ad6-a667-578c789ae331, findElement {using=xpath, value=//input[@name="Email"]} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 61463, moz:profile: /var/folders/my/_xczd396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...)} Session ID: 31953250-9c45-4ad6-a667-578c789ae331	FAILED	20.062 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:25) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/ Demo/src/test/resources/com/feature/Register.feature:22) * Not displayable characters are replaced by '?'. </pre>		
3	When the user click on Resgister ASDFG QWERT poiuytre qwaszx qwaszx	SKIPPED	0.002 s
4	Then Click on Register	SKIPPED	0.001 s