

Cucumber Report

05-Apr-2025, 9:05:27 pm

Start : Apr 05, 9:03:51.195 pm

End : Apr 05, 9:05:24.859 pm

Duration : 1 m 33.664 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 10
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DemoWorkShop</u>	26.018 s	2	1	1	0	6	4	1	1
<u>Title of your feature</u>	38.894 s	1	0	1	0	5	4	1	0
<u>Title of your feature</u>	28.654 s	2	0	2	0	7	2	2	3

#	Feature Name	Scenario Name
1	<u>DemoWorkShop</u>	<u>Login</u>
2	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>
3		<u>Registering as New User</u>
4		<u>Registering as New User</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	5	1	4	0	3	0	3	0
@Login	1	1	0	0	1	0	1	0
@Invalid	2	0	2	0	2	0	2	0
@Navigation	1	0	1	0	1	0	1	0
@Register	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	DemoWorkShop	2	1	1	0	26.018 s
2	Title of your feature	1	0	1	0	38.894 s
3	Title of your feature	2	0	2	0	28.654 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	<u>Login</u>	3	3	0	0	16.164 s
2		<u>Login</u>	3	1	1	1	9.795 s
3	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>	5	4	1	0	38.893 s
4		<u>Registering as New User</u>	3	1	1	1	10.147 s
5		<u>Registering as New User</u>	4	1	1	2	18.492 s

DemoWorkShop


FAILED	DURATION - 26.018 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 9:03:51.195 pm // 9:04:17.213 pm /					

Login

PASSED	DURATION - 16.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:51.204 pm // 9:04:07.368 pm /				
DemoWorkShop				
@tag @Login				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	3.024 s
2	When The User click on the Login option and enters Username and Password	PASSED	1.992 s
3	Then Check is the user on Login page	PASSED	0.001 s

Login


FAILED	DURATION - 9.795 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:04:07.418 pm // 9:04:17.213 pm /				
DemoWorkShop				
@Invalid @tag				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	2.710 s
2	When The User click on the Login option and enters Username as asdfg and Password as qweqwe io.cucumber.java.PendingException: TODO: implement me at StepDef.DemoWebStep. the_user_click_on_the_login_option_and_enters_username_as_asdfg_and_password_as_qweqwe(DemoWebStep.java:39) at ?.The User click on the Login option and enters Username as asdfg and Password as qweqwe(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/DemoWeb.feature:35) * Not displayable characters are replaced by '?'. 	FAILED	0.023 s
3	Then Check is the user on Login page	SKIPPED	0.001 s

Title of your feature

FAILED	DURATION - 38.894 s	Scenarios		Steps	
/ 9:04:17.265 pm // 9:04:56.159 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 5 Pass - 4 Fail - 1 Skip - 0	

Navigate to MyAccounts

FAILED	DURATION - 38.893 s		Steps	
/ 9:04:17.266 pm // 9:04:56.159 pm /				
Title of your feature				
@tag @Navigation				


#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	2.171 s
2	When The User click on the Login option and enters Username and Password	PASSED	2.000 s
3	When The user clicks on MyAccounts	PASSED	0.664 s
4	When it opens the Customer enters the details and saves it	PASSED	6.970 s
5	Then Click on logout	FAILED	20.044 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //a[@class="ico-logout"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [e197a5b5-67ff-4cd7-a4e2-338c50089daf, findElement {using=xpath, value="//a[@class="ico-logout"]}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 62281, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...} Session ID: e197a5b5-67ff-4cd7-a4e2-338c50089daf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at Actions.AccountActions.log(AccountActions.java:43) at StepDef.DemoWebStep.click_on_logout(DemoWebStep.java:59) at ?.Click on logout(file:///Users/sevvellkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/Navigation.feature:30) * Not displayable characters are replaced by '?'.		

Title of your feature


FAILED	DURATION - 28.654 s	Scenarios		Steps	
/ 9:04:56.205 pm // 9:05:24.859 pm /		Total - 2		Total - 7	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	

Registering as New User

FAILED	DURATION - 10.147 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:04:56.205 pm // 9:05:06.352 pm /				
Title of your feature				
@tag @Register				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	3.109 s
2	When the user click on Resgister ASDFG QWERT poiuytre@gmail.com qwaszx qwaszx java.lang.NullPointerException: Cannot read field "Register" because "this.register" is null at Actions.RegisterActions.Reg(RegisterActions.java:25) at StepDef.DemoWebStep.the_user_click_on_resgister(DemoWebStep.java:65) at ?.the user click on Resgister(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/Demo/src/test/resources/com/feature/Register.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.027 s
3	Then Click on Register	SKIPPED	0.001 s

Registering as New User

FAILED DURATION - 18.492 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 9:05:06.367 pm // 9:05:24.859 pm /				
Title of your feature				
@Invalid @tag				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	3.561 s
2	When The User click on the Login option and enters Username and Password <pre> org.openqa.selenium.NoSuchWindowException: BrowsingContext does no longer exist Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [94302ff1-da46-40d3-a38d-9b3620c65361, findElement {using=xpath, value=//input[@name="Email"]}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 62351, moz:profile: /var/folders/my/ _xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 94302ff1-da46-40d3-a38d-9b3620c65361 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:28) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/Desktop/Seleniumjava/ Demo/src/test/resources/com/feature/Register.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	9.107 s
3	When the user click on Resgister ASDFG QWERT poiuytre qwaszx qwaszx	SKIPPED	0.003 s
4	Then Click on Register	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - StepDef.Hooks.teardown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [94302ff1-da46-40d3-a38d-9b3620c65361, quit {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 62351, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 94302ff1-da46-40d3-a38d-9b3620c65361 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$1(DriverCommandExecutor.java:126) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)	FAILED	0.463 s