

Cucumber Report

07-Apr-2025, 10:35:17 am

Start : Apr 07, 10:34:31.187 am

End : Apr 07, 10:35:15.166 am

Duration : 43.979 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 10
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DemoWorkShop</u>	11.556 s	2	1	1	0	6	4	1	1
<u>Title of your feature</u>	20.977 s	1	0	1	0	5	4	1	0
<u>Title of your feature</u>	11.361 s	2	0	2	0	7	2	2	3

#	Feature Name	Scenario Name
1	<u>DemoWorkShop</u>	<u>Login</u>
2	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>
3		<u>Registering as New User</u>
4		<u>Registering as New User</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	5	1	4	0	3	0	3	0
@Login	1	0	1	0	1	0	1	0
@Invalid	2	1	1	0	2	0	2	0
@Navigation	1	0	1	0	1	0	1	0
@Register	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	2	1	1	0	11.556 s
2	<u>Title of your feature</u>	1	0	1	0	20.977 s
3	<u>Title of your feature</u>	2	0	2	0	11.361 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	<u>Login</u>	3	1	1	1	10.790 s
2		<u>Login</u>	3	3	0	0	0.657 s
3	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>	5	4	1	0	20.977 s
4		<u>Registering as New User</u>	3	1	1	1	0.562 s
5		<u>Registering as New User</u>	4	1	1	2	10.755 s

DemoWorkShop


FAILED	DURATION - 11.556 s	Scenarios		Steps	
/ 10:34:31.187 am // 10:34:42.743 am /		Total - 2		Total - 6	
		Pass - 1		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Login

FAILED DURATION - 10.790 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:34:31.198 am // 10:34:41.988 am /				
DemoWorkShop				
@tag @Login				


#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	3.919 s
2	When The User click on the Login option and enters Username and Password java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:34) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/DemoWeb.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.024 s
3	Then Check is the user on Login page	SKIPPED	0.001 s

Login




#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	0.646 s
2	When The User click on the Login option and enters Username as asdfg and Password as qweqwe	PASSED	0.002 s
3	Then Check is the user on Login page	PASSED	0.001 s

Title of your feature



Navigate to MyAccounts





#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	0.564 s
2	When The User click on the Login option and enters Username and Password	PASSED	3.107 s

#	Step / Hook Details	Status	Duration
3	When The user clicks on MyAccounts	PASSED	0.739 s
4	When it opens the Customer enters the details and saves it	PASSED	6.510 s
5	Then Click on logout	FAILED	10.045 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //a[@class="ico-logout"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [4bf807d4-14c1-42a3-b4f7-80c1504941b7, findElement {using=xpath, value=//a[@class="ico-logout"]}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 67009, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 4bf807d4-14c1-42a3-b4f7-80c1504941b7 <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at Actions.AccountActions.log(AccountActions.java:43) at StepDef.DemoWebStep.click_on_logout(DemoWebStep.java:64) at ?.Click on logout(file:///Users/sevvvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/Navigation.feature:30) </pre> * Not displayable characters are replaced by '?'. 		

Title of your feature


FAILED	DURATION - 11.361 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 7 Pass - 2 Fail - 2 Skip - 3	
/ 10:35:03.805 am // 10:35:15.166 am /					

Registering as New User

FAILED DURATION - 0.562 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:35:03.805 am // 10:35:04.367 am /				
Title of your feature				
@tag @Register				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/register"	PASSED	0.528 s
2	When the user click on Resgister ASDFG QWERT poiuytre@gmail.com qwaszx qwaszx java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because "this.objPage.Register" is null at StepDef.DemoWebStep.the_user_click_on_resgister(DemoWebStep.java:70) at ?.the user click on Resgister(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/Register.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.024 s
3	Then Click on Register	SKIPPED	0.005 s

Registering as New User

FAILED DURATION - 10.755 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:35:04.411 am // 10:35:15.166 am /				
Title of your feature				
@Invalid @tag				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	0.680 s
2	When The User click on the Login option and enters Username and Password org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@name="Email"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [4bf807d4-14c1-42a3-b4f7-80c1504941b7, findElement {using=xpath, value=//input[@name="Email"]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 67009, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...)} Session ID: 4bf807d4-14c1-42a3-b4f7-80c1504941b7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52)	FAILED	10.038 s

#	Step / Hook Details	Status	Duration
	at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:34) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/Register.feature:21) * Not displayable characters are replaced by '?'. When the user click on Resgister		
3	ASDFG QWERT poiuytre qwaszx qwaszx	SKIPPED	0.001 s
4	Then Click on Register	SKIPPED	0.001 s