

Cucumber Report

07-Apr-2025, 11:37:58 am

Start : Apr 07, 11:37:10.682 am

End : Apr 07, 11:37:56.612 am

Duration : 45.930 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 7
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DemoWorkShop</u>	12.632 s	1	0	1	0	3	1	1	1
<u>Title of your feature</u>	21.466 s	1	0	1	0	5	4	1	0
<u>Title of your feature</u>	11.649 s	2	0	2	0	7	2	2	3

#	Feature Name	Scenario Name
1	<u>DemoWorkShop</u>	<u>Login</u>
2	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>
3		<u>Registering as New User</u>
4		<u>Registering as New User</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	4	0	4	0	3	0	3	0
@Login	1	0	1	0	1	0	1	0
@Navigation	1	0	1	0	1	0	1	0
@Register	1	0	1	0	1	0	1	0
@Invalid	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	1	0	1	0	12.632 s
2	<u>Title of your feature</u>	1	0	1	0	21.466 s
3	<u>Title of your feature</u>	2	0	2	0	11.649 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DemoWorkShop</u>	<u>Login</u>	3	1	1	1	12.626 s
2	<u>Title of your feature</u>	<u>Navigate to MyAccounts</u>	5	4	1	0	21.465 s
3		<u>Registering as New User</u>	3	1	1	1	0.593 s
4		<u>Registering as New User</u>	4	1	1	2	11.020 s

DemoWorkShop


FAILED	DURATION - 12.632 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:37:10.682 am // 11:37:23.314 am /					

Login


FAILED DURATION - 12.626 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:37:10.688 am // 11:37:23.314 am /				
DemoWorkShop				
@tag @Login				

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	6.168 s
2	When The User click on the Login option and enters Username and Password java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:39) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/DemoWeb.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.030 s
3	Then Check is the user on Login page	SKIPPED	0.003 s

Title of your feature

FAILED	DURATION - 21.466 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 11:37:23.411 am // 11:37:44.877 am /					

Navigate to MyAccounts

FAILED DURATION - 21.465 s			Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 11:37:23.412 am // 11:37:44.877 am /				
Title of your feature				
@tag @Navigation				


#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/login"	PASSED	0.916 s
2	When The User click on the Login option and enters Username and Password	PASSED	3.583 s
3	When The user clicks on MyAccounts	PASSED	1.352 s
4	When it opens the Customer enters the details and saves it	PASSED	5.552 s
5	Then Click on logout org.openqa.selenium.NoSuchElementException: Unable to locate element: //a[@class="ico-logout"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b321e88d-593f-4bb4-a1a8-ab3c743ff79f, findElement {using=xpath, value=//a[@class="ico-logout"]} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 67561, moz:profile: /var/folders/my/_xczdv396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: b321e88d-593f-4bb4-a1a8-ab3c743ff79f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	10.031 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at Actions.AccountActions.log(AccountActions.java:43) at StepDef.DemoWebStep.click_on_logout(DemoWebStep.java:65) at ?.Click on logout(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/resources/com/feature/Navigation.feature:30) </pre> * Not displayable characters are replaced by '?'.		

Title of your feature

FAILED	DURATION - 11.649 s	Scenarios		Steps	
/ 11:37:44.963 am // 11:37:56.612 am /		Total - 2		Total - 7	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	


Registering as New User

FAILED DURATION - 0.593 s			Steps	
/ 11:37:44.963 am // 11:37:45.556 am /			Total - 3	
Title of your feature			Pass - 1	
@tag @Register			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com/register"	PASSED	0.550 s

#	Step / Hook Details	Status	Duration
2	When the user click on Resgister	FAILED	0.037 s
	ASDFG QWERT poiuytre@gmail.com qwaszx qwaszx		
	Step undefined		
3	Then Click on Register	SKIPPED	0.000 s

Registering as New User

FAILED		DURATION - 11.020 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:37:45.592 am // 11:37:56.612 am /						
Title of your feature						
@Invalid @tag						

#	Step / Hook Details	Status	Duration
1	Given The User is on the DemoWebShop Page "https://demowebshop.tricentis.com"	PASSED	0.982 s
2	When The User click on the Login option and enters Username and Password	FAILED	10.019 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@name="Email"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '21.0.5' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b321e88d-593f-4bb4-a1a8-ab3c743ff79f, findElement {using=xpath, value=//input[@name="Email"]}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 136.0, moz:accessibilityChecks: false, moz:buildID: 20250227124745, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 67561, moz:profile: /var/folders/my/_xczd396cj..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: b321e88d-593f-4bb4-a1a8-ab3c743ff79f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at Actions.HomeActions.setUsername(HomeActions.java:24) at Actions.HomeActions.logindetails(HomeActions.java:52) at StepDef.DemoWebStep.the_user_click_on_the_login_option_and_enters_username_and_password(DemoWebStep.java:39) at ?.The User click on the Login option and enters Username and Password(file:///Users/sevvelkaranpalanivetrivel/git/Demo/Demo/src/test/ resources/com/feature/Register.feature:21) * Not displayable characters are replaced by '?'. </pre>		
3	When the user click on Resgister ASDFG QWERT poiuytre qwaszx qwaszx	SKIPPED	0.006 s
4	Then Click on Register	SKIPPED	0.001 s