

Holirise

Personal Development Center

Project Documentation

Version: 1.2
Date: September 17, 2026
Authors: Dr Seydie Mebrie

Contents

1	Introduction	2
2	Tech Stack	2
3	Getting Started	2
3.1	Prerequisites	2
3.2	Installation	2
4	Project Structure	3
5	Available Scripts	3
6	Configuration	3
7	Contact Information	4
8	Content Management	4
8.1	Social Links	5
9	Deployment	5
9.1	Deploy to GitHub Pages	5
9.2	Deploy to Vercel	6
10	Improvements	6
10.1	Performance	6
10.2	SEO	7
10.3	Accessibility	7
10.4	Security	7

1 Introduction

The **HOLIRISE Personal Development Center** is the official website of a purpose-driven organization based in Dessie, Ethiopia, dedicated to personal growth, leadership and community development. It is built with **React 18** and **Vite**. This document provides architecture overviews, development guidelines, and deployment instructions.

Note

This documentation is a living document. Update it whenever the codebase changes significantly.

Copyright

Developed By Birhanu Asmerom © 2026 HOLIRISE Personal Development Center. All Rights Reserved.

2 Tech Stack

Category	Technology
Framework	React 18.3
Build Tool	Vite 5.4
CSS	Bootstrap 5.3 + Bootstrap Icons
Module Type	ES Modules

Table 1: Core dependencies.

3 Getting Started

3.1 Prerequisites

- Node.js ≥ 18
- npm or yarn

3.2 Installation

Terminal

```
# Clone the repository
git clone https://github.com/SeyaDaka/holirise-personal-development-center.git
cd holirise-personal-development-center

# Install dependencies
npm install

# Start dev server
npm run dev
```

Tip

Run `npm run build` to create an optimised production build inside `dist/`.

4 Project Structure

Directory Tree

```
holirise-personal-development-center/
├─ public/                # Static assets
│  └─ favicon.svg         # Site favicon
│  └─ images/             # Team photos, logos, media
├─ src/                   # Application source code
│  └─ components/         # Reusable UI components
│     │   └─ About.jsx    └─ Approach.jsx
│     │   └─ Contact.jsx  └─ ContactForm.jsx
│     │   └─ CTA.jsx      └─ Footer.jsx
│     │   └─ Hero.jsx     └─ HoliriseLogo.jsx
│     │   └─ Impact.jsx   └─ Navbar.jsx
│     │   └─ ProgramCard.jsx └─ Programs.jsx
│     │   └─ Team.jsx      └─ Values.jsx
│     │   └─ Vision.jsx
│  └─ data/               # siteData.js (all site content)
│  └─ styles.css          # Global custom styles
│  └─ App.jsx             # Root component
│  └─ main.jsx            # Entry point
├─ doc/                   # Project documentation (this folder)
├─ dist/                  # Production build output
├─ index.html             # HTML entry point
├─ vite.config.js         # Vite configuration
└─ package.json
```

The `components/` folder currently contains 15 components, each corresponding to a page section or reusable UI element. The `public/images/` folder holds the team photographs and the Holirise business card asset.

5 Available Scripts

Command	Description
<code>npm run dev</code>	Start development server
<code>npm run build</code>	Build for production
<code>npm run preview</code>	Preview production build

Table 2: Available npm scripts.

6 Configuration

Vite configuration lives in `vite.config.js`. The project uses the official `@vitejs/plugin-react` plugin.

Warning

Do not commit secrets or API keys. Use environment variables (`.env`) for sensitive configuration.

7 Contact Information

Field	Value
Phone	+251 911 81 91 69
Email	seymeb2007@gmail.com
Website	www.holirise.com
Address	Dessie, Ethiopia
Facebook	seydie.ali
Telegram	@seyfreedom
LinkedIn	Seydie Mebrie Ali
GitHub	SeyaDaka

Table 3: Organization contact details.

8 Content Management

All site content (hero text, programs, values, team members, contact details) lives in `src/data/siteData.js`. Components read from this single source of truth, so content changes require no component edits.

Team member entries support an optional `photo` field pointing to an image in `public/images/`. When present, the avatar in the Team section renders the photo; otherwise initials are shown.

Team Member Entry

```
{
  name: "Dr Seydie Mebrie",
  role: "Founder & Director",
  bio: "Leads the center's vision of holistic growth, ...",
  initials: "SM",
  photo: "/images/Dr Seydie Mebrie.jpg",
  socials: [
    { icon: "bi-github",
      url: "https://github.com/SeyaDaka",
      label: "GitHub" },
    { icon: "bi-linkedin",
      url: "https://www.linkedin.com/in/seydie-mebrie-ali-phd-4b020840/",
      label: "LinkedIn" },
    { icon: "bi-envelope-fill",
      url: "mailto:seymeb2007@gmail.com",
      label: "Email" },
  ],
}
```

8.1 Social Links

The footer social links are configured in the `footer.socials` array of `siteData.js`:

Footer Socials

```
socails: [  
  { name: "Facebook",  
    icon: "bi-facebook",  
    url: "https://web.facebook.com/seydie.ali" },  
  { name: "Telegram",  
    icon: "bi-telegram",  
    url: "https://t.me/seyfreedom" },  
  { name: "LinkedIn",  
    icon: "bi-linkedin",  
    url: "https://www.linkedin.com/in/seydie-mebrie-ali-phd-4b020840/" },  
  { name: "GitHub",  
    icon: "bi-github",  
    url: "https://github.com/SeyaDaka" },  
  { name: "Instagram",  
    icon: "bi-instagram",  
    url: "#" },  
]
```

Note

To add or remove a social link, simply edit the `footer.socials` array. Use any Bootstrap Icon class name for the `icon` field.

Tip

After editing `siteData.js`, run `npm run build` and verify the rendered page before deploying.

9 Deployment

9.1 Deploy to GitHub Pages

1. Create a GitHub repository and push your code.
2. Install the deploy tool:

Terminal

```
npm install -D gh-pages
```

3. Add deploy scripts to `package.json`:

package.json

```
"scripts": {  
  "predeploy": "npm run build",  
  "deploy": "gh-pages -d dist"  
}
```

4. Deploy:

Terminal

```
npm run deploy
```

5. Go to **Settings** > **Pages** in your GitHub repo. The site will be live at: <https://<username>.github.io/<repo>>

Note

Repository: github.com/SeyaDaka/holirise-personal-development-center

9.2 Deploy to Vercel

1. Push your code to GitHub.
2. Log in to vercel.com and click "**Add New Project**".
3. Import your GitHub repository.
4. Vercel auto-detects Vite — confirm the settings:

Vercel Build Settings

```
Build command: npm run build
Output directory: dist
```

5. Click **Deploy**. Your site goes live instantly.
6. Every push to the repository auto-deploys a new version.

Vercel Tips

- Custom domains: go to **Settings** > **Domains** in the Vercel dashboard and add your domain.
- Environment variables: add `.env` values under **Settings** > **Environment Variables**.
- Preview deployments: every pull request gets its own preview URL.

10 Improvements

10.1 Performance

- **Image optimization** — compress team photos using [Squoosh](#) or [TinyPNG](#). Use WebP format.
- **Lazy loading** — add `loading="lazy"` to `<img>` tags below the fold.
- **Code splitting** — use `React.lazy()` and `Suspense` to split components into bundles.

10.2 SEO

- Add `<title>` and `<meta name="description">` in `index.html`.
- Add Open Graph meta tags (`og:title`, `og:description`, `og:image`) for social sharing.
- Create `robots.txt` and `sitemap.xml` in the `public/` folder.

10.3 Accessibility

- Ensure all images have meaningful `alt` attributes.
- Test keyboard navigation through all interactive elements.
- Verify color contrast ratios meet WCAG AA standards.

10.4 Security

- Set security headers (`X-Content-Type-Options`, `X-Frame-Options`, `Content-Security-Policy`).
- Enable HTTPS with a free SSL certificate from [Let's Encrypt](#).