

```

1  <?php
2
3  ?>
4  <html>
5      <head>
6          <title>Postcode Finder</title>
7          <link rel="stylesheet"
              href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-alpha.6/css/bootstrap.min.css"
              integrity="sha384-rwoIResjU2yc3z8GV/NPeZWAv56rSmLldC3R/AZzGRnGxQQKnKkoFVhFQhNUwEyJ"
              crossorigin="anonymous">
8      </head>
9      <body>
10         <div class="container text-center" id="main">
11             <h1>Postcode Finder</h1>
12             <p>Enter a partial address to obtain the postcode number</p>
13             <form>
14                 <div class="form-group">
15                     <input type="text" class="form-control" id="address"
                            placeholder="Enter Partial Address">
16                 </div>
17                 <button class="btn btn-primary" id="findPC">Submit</button>
18             </form>
19         </div>
20         <div id="postcode" class="container text-center">
21
22         </div>
23         <script src="https://code.jquery.com/jquery-3.1.1.slim.min.js"
                integrity="sha384-A7FZj7v+d/sdmMqp/nOQwliLvUsJfDHW+k9Omg/a/EheAdgtzNs3hpfag6Ed950n"
                crossorigin="anonymous"></script>
24         <script
                src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
25         <script src="https://npmcdn.com/tether@1.2.4/dist/js/tether.min.js"></script>
26         <script
                src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-alpha.6/js/bootstrap.min.js"
                integrity="sha384-vBWwz1ZJ8ea9aCX4pEW3rVHjgjt7zpkNpZk+02D9phzyeVKE+jo0ieGizqPLForn"
                crossorigin="anonymous"></script>
27         <script type="text/javascript">
28             var position = {};
29             $("#findPC").click(function(e)
30             {
31                 e.preventDefault();
32                 $.ajax(
33                 {
34                     url:
35                         "https://maps.googleapis.com/maps/api/geocode/json?address="+
36                         encodeURIComponent($("#address").val())+"&key=AIzaSyCZuL29iBFoAF6Hhd_NYD-fdsJFSZ1a3Xw",
37                     type: "GET",
38                     success: function (data)
39                     {
40                         if(data["status"]!="OK")
41                         {
42                             $("#postcode").html(
43                                 '<div class="alert alert-warning" role="alert">'
44                                 +'Could not find the address you entered'+
45                                 '</div>');
46                         }
47                         else
48                         {
49                             //loop through the returning json array with "each",
50                             //then use the array (function). Key is the index,
51                             //while value is the value of the item at that index
52                             $.each(data["results"][0]["address_components"],
53                                 function(key,value)
54                                 {
55                                     if(value["types"][0] == "postal_code")
56                                     {
57                                         $("#postcode").html(
58                                             '<div class="alert alert-success" role="alert">'+

```

```
56         'Postcode: '+value["long_name"]+
57         '</div>');
58     }
59     })
60 }
61 }
62 });
63 });
64 </script>
65 </body>
66 </html>
```