```
1
2
         if((array key exists("sender", $ POST)) and (array key exists("recipient", $ POST))
3
         and (array key exists("subject", $ POST)) and (array key exists("message", $ POST)))
4
5
             $email=$ POST["recipient"];
             $subject=$ POST["subject"];
 6
 7
             $message=$ POST["message"];
8
             $headers='From: '.$ POST['sender'] . "\r\n" .
                          'Reply-To: '.$ POST['sender'] . "\r\n" .
9
10
                          'X-Mailer: PHP/' . phpversion();
11
             $answer = array();
12
             if (mail ($email, $subject, $message, $headers))
13
                 $answer[0] = "The message was sent successfully!";
14
15
                 $answer[1] = "Messaggio inviato!";
16
                 $answer[2] = true;
                 echo json_encode(array("eng"=>$answer[0], "ita"=>$answer[1],
17
                     "flag"=>$answer[2]));
18
19
             }
20
             else
21
22
                 $answer[0] = "The message could not be sent, Try again later.";
                 $answer[1] = "E\' stato riscontrato un errore del server, prova più
23
                     tardi.";
                 $answer[2] = false;
24
25
                 echo json encode(array("eng"=>$answer[0], "ita"=>$answer[1],
                     "flag"=>$answer[2]));
26
27
28
     ?>
```