```
1
     <div id="introContainer" [@visibilityChanged]="visibilityState"</pre>
         (@visibilityChanged.done) = "redirectHome ($event) ">
 2
       <div *nqFor="let polaroid of polaroidCount; let i = index">
 3
         <div [id]="'polaDiv ' + i" class="polaroidFrameDiv"</pre>
 4
                [ngStyle] = "{
 5
                    '-webkit-transform': 'rotate(' + (360 / polaroidNumber) * i + 'deg)',
                    '-ms-transform': 'rotate(' + (360 / polaroidNumber) * i + 'deg)',
 6
7
                    'transform': 'rotate(' + (360 / polaroidNumber) * i + 'deg)'}">
8
           <div class="polaroidFrame"
9
                [@frameOpacity]="frameOpacityState[i]"
10
                (@frameOpacity.done) = "startPicOpacity($event, i)">
11
             <img class="polaroidPic"</pre>
12
                   [src]="'../../assets/images/home/polaroids/' + i + '.jpg'"
13
                   [@picOpacity] = "picOpacityState[i]">
14
           </div>
15
         </div>
16
      </div>
17
18
       <img
19
         id="homePageTitle"
20
         src="../../assets/images/home/largeTitle.png"
         class="my-auto mx-auto" [@brandOpacity]="brandOpacityState"
21
22
         (@brandOpacity.done) ="changeVisibility($event)">
23
    </div>
24
```