

```

1  <?php
2
3  //ESSENTIAL FUNCTIONS
4  include ('../objects/timelineDate.php');
5
6  header( 'content-type: text/html; charset=utf-8' );
7
8  session_start();
9
10 $link = mysqli_connect();
11 $link->set_charset("utf8");
12
13 if(mysqli_connect_errno()){
14
15     die(mysqli_connect_error());
16
17 }
18
19 function changeLang($lang) {
20
21     if($lang == 'eng') {
22
23         $_SESSION['lang'] = 'eng';
24
25     } else {
26
27         $_SESSION['lang'] = 'ita';
28
29     }
30
31 }
32
33 //CV FUNCTIONS
34
35 function loadCurriculum() {
36
37     global $link;
38
39     //EDUCATION
40
41     createSectionTitle("EDUCATION AND TRAINING", "ISTRUZIONE E FORMAZIONE",
42         "#eduContainer");
43
44     $query = "SELECT * FROM education WHERE addToCv=1 ORDER BY endDate DESC";
45
46     echo '<div class="collapse show cvCollapsible" id="eduContainer">';
47
48     loadSection($link, $query);
49
50     echo '</div>';
51
52     //WORK EXPERIENCE
53
54     createSectionTitle("WORK EXPERIENCE", "ESPERIENZA LAVORATIVA",
55         "#workContainer");
56
57     $query = "SELECT * FROM workExperience WHERE addToCv=1 ORDER BY endDate DESC";
58
59     echo '<div class="collapse show cvCollapsible" id="workContainer">';
60
61     loadSection($link, $query);
62
63     echo '</div>';
64
65     //TABLES
66
67     createSectionTitle("PERSONAL SKILLS", "COMPETENZE PERSONALI",
68         "#cvTableContainer");
69
70     echo '<div class="collapse show cvCollapsible" id="cvTableContainer">';
71
72     langTable();

```

```

70         digiTable();
71
72     echo '</div>';
73
74     //VOLUNTEERING
75
76     createSectionTitle("VOLUNTEERING", "VOLONTARIATO", "#volunteering");
77
78     $query = "SELECT * FROM volunteering WHERE addToCv=1 ORDER BY endDate DESC";
79
80     echo '<div class="collapse show cvCollapsible" id="volunteering">';
81
82     loadSection($link, $query);
83
84     echo '</div>';
85
86     //ADDITIONAL INFORMATION
87
88     createSectionTitle("HOBBIES", "HOBBIES", "#hobbies");
89
90     $query = "SELECT * FROM hobbies WHERE addToCv=1 ORDER BY endDate DESC";
91
92     echo '<div class="collapse show cvCollapsible" id="hobbies">';
93
94         loadSection($link, $query);
95
96     echo '</div>';
97
98 }
99
100
101 function createSectionTitle($engTitle, $titoloIta, $targetContainer) {
102
103     echo '<div href="#" class="button sectionTitleDiv d-flex flex-row
104         justify-content-between" data-toggle="collapse"
105         data-target="'. $targetContainer .'">
106
107         <div class="ml-2 pb-0 my-0 d-flex"><a class="py-0 my-0
108             align-self-center" href="#" class="ml-3 sectionTitle">';
109
110         if($_SESSION['lang'] == 'eng'){
111
112             echo '<h4 class="py-0 my-0">'. $engTitle .'</h4>';
113
114         } else {
115
116             echo '<h4 class="py-0 my-0">'. $titoloIta .'</h4>';
117
118         }
119
120         echo '</a></div>
121
122         <div class="sectionHr mr-3"></div>
123
124     </div>';
125
126 }
127
128 function extractTableName ($query){
129
130     $ret = explode(" ", $query);
131
132     return $ret[3];
133
134 }
135
136 function loadSection($link, $query){
137
138     $result = mysqli_query($link, $query);
139
140     if(mysqli_num_rows($result) > 0){

```

```

139         while($row = mysqli_fetch_array($result)){
140
141             generateContent($row, extractTableName($query));
142
143         }
144
145     }
146
147 }
148
149 function generateContent($row, $tableName){
150
151     echo '<div class="cvRowContainer row">
152
153         <div class="leftColumn"><span>'.
154
155             adaptDates($row["startDate"], $row["endDate"])
156
157         .</span></div>
158         <div class="rightColumn">
159
160             <div class="titleContainer cvTitle"><h5>';
161
162             if ($row['attachedFile']) {
163
164                 echo '<a href="'. $row['attachedFile'].'" target="_blank"><span
165                     class="">'. (($SESSION['lang'] ==
166                         'eng')?$row['title']:$row['titoloIta']).'
167                         '.$row["score"].</span></a>';
168
169             } else {
170
171                 echo '('. $row["score"];
172
173             }
174
175             echo '</h5></div>
176             <div class="cvContent">
177                 <h6 class="darkGrey">'. $row['company'] .' - '.
178                 (($SESSION['lang'] ==
179                     'eng')?$row['location']:$row['luogo']).</h6>
180
181                 <div class="mt-3"><h7>'. (($SESSION['lang'] ==
182                     'eng')?$row['content']:$row['contenutoIta']).</h7></div>';
183
184             echo '</div>
185
186             <div class="mt-2">
187
188                 <div class="d-flex flex-row">';
189
190                 if($tableName == "education"){ //if I'm in the education
191                     table, load certificates (exam table holds only
192                     externalIDs from the education Table)
193
194                     if(hasCertificates($row['id'])){
195
196                         echo '<div class="certCol">';
197                         showCertificatesLink($row['id']);
198                         echo '</div>';
199
200                     }
201
202                 }
203
204                 $extId = tableNameToExternalId($tableName);
205
206                 if (hasImages($row['id'], $extId)){
207
208                     echo '<div class="imgCol">';
209                     showImagesLink($row['id'],
210                         tableNameToExternalId($tableName));
211
212                 }
213
214             </div>
215
216         </div>
217     </div>';
218 }
219
220

```

```
201         echo '</div>';
202
203     }
204
205     echo '</div>';
206
207     if(hasCertificates($row['id'])){
208
209         listCertificates($row['id']);
210
211     }
212
213     echo '</div>
214
215 </div>
216
217 </div>';
218
219 }
220
221 function tableNameToExternalId($tableName){ //returns external key name for a
given table
222
223     if($tableName){
224
225         return substr ($tableName, 0, 3) ."Id";
226
227     } else {
228
229         return false;
230
231     }
232
233 }
234
235 function tableNameFromExternalIdName($id){ //returns table name for a given
external key name
236
237     if($id){
238
239         if(substr ($id, 0, 3) == 'edu') {
240
241             return 'education';
242
243         } else if(substr ($id, 0, 3) == 'exa') {
244
245             return 'exams';
246
247         } else if(substr ($id, 0, 3) == 'hob') {
248
249             return 'hobbies';
250
251         }else if(substr ($id, 0, 3) == 'ima') {
252
253             return 'images';
254
255         }else if(substr ($id, 0, 3) == 'vol') {
256
257             return 'volunteering';
258
259         }else if(substr ($id, 0, 3) == 'wor') {
260
261             return 'workExperience';
262
263         }
264
265     } else {
266
267         return false;
268
269     }
270 }
```

```

271
272 function hasCertificates ($itemId) {
273
274     global $link;
275
276     $query = "SELECT * FROM exams WHERE eduId=".mysqli_real_escape_string($link,
277         $itemId);
278
279     $result = mysqli_query($link, $query);
280
281     if(mysqli_num_rows($result) > 0) {
282         return true;
283     } else {
284         return false;
285     }
286 }
287
288 function showCertificatesLink($itemId) {
289
290     echo '<button class="button silverButton" data-toggle="collapse"
291         data-target="#listExams'.$itemId.'">
292
293         <i class="fa fa-id-card certificateIcon"
294             aria-hidden="true"></i>'.(($SESSION['lang'] ==
295             'eng')?'<small>Certificates</small>':'<small>Certificati</small>').<i
296             class="ml-2 fa fa-caret-down" aria-hidden="true"></i>'
297
298     .</button>';
299
300 }
301
302 function listCertificates($itemId) {
303
304     echo '<div class="ml-2 m-0 p-0 rounded-bottom cvEduList collapse"
305         id="listExams'.$itemId.'">'.
306
307         innerListCertificates($itemId)
308
309     .</div>';
310
311 }
312
313 function innerListCertificates($itemId) {
314
315     global $link;
316
317     $ret = "";
318
319     $examsQuery = "SELECT * FROM exams WHERE
320         eduId=".mysqli_real_escape_string($link, $itemId);
321
322     $result = mysqli_query($link, $examsQuery);
323
324     if(mysqli_num_rows($result) > 0) {
325
326         $ret = '<ul class="listExamHeader p-0 m-0">';
327
328         while($row = mysqli_fetch_array($result)) {
329
330             $ret .= '<li class="listExamItem mx-0 my-auto px-2 py-2"><p
331                 class="m-0 my-auto p-0">';
332
333             if ($row['attachedFile']) {
334
335                 $ret .= '<a href="'.$row['attachedFile'].'" target="_blank"><i
336                     class="mr-1 fa fa-fw fa-file-pdf-o certificateListIcon"
337                     aria-hidden="true"></i>'.(($SESSION['lang'] ==

```

```

        'eng')?$row['enDesc']:$row['itDesc']) .(($row['score'])?" - ".
        $row['score':"") . '</a>';
333
334     } else {
335
336         $ret .= '<i class="fa fa-fw fa-file-pdf-o certificateListIcon"
        aria-hidden="true"></i>'. (($_SESSION['lang'] ==
        'eng')?$row['enDesc']:$row['itDesc']) .(($row['score'])?" -
        ". $row['score':"");
337
338     }
339
340     $ret .= '</p></li>';
341
342 }
343
344 $ret .= '</ul>';
345
346 return $ret;
347
348 }
349
350 }
351
352 function hasImages($itemId, $idType){ //I will need both the id of the sender
    and the type of id to look for in the images table
353
354     global $link;
355
356     $query = "SELECT * FROM images WHERE ". $idType
        . "=".mysqli_real_escape_string($link, $itemId);
357
358     $result = mysqli_query($link, $query);
359
360     if(mysqli_num_rows($result) > 0){
361
362         return true;
363
364     } else {
365
366         return false;
367
368     }
369
370 }
371
372 function showImagesLink($itemId, $idType){
373
374
375     echo '<button class="button silverButton" data-toggle="modal"
        id="'. $idType .'_' . $itemId .'" data-caller="'. $idType .'_' . $itemId .'"
        data-target="#picsModal" data-classmc="imgModLink">
376
377         <i class="fa fa-picture-o certificateIcon"
        aria-hidden="true"></i>'. (($_SESSION['lang'] ==
        'eng')?"<small>Pictures</small>":"<small>Foto</small>")
378
379     .'</button>';
380
381 }
382
383 function loadImages($whereClause) {
384
385     global $link;
386
387     $imgLinks = array();
388     $imgRatios = array(); //works only to keep the aspect of the height
389     $ret = array(); //array of arrays
390
391     $query = "SELECT * FROM images ". $whereClause;
392
393     $result = mysqli_query($link, $query);

```

```

394
395     if(mysqli_num_rows($result) > 0){
396
397         while($row = mysqli_fetch_array($result)){
398
399             array_push($imgLinks, './'. $row['picUrl']);
400             $imgInfo = getimagesize('./'. $row['picUrl']);
401             array_push($imgRatios, $imgInfo[1]/ $imgInfo[0]);
402
403         }
404
405
406         array_push($ret, $imgLinks);
407         array_push($ret, $imgRatios);
408         return $ret;
409
410     } else {
411
412         return false;
413
414     }
415
416 }
417
418 function getPicTitle($table, $id) {
419
420     global $link;
421
422     $ret = "";
423
424     $query = "SELECT * FROM ". mysqli_real_escape_string($link, $table) ." WHERE
425         id='". mysqli_real_escape_string($link, $id)." LIMIT 1";
426
427     $result = mysqli_query($link, $query);
428
429     if(mysqli_num_rows($result) > 0){
430
431         $row = mysqli_fetch_array($result);
432
433         return (($_SESSION['lang'] == 'eng')?$row['title']:$row['titoloIta']);
434
435     }
436
437 }
438
439 function adaptDates($startDate, $endDate){
440
441     $startYear = substr($startDate, 0, 4);
442     $startMonth = monthFromNumber(substr($startDate, 5, 2));
443
444     $endYear = "";
445     $endMonth = "";
446     $endDateRebuilt = "";
447
448     if((time() - strtotime($endDate)) > 0){
449
450         $endYear = substr($endDate, 0, 4);
451         $endMonth = monthFromNumber(substr($endDate, 5, 2));
452         $endDateRebuilt = $endMonth.".". $endYear;
453
454     } else {
455
456         if($_SESSION['lang'] == 'eng'){
457
458             $endDateRebuilt = "Today";
459
460         } else {
461
462             $endDateRebuilt = "Oggi";
463
464         }
465
466     }
467
468 }

```

```

465         return $startMonth." ". $startYear." - ". $endDateRebuilt;
466     }
467
468     }
469
470     function monthFromNumber($num) {
471
472         $months = array
473             (1=>'Jan', 2=>'Feb', 3=>'Mar', 4=>'Apr', 5=>'May', 6=>'Jun', 7=>'Jul', 8=>'Aug', 9
474             =>'Sep', 10=>'Oct', 11=>'Nov', 12=>'Dec');
475
476         $mesi = array
477             (1=>'Gen', 2=>'Feb', 3=>'Mar', 4=>'Apr', 5=>'Mag', 6=>'Giu', 7=>'Lug', 8=>'Ago', 9
478             =>'Set', 10=>'Ott', 11=>'Nov', 12=>'Dic');
479
480         $strMonth = "";
481
482         (substr($num, 0, 1) == 0)? $num = substr($num, 1, 1) : $num = $num;
483
484         if($_SESSION['lang'] == 'eng') {
485             $strMonth = $months[$num];
486
487         } else {
488             $strMonth = $mesi[$num];
489
490         }
491
492         return $strMonth;
493     }
494
495     function langTable() {
496
497         echo '<div class="row">
498             <div class="leftColumn">
499                 <span>'. (($SESSION['lang'] == 'eng')?'Mother tongue':'Lingua
500                 madre') . '</span>
501             </div>
502             <div class="rightColumn">
503                 <span class="">'. (($SESSION['lang'] ==
504                 'eng')?'Italian':'Italiano') . '</span>
505             </div>
506         </div>
507         <div class="row cvTableRow">
508             <div class="leftColumn">
509                 <span class="">'. (($SESSION['lang'] == 'eng')?'Other
510                 languages':'Altre lingue') . '</span>
511             </div>
512             <div class="rightColumn">
513                 <span class="">'. (($SESSION['lang'] == 'eng')?'English':'Inglese')
514                 . '</span>
515             <table class="table cvTable table-responsive mt-3">
516                 <tr>
517                     <th colspan="2"
518                         class="text-uppercase">'. (($SESSION['lang'] ==
519                         'eng')?'understanding':'COMPRENSIONE') . '</th>
520                     <th colspan="2"
521                         class="text-uppercase">'. (($SESSION['lang'] ==
522                         'eng')?'SPEAKING':'PARLATO') . '</th>
523                     <th colspan="2"
524                         class="text-uppercase">'. (($SESSION['lang'] ==
525                         'eng')?'writing':'PRODUZIONE SCRITTA') . '</th>
526                 </tr>
527                 <tr>
528                     <th>'. (($SESSION['lang'] ==
529                     'eng')?'Listening':'Ascolto') . '</th>
530                     <th>'. (($SESSION['lang'] ==
531                     'eng')?'Reading':'Lettura') . '</th>
532                     <th>'. (($SESSION['lang'] ==
533                     'eng')?'Interaction':'Interazione') . '</th>
534                     <th>'. (($SESSION['lang'] == 'eng')?'Oral

```



```

521         Production': 'Produzione orale') .</th>
522     </tr>
523     <tr>
524         <td class="text-uppercase">C2</td>
525         <td class="text-uppercase">C2</td>
526         <td class="text-uppercase">C2</td>
527         <td class="text-uppercase">C2</td>
528         <td class="text-uppercase">C2</td>
529     </tr>
530     <tr>
531         <td colspan="5" style="background-color: lightgray;">EF
            Standardized English Test: Advanced / Proficient (C1
            / C2 Bilingual, 93/100)</td>
532     </tr>
533 </table>
534 <p style="color: #808182"><small><span
    class="darkGrey">' . (($ _SESSION['lang'] == 'eng') ? 'Levels:
    A1/A2: Basic user - B1/B2: Independent user - C1/C2
    Proficient user (Common European Framework of Reference for
    Languages)' : 'Livelli: A1 e A2: Utente base - B1 e B2: Utente
    autonomo - C1 e C2: Utente avanzato' (Quadro Comune Europeo
    di Riferimento delle Lingue)' .</span></small></p></div>
535
536     </div>
537 </div>';
538
539 }
540
541 function digiTable() {
542
543     echo '<div class="row cvTableRow">
544         <div class="leftColumn">
545             <span class="cvLeftSide">' . (($ _SESSION['lang'] ==
546                 'eng') ? 'DIGITAL COMPETENCE' : 'COMPETENZA DIGITALE') .</span>
547         </div>
548         <div class="rightColumn">
549             <table class="table cvTable table-responsive">
550                 <tr>
551                     <th colspan="5">' . (($ _SESSION['lang'] ==
552                         'eng') ? 'SELF-ASSESSMENT' : 'AUTOVALUTAZIONE') .</th>
553                 </tr>
554                 <tr>
555                     <th>' . (($ _SESSION['lang'] == 'eng') ? 'Information
556                         processing' : 'Elaborazione delle informazioni') .</th>
557                     <th>' . (($ _SESSION['lang'] ==
558                         'eng') ? 'Communication' : 'Comunicazione') .</th>
559                     <th>' . (($ _SESSION['lang'] == 'eng') ? 'Content
560                         creation' : 'Creazione di contenuti') .</th>
561                     <th>' . (($ _SESSION['lang'] ==
562                         'eng') ? 'Safety' : 'Sicurezza') .</th>
563                     <th>' . (($ _SESSION['lang'] == 'eng') ? 'Problem
564                         solving' : 'Risoluzione di problemi') .</th>
565                 </tr>
566                 <tr>
567                     <td>' . (($ _SESSION['lang'] == 'eng') ? 'Independent
568                         user' : 'Utente autonomo') .</td>
569                     <td>' . (($ _SESSION['lang'] == 'eng') ? 'Proficient
570                         user' : 'Utente avanzato') .</td>
571                     <td>' . (($ _SESSION['lang'] == 'eng') ? 'Independent
572                         user' : 'Utente autonomo') .</td>
573                     <td>' . (($ _SESSION['lang'] == 'eng') ? 'Independent
574                         user' : 'Utente autonomo') .</td>
575                     <td>' . (($ _SESSION['lang'] == 'eng') ? 'Independent
576                         user' : 'Utente autonomo') .</td>
577                 </tr>
578             </table>
579         </div>
580     </div>
581     <div class="row licenseRow">
582         <div class="leftColumn">
583             <span class="cvLeftSide">' . (($ _SESSION['lang'] ==

```

```

572         'eng')?'Driving licence':'Patente di guida').'</span>
573     </div>
574     <div class="rightColumn">
575         <span class="cvTitle">A1, B</span>
576     </div>';
577
578 }
579
580 //TIMELINE-----
581
582 function LoadTimeline() {
583
584     echo '<div id="tlError" class="alert alert-warning"></div>
585     <div id="tlPortraitWarning" class="alert alert-warning"></div>
586     <h3 class="text-center pt-4 pb-1 text-uppercase">TIMELINE</h3>';
587
588     echo '<div class="p-3">
589         <div id="tlDiv" class="p-3">
590             <div id="tlLoading" class="divLoading"><div
591                 class="divLoader"></div></div>
592             <table class="table cvTable table-responsive" id="timeline"></table>
593             <div id="sliderDiv" class="p-2 border border-dark border-top-0">
594                 <div class="d-flex flex-column">
595                     <div class="d-flex justify-content-center text-center
596                         orangeRow m-0 align-items-stretch"><label id="tlValues"
597                             class=""></label></div>
598                     <div class="row mt-4 text-center">
599                         <div class="align-self-center col-md-10 py-2">
600                             <input id="slider" type="text" class="" value=""
601                                 data-slider-tooltip="show"
602                                 data-slider-enabled="false"
603                                 data-slider-handle="custom" data-slider-step="1"/>
604                             </div>
605                             <div class="align-self-center col-md-2">
606                                 <label id="redraw" class=" silverButton">'.
607                                     (($_SESSION['lang'] ==
608                                         'eng')?'Redraw':'Ridisegna') .'</label>
609                             </div>
610                         </div>
611                     </div>
612                 </div>
613             </div>
614         </div>
615     </div>';
616
617 }
618
619 function loadTimelineArrays() {
620
621     $tablesContent = array();
622
623     $query = "SELECT * FROM education";
624     $tablesContent['education'] = loadTimelineTable($query);
625
626     $query = "SELECT * FROM workExperience";
627     $tablesContent['workExperience'] = loadTimelineTable($query);
628
629     $query = "SELECT * FROM volunteering";
630     $tablesContent['volunteering'] = loadTimelineTable($query);
631
632     $query = "SELECT * FROM hobbies";
633     $tablesContent['hobbies'] = loadTimelineTable($query);
634
635     $query = "SELECT * FROM nations, nationsDates WHERE nationsDates.nationId =
636         nations.id";
637     $tablesContent['nationsDates'] = loadTimelineTable($query);
638
639     return $tablesContent;
640
641 }
642
643 function loadTimelineTable($query) {

```

```

634
635     global $link;
636     $rows = array();
637
638     $result = mysqli_query($link, $query);
639
640     if(mysqli_num_rows($result) > 0){
641
642         while($row = mysqli_fetch_array($result)){
643
644             $timelineRow = new timelineDate();
645             $timelineRow -> setTitle(((($_SESSION['lang'] == 'eng') ?
646                 $row['title'] : $row['titoloIta'])));
647             $timelineRow -> setStartDate(splitDate($row['startDate']));
648             $timelineRow -> setEndDate(splitDate($row['endDate']));
649
650             array_push($rows, $timelineRow);
651
652         }
653
654         return $rows;
655     } else {
656
657         return false;
658     }
659 }
660
661
662
663
664
665 function splitDate($inputDate){
666
667     $dateSplit = new myDate();
668
669     if((time() - strtotime($inputDate)) < 0){
670
671         $inputDate = date('Y-m-d');
672
673     }
674
675     $dateSplit -> setDay(substr($inputDate, 8, 2));
676     $dateSplit -> setMonth(substr($inputDate, 5, 2));
677     $dateSplit -> setYear(substr($inputDate, 0, 4));
678
679     return $dateSplit;
680
681 }
682
683 //EXERCISES FUNCTIONS-----
684
685 function loadExercises(){
686
687     global $link;
688
689     echo '<h3 class="text-center pb-1 text-uppercase">'. ((($_SESSION['lang'] ==
690         'eng')? 'Exercises' : 'Esercizi')) . '</h3>';
691
692     $query = "SELECT * FROM exercises";
693
694     echo '<div class="d-flex flex-column" id="exeContainer">';
695
696     $result = mysqli_query($link, $query);
697
698     if(mysqli_num_rows($result) > 0){
699
700         while($row = mysqli_fetch_array($result)){
701
702             exerContent($row);
703
704         }
705     }

```

```

704
705     }
706
707     echo '</div>';
708 }
709
710 function exerContent($row) {
711
712     echo '<div class="p-2 singleExeContainer">
713
714         <div class="row">
715
716             <div class="exeTitle col-lg-4 text-uppercase p-0 my-auto"><h5
717                 class="my-auto">'; //exercise Title
718
719                 if ($row['attachedFile']) {
720
721                     echo '<a href="'. $row['attachedFile']. '" target="_blank">'.
722                         (($ _SESSION['lang'] ==
723                             'eng') ? $row['title'] : $row['titoloIta']) . '</a>';
724
725                     } else if (hasExeFiles($row['id'])) {
726
727                         echo '<a href="#" class="button" data-toggle="collapse"
728                             data-target="#listExeFiles_'. $row['id']. '">'.
729                             (($ _SESSION['lang'] ==
730                                 'eng') ? $row['title'] : $row['titoloIta']) . '<i class="ml-2
731                                     darkGrey fa fa-caret-down" aria-hidden="true"></i></a>';
732
733                     } else {
734
735                         echo (($ _SESSION['lang'] ==
736                             'eng') ? $row['title'] : $row['titoloIta']);
737
738                     }
739
740                 echo '</h5></div>
741                 <div class="exeLang col-lg-8 m-0 p-0 my-auto"><h6 class="my-auto">'.
742                     $row['language'] //Computer languages used
743
744                 . '</h6></div>
745                 </div>';
746
747                 if (hasExeFiles($row['id'])) {
748
749                     echo '<div class="ml-1">';
750
751                     listExeFiles($row['id']);
752
753                     echo '</div>';
754
755                 }
756
757             echo '</div>';
758
759         }
760
761 function hasExeFiles ($itemId) {
762
763     global $link;
764
765     $query = "SELECT * FROM exeFiles WHERE
766         exeId=".mysql_real_escape_string($link, $itemId);
767
768     $result = mysqli_query($link, $query);
769
770     if (mysqli_num_rows($result) > 0) {
771
772         return true;
773
774     } else {

```

```

767
768         return false;
769
770     }
771
772 }
773
774 function listExeFiles($itemId) {
775
776     echo '<div class="rounded-bottom exeFilesList collapse"
777         id="listExeFiles_'.$itemId.'">'.
778
779         innerListExeFiles($itemId)
780
781     . '</div>';
782 }
783
784 function innerListExeFiles($itemId) { //generate list of pdf files containing code
785
786     global $link;
787
788     $ret = "";
789
790     $query = "SELECT * FROM exeFiles WHERE
791         exeId=".mysqli_real_escape_string($link, $itemId);
792
793     $result = mysqli_query($link, $query);
794
795     if(mysqli_num_rows($result) > 0){
796
797         $ret = '<ul class="m-0 p-0 pt-0">';
798
799         while($row = mysqli_fetch_array($result)){
800
801             $ret .= '<li class="m-0 p-0 pt-0"><p class="my-auto">';
802
803             if ($row['attachedFile']) {
804
805                 $ret .= '<a href="'.$row['attachedFile'].'" target="_blank"><i
806                     class="mr-1 fa fa-fw ' .
807                     ((returnExtension($row['attachedFile']) ==
808                     'pdf')?'fa-file-pdf-o' : 'fa-file-image-o') . ' '
809                     exeFileListIcon" aria-hidden="true"></i>' .
810                     (($SESSION['lang'] ==
811                     'eng')?$row['title']:$row['titoloIta']) . '</a>';
812
813             } else {
814
815                 $ret .= '<i class="fa fa-font-awesomemr-1 fa fa-fw
816                     exeFileListIcon" aria-hidden="true"></i>' .
817                     (($SESSION['lang'] ==
818                     'eng')?$row['title']:$row['titoloIta']);
819
820             }
821
822             $ret .= '</p></li>';
823
824         }
825
826         $ret .= '</ul>';
827
828         return $ret;
829     }
830 }
831
832 function returnExtension($url) {
833
834     return substr($url, -3);
835 }

```

