Rajalakshmi Engineering College

Name: SIVAGURU D

Email: 240701517@rajalakshmi.edu.in

Roll no: 240701517 Phone: 9345616842

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Moniksha, a chess coach organizing a tournament, needs a program to manage participant IDs efficiently. The program maintains a doubly linked list of IDs and offers two functions: Append to add IDs as students register, and Print Maximum ID to identify the highest ID for administrative tasks.

This tool streamlines tournament organization, allowing Moniksha to focus on coaching her students effectively.

Input Format

The first line consists of an integer n, representing the number of participant IDs to be added.

The second line consists of n space-separated integers representing the participant IDs.

Output Format

The output displays a single integer, representing the maximum participant ID.

If the list is empty, the output prints "Empty list!".

Refer to the sample output for the formatting specifications.

Sample Test Case

```
Input: 3
   163 137 155
   Output: 163
Answer
   #include<stdio.h>
   #include<stdlib.h>
   struct node{
     struct node *p;
     int e;
     struct node *n;
   };
   typedef struct node Node;
   Node *I=NULL;
   void insert(int a)
     Node *ne=(Node *)malloc(sizeof(Node));
     ne->e=a:
     ne->n=NULL;
      ne->p=NULL;
     if(I==NULL)
     I=ne;
     else
     {
        Node *po=l;
        while(po->n!=NULL)
        po=po->n;
        po->n=ne;
        ne->p=po;
```

```
240701517
                          240701517
                                                     240701517
     void printmax()
       if(I==NULL)
         printf("Empty list!");
         return;
       Node *po=l;
       int max=po->e;
       while(po!=NULL)
         if(po->e>max)
                                                     240701517
                          240701517
         max=po->e;
         po=po->n;
       printf("%d",max);
     int main()
       int n;
       scanf("%d",&n);
       for(int i=0;i<n;i++)
       {
         int a;
jeanf("%(
insert(a);
prin*
         scanf("%d ",&a);
                                                     240701517
                                                                                240701517
     }
```

Status: Correct Marks: 10/10

240701517

240701517

240701517

240701517