USER INTERFACE AND DESIGN

EXPERIMENT – 9

Name: Sivaguru D **Roll No:** 240701517

AIM:

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js

PROCEDURE:

Step 1:

Setting Up the HTML Form Start by creating an HTML form with input fields for the email and phone number.

index.html > html > body

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Form Validation</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="container">
<form id="myForm">
<label for="email">Email:</label>
<input type="email" id="email" name="email" required>

<span id="emailError" class="error"></span>

<label for="phone">Phone Number:</label>
<input type="text" id="phone" name="phone" required>
<span id="phoneError" class="error"></span>

<button type="submit">Submit</button>
</form>
</div>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>
<script src="script.js"></script>
</body>
</html>
```

Step 2:

Styling the Form with CSS Next, add some basic styling to make the form look nice.

```
# style.css > ...
body {
font-family: Arial,sans-serif;
background-color: #f4f4f4;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
margin: 0;
}
.container {
background-color: white;
padding: 20px;
border-radius: 5px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

form {
display: flex;
flex-direction: column;
}
label {
margin-bottom: 5px;
}
input {
margin-bottom: 10px;
padding: 10px;
border: 1px solid #ccc;
border-radius: 3px;
}
button {
padding: 10px;
background-color: #28a745;
color: white;
border: none;
border-radius: 3px;
cursor: pointer;
}
button:hover {
background-color: #218838;
}
.error {
color: red;
font-size: 0.875em;
}
```

Step 3:

Adding JavaScript for Validation Finally, add JavaScript to validate the input fields using Validator.js and display error messages

```js
script.js > ...
document.getElementById('myForm').addEventListener('submit', function (e) {
e.preventDefault();

let email = document.getElementById('email').value;
let phone = document.getElementById('phone').value;
let emailError = document.getElementById('emailError');
let phoneError = document.getElementById('phoneError');
// Clear previous error messages
emailError.textContent = '';

phoneError.textContent = '';
// Validate email
if (!validator.isEmail(email)) {
emailError.textContent = 'Please enter a valid email address.';
}
// Validate phone number
if (!validator.isMobilePhone(phone, 'any')) {
phoneError.textContent = 'Please enter a valid phone number.';
}
// If no errors, submit the form (for demonstration purposes, we'll just log the values)
if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
console.log('Email:', email);
console.log('Phone:', phone);
}
});
```

OUTPUT

For valid email and phone no. :



Error message for invalid email:



Error message for invalid phone no. :