

System	Windows NT DESKTOP-A4HLF1K 10.0 build 19044 (Windows 10) AMD64
Build Date	Nov 16 2021 18:08:51
Compiler	Visual C++ 2017
Architecture	x64
Configure Command	cscript /nologo /e:js cscript configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\deps_aux\oracle\x64\instantclient_12_1sdk,shared" "--with-oci8-12c=c:\php-snap-build\deps_aux\oracle\x64\instantclient_12_1sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet=shared" "--without-analyzer" "--with-pgo"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	no value
Loaded Configuration File	C:\wamp64\bin\apache\apache2.4.51\bin\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20190902
PHP Extension	20190902
Zend Extension	320190902
Zend Extension Build	API320190902,TS,VC15
PHP Extension Build	API20190902,TS,VC15
Debug Build	no
Thread Safety	enabled
Thread API	Windows Threads
Zend Signal Handling	disabled
Zend Memory Manager	enabled

Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	php, file, glob, data, http, ftp, zip, compress.zlib, compress.bzip2, https, ftps, phar
Registered Stream Socket Transports	tcp, udp, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, zlib.*, bzip2.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v3.4.0, Copyright (c) Zend Technologies
 with Zend OPcache v7.4.26, Copyright (c), by Zend Technologies
 with Xdebug v3.1.1, Copyright (c) 2002-2021, by Derick Rethans



Configuration

apache2handler

Apache Version	Apache/2.4.51 (Win64) PHP/7.4.26
----------------	----------------------------------

Apache Version	Apache/2.4.51 (Win64) PHP/7.4.26
Apache API Version	20120211
Server Administrator	wampserver@wampserver.invalid
Hostname:Port	localhost:0
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 5
Virtual Server	Yes
Server Root	C:/wamp64/bin/apache/apache2.4.51
Loaded Modules	core mod_win32 mpm_winnt http_core mod_so mod_access_compat mod_actions mod_alias mod_allowmethods mod_asis mod_auth_basic mod_auth_digest mod_authn_core mod_authn_file mod_authz_core mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cache mod_cache_disk mod_cgi mod_dir mod_env mod_file_cache mod_include mod_isapi mod_log_config mod_mime mod_negotiation mod_rewrite mod_setenvif mod_userdir mod_vhost_alias mod_php7

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	127.0.0.1
HTTP_CONNECTION	keep-alive
HTTP_SEC_CH-UA	" Not A;Brand";v="99", "Chromium";v="98", "Microsoft Edge";v="98"
HTTP_SEC_CH-UA-MOBILE	?0
HTTP_SEC_CH-UA-PLATFORM	"Windows"
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_DNT	1
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/98.0.4758.102 Safari/537.36 Edg/98.0.1108.56
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
HTTP_SEC_FETCH_SITE	same-origin
HTTP_SEC_FETCH_MODE	navigate
HTTP_SEC_FETCH_USER	?1
HTTP_SEC_FETCH_DEST	document
HTTP_REFERER	http://127.0.0.1/

Variable	Value
HTTP_REFERER	http://127.0.0.1/
HTTP_ACCEPT_ENCODING	gzip, deflate, br
HTTP_ACCEPT_LANGUAGE	ru,en;q=0.9,en-GB;q=0.8,en-US;q=0.7
PATH	C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH;C:\Windows\system32\config\systemprofile\AppData\Local\Microsoft\Windows Apps
SystemRoot	C:\Windows
COMSPEC	C:\Windows\system32\cmd.exe
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
WINDIR	C:\Windows
SERVER_SIGNATURE	<address>Apache/2.4.51 (Win64) PHP/7.4.26 Server at 127.0.0.1 Port 80</address>
SERVER_SOFTWARE	Apache/2.4.51 (Win64) PHP/7.4.26
SERVER_NAME	127.0.0.1
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	C:/wamp64/www
REQUEST_SCHEME	http
CONTEXT_PREFIX	

Variable	Value
REQUEST_SCHEME	http
CONTEXT_PREFIX	no value
CONTEXT_DOCUMENT_ROOT	C:/wamp64/www
SERVER_ADMIN	wampserver@wampserver.invalid
SCRIPT_FILENAME	C:/wamp64/www/index.php
REMOTE_PORT	50009
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	phpinfo=-1
REQUEST_URI	/?phpinfo=-1
SCRIPT_NAME	/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /?phpinfo=-1 HTTP/1.1
Host	127.0.0.1
Connection	keep-alive

HTTP Request Headers	
Connection	keep-alive
sec-ch-ua	" Not A;Brand";v="99", "Chromium";v="98", "Microsoft Edge";v="98"
sec-ch-ua-mobile	?0
sec-ch-ua-platform	"Windows"
Upgrade-Insecure-Requests	1
DNT	1
User-Agent	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/98.0.4758.102 Safari/537.36 Edg/98.0.1108.56
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
Sec-Fetch-Site	same-origin
Sec-Fetch-Mode	navigate
Sec-Fetch-User	?1
Sec-Fetch-Dest	document
Referer	http://127.0.0.1/
Accept-Encoding	gzip, deflate, br
Accept-Language	ru,en;q=0.9,en-GB;q=0.8,en-US;q=0.7
HTTP Response Headers	

HTTP Request Headers HTTP Response Headers	
X-Powered-By	PHP/7.4.26

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.8, 13-Jul-2019

calendar

Calendar support	enabled
------------------	---------

Calendar support	enabled
------------------	---------

com_dotnet

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
com.allow_dcom	0	0
com.autoregister_casesensitive	1	1
com.autoregister_typelib	0	0
com.autoregister_verbose	0	0
com.code_page	no value	no value
com.typelib_file	no value	no value

Core

PHP Version	7.4.26
-------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	On	On
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off

Directive	Local Value	Master Value
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	c:/wamp64/logs/php_error.log	c:/wamp64/logs/php_error.log
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	32767	32767
expose_php	On	On
extension_dir	c:/wamp64/bin/php/php7.4.26/ext/	c:/wamp64/bin/php/php7.4.26/ext/
file_uploads	On	On
hard_timeout	2	2
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off

Directive	Local Value	Master Value
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;C:\php\pear	.;C:\php\pear
input_encoding	<i>no value</i>	<i>no value</i>
internal_encoding	<i>no value</i>	<i>no value</i>
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	120	120
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	2500	2500
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>

Directive	Local Value	Master Value
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_encoding	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	4096K	4096K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
sendmail_from	admin@wampserver.invalid	admin@wampserver.invalid
sendmail_path	<i>no value</i>	<i>no value</i>
serialize_precision	-1	-1
short_open_tag	Off	Off
SMTP	localhost	localhost

Directive	Local Value	Master Value
SMTP	localhost	localhost
smtp_port	25	25
sys_temp_dir	<i>no value</i>	<i>no value</i>
syslog.facility	LOG_USER	LOG_USER
syslog.filter	no-ctrl	no-ctrl
syslog.ident	php	php
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	c:/wamp64/tmp	c:/wamp64/tmp
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
windows.show_crt_warning	Off	Off
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.assertions	1	1

Directive	Local Value	Master Value
zend.assertions	1	1
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.exception_ignore_args	Off	Off
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.70.0
Age	6
Features	
AsynchDNS	Yes
CharConv	No

AsynchDNS	Yes
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	No
SPNEGO	Yes
SSL	Yes
SSPI	Yes
TLS-SRP	No
HTTP2	Yes
GSSAPI	No
KERBEROS5	Yes
UNIX_SOCKETS	Yes

KERBEROS5	Yes
UNIX_SOCKETS	Yes
PSL	No
HTTPS_PROXY	Yes
MULTI_SSL	No
BROTLI	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp
Host	x86_64-pc-win32
SSL Version	OpenSSL/1.1.1l
ZLib Version	1.2.11
libSSH Version	libssh2/1.9.0

Directive	Local Value	Master Value
curl.cainfo	<i>no value</i>	<i>no value</i>

date

date/time support	enabled
timelib version	2018.04

date/time support	enabled
timelib version	2018.04
"Olson" Timezone Database Version	2021.3
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	UTC	UTC

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.10
HTML Support	enabled
XSLT Support	enabled

HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF
Multibyte decoding support using mbstring	enabled
Extended EXIF tag formats	Canon, Casio, Fujifilm, Nikon, Olympus, Samsung, Panasonic, DJI, Sony, Pentax, Minolta, Sigma, Foveon, Kyocera, Ricoh, AGFA, Epson

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE

Directive	Local Value	Master Value
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
libmagic	537

filter

Input Validation and Filtering	enabled
--------------------------------	---------

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.9.1
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	9 compatible
PNG Support	enabled
libPNG Version	1.6.34
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30512
XBM Support	enabled
WebP Support	enabled
BMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	1	1

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
MPPIR version	3.0.0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b crc32c fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

MHASH support	Enabled
MHASH API Version	Emulated Support

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.16

Directive	Local Value	Master Value
iconv.input_encoding	<i>no value</i>	<i>no value</i>
iconv.internal_encoding	<i>no value</i>	<i>no value</i>
iconv.output_encoding	<i>no value</i>	<i>no value</i>

imap

IMAP c-Client Version	2007f
SSL Support	enabled

Directive	Local Value	Master Value
imap.enable_insecure_rsh	Off	Off

intl

Internationalization support	enabled
ICU version	66.1
ICU Data version	66.1
ICU TZData version	2019c
ICU Unicode version	13.0

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0
intl.use_exceptions	0	0

json

json support	enabled
--------------	---------

ldap

LDAP Support	enabled
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20447
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.9.10

libXML support	active
libXML Compiled Version	2.9.10
libXML Loaded Version	20910
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	6.9.5

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off

Directive	Local Value	Master Value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.regex_retry_limit	1000000	1000000
mbstring.regex_stack_limit	100000	100000
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysqli

Mysqli Support	enabled
Client API library version	mysqlind 7.4.26
Active Persistent Links	0
Inactive Persistent Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	Off	Off
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off
mysqli.rollback_on_cached_plink	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 7.4.26
Compression	supported
core SSL	supported

mysqlnd	enabled
Compression	supported
core SSL	supported
extended SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	86400
Collecting statistics	Yes
Collecting memory statistics	Yes
Tracing	n/a
Loaded plugins	mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_caching_sha2_password,auth_plugin_sha256_password
API Extensions	mysqli,pdo_mysql

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.1.1l 24 Aug 2021
OpenSSL Header Version	OpenSSL 1.1.1l 24 Aug 2021
Openssl default config	C:\Apache24\conf\openssl.cnf

Directive	Local Value	Master Value
openssl.cafile	<i>no value</i>	<i>no value</i>
openssl.capath	<i>no value</i>	<i>no value</i>

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	10.35 2020-05-09
PCRE Unicode Version	13.0.0
PCRE JIT Support	enabled
PCRE JIT Target	x86 64bit (little endian + unaligned)

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.jit	1	1
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 7.4.26

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.31.1

Phar

Phar: PHP Archive support	enabled
Phar API version	1.1.1
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

readline

Readline Support	enabled
Readline library	WinEditLine

Directive	Local Value	Master Value
cli.pager	no value	no value
cli.prompt	\b \>	\b \>

Reflection

Reflection	enabled
------------	---------

session

Session Support	enabled
Registered save handlers	files user

Registered save handlers	files user
Registered serializer handlers	php_serialize php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_samesite	<i>no value</i>	<i>no value</i>
session.cookie_secure	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.lazy_write	On	On
session.name	PHPSESSID	PHPSESSID

Directive	Local Value	Master Value
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	c:/wamp64/tmp	c:/wamp64/tmp
session.serialize_handler	php	php
session.sid_bits_per_character	5	5
session.sid_length	26	26
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	1	1
session.use_only_cookies	1	1
session.use_strict_mode	0	0
session.use_trans_sid	0	0

SimpleXML

SimpleXML support	enabled
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	c:/wamp64/tmp	c:/wamp64/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite Library	3.31.1

Directive	Local Value	Master Value
sqlite3.defensive	1	1
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Internal Sendmail Support for Windows	enabled

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.exception	0	0
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60

Directive	Local Value	Master Value
default_socket_timeout	60	60
from	no value	no value
session.trans_sid_hosts	no value	no value
session.trans_sid_tags	a=href,area=href,frame=src,form=	a=href,area=href,frame=src,form=
unserialize_max_depth	4096	4096
url_rewriter.hosts	no value	no value
url_rewriter.tags	form=	form=
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
-------------------	---------

Feature	Enabled Features (through 'xdebug.mode' setting)	
	Enabled/Disabled	Docs
Development Helpers	✓ enabled	Development Helpers
Coverage	X disabled	Coverage
GC Stats	X disabled	GC Stats
Profiler	X disabled	Profiler
Step Debugger	X disabled	Step Debugger
Tracing	X disabled	Tracing

Optional Features	
Compressed File Support	yes (gzip)
Clock Source	GetSystemTimePreciseAsFileTime

Directive	Local Value	Master Value
xdebug.auto_trace	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.cli_color	0	0
xdebug.client_discovery_header	<i>no value</i>	<i>no value</i>
xdebug.client_host	localhost	localhost

Directive	Local Value	Master Value
xdebug.client_host	localhost	localhost
xdebug.client_port	9003	9003
xdebug.cloud_id	<i>no value</i>	<i>no value</i>
xdebug.collect_assignments	Off	Off
xdebug.collect_includes	(setting removed in Xdebug 3)	(setting removed in Xdebug 3)
xdebug.collect_params	(setting removed in Xdebug 3)	(setting removed in Xdebug 3)
xdebug.collect_return	Off	Off
xdebug.collect_vars	(setting removed in Xdebug 3)	(setting removed in Xdebug 3)
xdebug.connect_timeout_ms	200	200
xdebug.coverage_enable	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.default_enable	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.discover_client_host	Off	Off
xdebug.dump.COOKIE	<i>no value</i>	<i>no value</i>
xdebug.dump.ENV	<i>no value</i>	<i>no value</i>
xdebug.dump.FILES	<i>no value</i>	<i>no value</i>
xdebug.dump.GET	<i>no value</i>	<i>no value</i>
xdebug.dump.POST	<i>no value</i>	<i>no value</i>
xdebug.dump.REQUEST	<i>no value</i>	<i>no value</i>

Directive	Local Value	Master Value
xdebug.dump.REQUEST	<i>no value</i>	<i>no value</i>
xdebug.dump.SERVER	<i>no value</i>	<i>no value</i>
xdebug.dump.SESSION	<i>no value</i>	<i>no value</i>
xdebug.dump_globals	On	On
xdebug.dump_once	On	On
xdebug.dump_undefined	Off	Off
xdebug.file_link_format	<i>no value</i>	<i>no value</i>
xdebug.filename_format	<i>no value</i>	<i>no value</i>
xdebug.force_display_errors	Off	Off
xdebug.force_error_reporting	0	0
xdebug.gc_stats_enable	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.gc_stats_output_dir	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.gc_stats_output_name	gcstats.%p	gcstats.%p
xdebug.halt_level	0	0
xdebug.idekey	<i>no value</i>	<i>no value</i>
xdebug.log	c:/wamp64/logs/xdebug.log	c:/wamp64/logs/xdebug.log
xdebug.log_level	7	7
xdebug.max_nesting_level	256	256

Directive	Local Value	Master Value
xdebug.max_nesting_level	256	256
xdebug.max_stack_frames	-1	-1
xdebug.mode	develop	develop
xdebug.output_dir	c:/wamp64/tmp	c:/wamp64/tmp
xdebug.overload_var_dump	(setting removed in Xdebug 3)	(setting removed in Xdebug 3)
xdebug.profiler_append	Off	Off
xdebug.profiler_enable	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.profiler_enable_trigger	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.profiler_enable_trigger_value	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.profiler_output_dir	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.profiler_output_name	cachegrind.out.%p	cachegrind.out.%p
xdebug.remote_autostart	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_connect_back	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_enable	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_host	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_log	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_log_level	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_mode	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)

Directive	Local Value	Master Value
xdebug.remote_mode	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_port	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.remote_timeout	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.scream	Off	Off
xdebug.show_error_trace	Off	Off
xdebug.show_exception_trace	Off	Off
xdebug.show_local_vars	Off	Off
xdebug.show_mem_delta	(setting removed in Xdebug 3)	(setting removed in Xdebug 3)
xdebug.start_upon_error	default	default
xdebug.start_with_request	default	default
xdebug.trace_enable_trigger	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.trace_enable_trigger_value	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.trace_format	0	0
xdebug.trace_options	0	0
xdebug.trace_output_dir	(setting renamed in Xdebug 3)	(setting renamed in Xdebug 3)
xdebug.trace_output_name	trace.%c	trace.%c
xdebug.trigger_value	no value	no value
xdebug.use_compression	1	1

Directive	Local Value	Master Value
xdebug.trigger_value	no value	no value
xdebug.use_compression	1	1
xdebug.var_display_max_children	128	128
xdebug.var_display_max_data	512	512
xdebug.var_display_max_depth	3	3

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.10

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
author	Dan Libby

open sourced by	Epinions.com
-----------------	--------------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.32
libxslt compiled against libxml Version	2.9.7
EXSLT	enabled
libexslt Version	0.8.20

Zend OPcache

Opcode Caching	Up and Running
Optimization	Enabled
SHM Cache	Enabled
File Cache	Disabled

SHM Cache	Enabled
File Cache	Disabled
Startup	OK
Shared memory model	win32
Cache hits	2434
Cache misses	365
Used memory	16782824
Free memory	117434904
Wasted memory	0
Interned Strings Used memory	1745280
Interned Strings Free memory	4545704
Cached scripts	332
Cached keys	650
Max keys	16229
OOM restarts	0
Hash keys restarts	0
Manual restarts	0

Directive	Local Value	Master Value
-----------	-------------	--------------

Directive	Local Value	Master Value
opcache.blacklist_filename	<i>no value</i>	<i>no value</i>
opcache.cache_id	<i>no value</i>	<i>no value</i>
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off
opcache.enable	On	On
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	<i>no value</i>	<i>no value</i>
opcache.file_cache	<i>no value</i>	<i>no value</i>
opcache.file_cache_consistency_checks	On	On
opcache.file_cache_fallback	On	On
opcache.file_cache_only	Off	Off
opcache.file_update_protection	2	2
opcache.force_restart_timeout	180	180
opcache.interned_strings_buffer	8	8
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	10000	10000

Directive	Local Value	Master Value
opcache.max_accelerated_files	10000	10000
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	128	128
opcache.mmap_base	no value	no value
opcache.opt_debug_level	0	0
opcache.optimization_level	0x7FFEBFFF	0x7FFEBFFF
opcache.preferred_memory_model	no value	no value
opcache.preload	no value	no value
opcache.protect_memory	Off	Off
opcache.restrict_api	no value	no value
opcache.revalidate_freq	2	2
opcache.revalidate_path	Off	Off
opcache.save_comments	On	On
opcache.use_cwd	On	On
opcache.validate_permission	Off	Off
opcache.validate_timestamps	On	On

zip

Zip	enabled
Zip version	1.15.6
Libzip headers version	1.7.1
Libzip library version	1.7.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.11
Linked Version	1.2.11

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1

Additional Modules

Module Name

Environment

Variable	Value
ALLUSERSPROFILE	C:\ProgramData
APPDATA	C:\Windows\system32\config\systemprofile\AppData\Roaming
CommonProgramFiles	C:\Program Files\Common Files
CommonProgramFiles(x86)	C:\Program Files (x86)\Common Files
CommonProgramW6432	C:\Program Files\Common Files
COMPUTERNAME	DESKTOP-A4HLF1K
ComSpec	C:\Windows\system32\cmd.exe
DriverData	C:\Windows\System32\Drivers\DriverData
LOCALAPPDATA	C:\Windows\system32\config\systemprofile\AppData\Local
NUMBER_OF_PROCESSORS	8
OS	Windows_NT
Path	C:\Windows\system32;C:\Windows;C:\Windows\System32;C:\Windows\System32\WindowsPowerShell\...

Variable	Value
Path	C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Windows\system32\config\systemprofile\AppData\Local\Microsoft\WindowsApps
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
PROCESSOR_ARCHITECTURE	AMD64
PROCESSOR_IDENTIFIER	Intel64 Family 6 Model 142 Stepping 12, GenuineIntel
PROCESSOR_LEVEL	6
PROCESSOR_REVISION	8e0c
ProgramData	C:\ProgramData
ProgramFiles	C:\Program Files
ProgramFiles(x86)	C:\Program Files (x86)
ProgramW6432	C:\Program Files
PSModulePath	C:\Program Files\WindowsPowerShell\Modules;C:\Windows\system32\WindowsPowerShell\v1.0\Modules
PUBLIC	C:\Users\Public
SystemDrive	C:
SystemRoot	C:\Windows
TEMP	C:\Windows\TEMP
TMP	C:\Windows\TEMP

Variable	Value
TMP	C:\Windows\TEMP
USERDOMAIN	WORKGROUP
USERNAME	DESKTOP-A4HLF1K\$
USERPROFILE	C:\Windows\system32\config\systemprofile
windir	C:\Windows
AP_PARENT_PID	10008

PHP Variables

Variable	Value
\$_REQUEST['phpinfo']	-1
\$_GET['phpinfo']	-1
\$_SERVER['HTTP_HOST']	127.0.0.1
\$_SERVER['HTTP_CONNECTION']	keep-alive
\$_SERVER['HTTP_SEC_CH-UA']	" Not A;Brand";v="99", "Chromium";v="98", "Microsoft Edge";v="98"
\$_SERVER['HTTP_SEC_CH-UA-MOBILE']	?0
\$_SERVER['HTTP_SEC_CH-UA-PLATFORM']	"Windows"
\$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS']	1

Variable	Value
\$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS']	1
\$_SERVER['HTTP_DNT']	1
\$_SERVER['HTTP_USER_AGENT']	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/98.0.4758.102 Safari/537.36 Edg/98.0.1108.56
\$_SERVER['HTTP_ACCEPT']	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
\$_SERVER['HTTP_SEC_FETCH_SITE']	same-origin
\$_SERVER['HTTP_SEC_FETCH_MODE']	navigate
\$_SERVER['HTTP_SEC_FETCH_USER']	?1
\$_SERVER['HTTP_SEC_FETCH_DEST']	document
\$_SERVER['HTTP_REFERER']	http://127.0.0.1/
\$_SERVER['HTTP_ACCEPT_ENCODING']	gzip, deflate, br
\$_SERVER['HTTP_ACCEPT_LANGUAGE']	ru,en;q=0.9,en-GB;q=0.8,en-US;q=0.7
\$_SERVER['PATH']	C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Windows\system32\config\systemprofile\AppData\Local\Microsoft\WindowsApps
\$_SERVER['SystemRoot']	C:\Windows
\$_SERVER['COMSPEC']	C:\Windows\system32\cmd.exe
\$_SERVER['PATHEXT']	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
\$_SERVER['WINDIR']	C:\Windows

Variable	Value
\$_SERVER['WINDIR']	C:\Windows
\$_SERVER['SERVER_SIGNATURE']	<address>Apache/2.4.51 (Win64) PHP/7.4.26 Server at 127.0.0.1 Port 80</address>
\$_SERVER['SERVER_SOFTWARE']	Apache/2.4.51 (Win64) PHP/7.4.26
\$_SERVER['SERVER_NAME']	127.0.0.1
\$_SERVER['SERVER_ADDR']	127.0.0.1
\$_SERVER['SERVER_PORT']	80
\$_SERVER['REMOTE_ADDR']	127.0.0.1
\$_SERVER['DOCUMENT_ROOT']	C:/wamp64/www
\$_SERVER['REQUEST_SCHEME']	http
\$_SERVER['CONTEXT_PREFIX']	<i>no value</i>
\$_SERVER['CONTEXT_DOCUMENT_ROOT']	C:/wamp64/www
\$_SERVER['SERVER_ADMIN']	wampserver@wampserver.invalid
\$_SERVER['SCRIPT_FILENAME']	C:/wamp64/www/index.php
\$_SERVER['REMOTE_PORT']	50009
\$_SERVER['GATEWAY_INTERFACE']	CGI/1.1
\$_SERVER['SERVER_PROTOCOL']	HTTP/1.1
\$_SERVER['REQUEST_METHOD']	GET
\$_SERVER['QUERY_STRING']	phpinfo=1

Variable	Value
\$_SERVER['REQUEST_METHOD']	GET
\$_SERVER['QUERY_STRING']	phpinfo=1
\$_SERVER['REQUEST_URI']	/?phpinfo=1
\$_SERVER['SCRIPT_NAME']	/index.php
\$_SERVER['PHP_SELF']	/index.php
\$_SERVER['REQUEST_TIME_FLOAT']	1645547632.74
\$_SERVER['REQUEST_TIME']	1645547632