Module 07 Quiz

Due Nov 8 at 11:59pm

Points 10

Questions 10

Available until Nov 8 at 11:59pm

Time Limit 20 Minutes

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	9 minutes	7 out of 10

! Correct answers are hidden.

Score for this quiz: **7** out of 10 Submitted Oct 26 at 8:53pm This attempt took 9 minutes.

Question 1	1 / 1 pts
The most significant source of risk in wireless networks in the underlying communications medium.	
True	
○ False	

Question 2	1 / 1 pts
RADIUS is used to authenticate WiFi users	
True	
False	

Incorrect

Question 3 0 / 1 pts

Given the OSI Reference Model (Application, Presentation, Session, Transport, Network, Data Link, and Physical Layers), the main technical differences between different IEEE 802.11 versions (a, b, g, ac) are done in the Network Layer

True

False

Question 4 1 / 1 pts

Although WPA2 is a stronger encryption algorithm for WiFi compared to WEP a the aforementioned algorithms.	nd WPA, WPA2 is slower than
True	
○ False	
Question 5	1 / 1 pts
For GSM (2G) Networks, the TMSI (Temporary Mobile Subscriber Identity) num the mobile phone first register to the network	ber is sent only one time when
○ True	
False	
Question 6	1 / 1 pts
3G networks are subject to Fake base station attack	

O True	
False	
Question 7	1 / 1 pts

______ is one of the weaknesses of 2G networks that were corrected by 3G networks Data Integrity Data Encryption between the user and the base station User Authentication User Anonymity

Question 8	1 / 1 pts
laaS provides service to customers in the form of software, specifically application software accessible in the cloud.	e, running on and
○ True	

	False		
Incorrect	Question 9		0 / 1 pts
		has generally meant a package of security services offered by a s	
	○ PaaS		
	○ IaaS		
	SecaaS		
	○ SaaS		
Incorrect	Question 10		0 / 1 pts
	A key element in provi	ding security in an IoT deployment is the	
	○ Edge/Fog		

Quiz Score: 7 out of 10