

Remotech mappings (1.0v snapshot API)

1. **Creating/Updating product and product details instantly:**
(**POST** localhost:8080/api/products)
(**PUT** localhost:8080/api/products/{productid})

```
{
  "shortName" : "Example Product I",
  "price": 21.37,
  "category" : {
    "id": 1
  },
  "productDetails": {
    "fullName": "Example Full Name Product I",
    "description": "Detailed description of the product"
  }
}
```

Note: To create product, you need to specify existing category as JSON object and have productDetails object in the same transaction (1:1 relationship)!!!

2. **Creating/Updating category**
(**POST** localhost:8080/api/categories)
(**PUT** localhost:8080/api/categories/{categoryid})

```
3. {
4.   "name" : "example category",
5.   "description" : "lorem ipsum dolor 123"
6. }
```

3. **Creating/Updating user and cart instantly:**
(**POST** localhost:8080/api/users)
(**PUT** localhost:8080/api/users/{userId})

```
{
  "firstName": "John",
  "lastName": "Doe",
  "password": "password",
  "email": "example@gmail.com",
  "phone": "512345123",
  "enabled": 1
}
```

4. Adding Products to Cart:

POST	localhost:8080/api/carts/5/items?productId=7&quantity=2	Send
------	---	------

Where 5 = /{userId}/ - cart PK is user ID, so cart_items PK is also user_id + product_id from product column

5. Deleting Products from Cart:

DELETE	http://localhost:8080/api/carts/7/items/7	Send
--------	---	------

Where 7 = /{cartId}/, and last 7 = {productId}

All other GET methods and DELETE:

1. GET categories: **GET** *localhost:8080/api/categories*
2. GET specific category: **GET**
localhost:8080/api/categories/{categoryId}
3. DELETE category: **DELETE**
localhost:8080/api/categories/{categoryId}
4. GET product: **GET** *localhost:8080/api/products*
5. GET specific product: **GET**
localhost:8080/api/products/{productId}
6. DELETE product: **DELETE**
localhost:8080/api/product/{productId}
7. GET user: **GET** *localhost:8080/api/users*

8. GET specific user: **GET**

localhost:8080/api/users/{userId}

9. DELETE user: **DELETE**

localhost:8080/api/users/{userId}

#1 There are same endpoints for cart... but it shouldn't be used separately – it's nested with user JSON response, so any cart operation should be done with User service, not cart itself.

#2 PATCH mapping can be added as needed in the future