


Auto Completion Feature:



```
9 • select count(*) from Products;
10 • select * from Products;
```


ItemId	ItemName	phone_condition	price	phone_img	retailer
Bravia	Bravia	New	16140	tv1.jpg	Mi Store
Inspiron	Inspiron	New	1440	lap5.jpg	Dell Store
iPad Air	iPad Air	New	209	tab5.jpg	iRetailer
iPhone 7	iPhone 7	New	839	phone7.jpg	iRetailer
JBL 321	JBL 321	New	250	ac1.jpg	JBL Store
Macbook Air	Macbook Air	New	2009	lap4.jpg	iRetailer
Mi Powerbank	Mi Powerbank	New	25	acc2.jpg	Mi Store
MI TV	MI TV	New	12009	tv2.jpg	Mi Store
Redmi 7	Redmi 7	New	39	xiaomi-phone-2s.jpg	Flip Store
Redmi Tab	Redmi Tab	New	139	tab5.jpg	Flip Store
S4 Tab	S4 Tab	New	164	tab3-sam.jpg	Samsung Store
S7 Edge	S7 Edge	New	44	sam2.jpg	Samsung Store

Products 97 x


Apply Revert

Output


#	Time	Action	Message
101	22:49:27	select count(*) from Products LIMIT 0, 1000	1 row(s) returned
102	22:49:46	select count(*) from Products LIMIT 0, 1000	1 row(s) returned
103	22:49:47	select count(*) from Products LIMIT 0, 1000	1 row(s) returned
104	22:50:33	select * from Products LIMIT 0, 1000	15 row(s) returned





Selecting any product displayed in the grid table:







Place Order:









StoreManager: Add/Delete/Update Product details







Salesman: Create users, Add/Update/Delete Orders



MySQL Workbench

Local instance MySQL57

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SCHEMAS

Information

No object selected

Query 1

```
1 use BestDealDatabase;
2
3 select * from Registration ;
4 where registration is not null;
5 select * from customerOrders where userName="Ross" and orderId=54;
6
7 select * from customerOrders;
8
9 select count(*) from Products;
10 select * from Products where itemId="Lenovo ZUK 2";
```

Result Grid

orderId	username	orderName	orderPrice	userAddress	creditCardNumber	deliveryDate
54	Ross	S4Ross	564	tokyo	6872296	2016-11-19

customerOrders 103

Output

Action Output

#	Time	Action	Message	Duration / Fetch
107	06:03:37	select * from Products LIMIT 0, 1000	16 row(s) returned	0.000 sec / 0.000 sec
108	06:04:38	select * from Products LIMIT 0, 1000	16 row(s) returned	0.000 sec / 0.000 sec
109	06:05:41	select * from Products where itemId="Lenovo ZUK 2" LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
110	06:08:17	select * from customerOrders where userName="Ross" and orderId=54 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Manager


localhost/BestDealHome/DeleteOrder

HOME HELLO, MON

Fill in the Order ID to delete the order

Order ID

DeleteOrder



SAX Parser to load products to DB:

