NeuroSym-BD: Neuro-Symbolic Violence Analysis from Live News Portals

Machine Learning Research Group
Department of Computer Science and Engineering

1. The AI Dilemma in Automated Conflict Monitoring

Automated conflict event monitoring from live press streams faces a fundamental trade-off:

- **Unconstrained Neural Sequence Models:** Highly flexible for journalism, but catastrophic false alarm rates ($> 40\%$) due to lexical over-sensitization to political rhetoric (e.g., "vow a bloodbath" miscoded as active armed clashes).
- **Pure Symbolic Reasoners:** Auditable and deterministic, but rigid and brittle against journalistic syntactic variation and typos (86.9% FPR on negative cases).

NeuroSym-BD resolves this impasse: a hybrid architecture fusing dense neural text representations with Description Logic ($\mathcal{ALC}$) constraint gates in BlazeGraph.

2. Bangladesh CAMEO Domain Extension


Standard CAMEO (Codes 13–20) omits localized South Asian conflict archetypes. We formulated 20 specialized OWL 2 Turtle subclasses grounded in Bengali socio-political realities:

CAMEO Subcode	Regional Category	Bangla Socio-Political Context
`cameo-bd:PV01`	Inter-Party Clashes	Awami League vs BNP student wings
`cameo-bd:PV03`	Mob Lynching	*Gonopituni* (Public mob beating)
`cameo-bd:CV01`	Strike / Hartal Violence	Picket arson, vandalizing transport
`cameo-bd:GV01`	Extrajudicial Torture	*Crossfire* / Law enforcement custody
`cameo-bd:LV01`	Industrial Labor Unrest	Garment (RMG) wage highway blockades

Every extracted event is permanently bound to W3C PROV-O provenance metadata, ensuring 100% auditable sentence grounding.


3. BlazeGraph RDF Subgraph & Provenance Grounding

Live Graph Representation with W3C PROV-O Grounding:



- **100.0% Metadata Completeness**: Every event node links to verified news URI.
- **86.7% Category Faithfulness**: Explicit triggers verified in source sentence.

4. Neuro-Symbolic System Architecture



The 5 Constraint Gates:

- **C-ONTO (Hard Gate):** Enforces transition plausibility matrix via live SPARQL. Invalid jumps fallback to $c^* = \arg\min_{c \in \mathcal{C}_{\text{valid}}} |c - c_{\text{neural}}|$.
- **C-ACTOR (Soft Gate):** Enforces actor agency (e.g. non-state actors asserting artillery predicates penalize confidence $\Delta\tau = -0.05$).
- **C-GEO (Soft Gate):** Enforces 8-Division / 64-District administrative hierarchy.
- **C-TEMP / C-CONF (Soft Gates):** Chronology checks & confidence pruning ($\tau \geq 0.60$).

5. Ontological State Transition Plausibility Matrix

Verified $\mathcal{ALC}$ Transition Matrix (`ontology/reasoning_rules.ttl`):

Precursor \ Target	13	14	15	16	17	18	19	20
13 (Threaten)	✓	✓	✓	✓	✓	×	×	×
14 (Protest)	✓	✓	✓	✓	✓	×	×	×
15 (Exhibit Force)	×	✓	✓	✓	✓	✓	×	×
16 (Reduce Relations)	×	×	✓	✓	✓	✓	×	×
17 (Coerce)	×	×	×	✓	✓	✓	✓	×
18 (Assault)	×	×	×	×	✓	✓	✓	✓
19 (Fight)	×	×	×	×	×	✓	✓	✓
20 (Mass Violence)	×	×	×	×	×	×	✓	✓

Formal DL Verification: Property disjointness (valid $\sqcap$ illegal $\equiv \bot$) verified via `dl_reasoner_check.py` with **0 consistency violations**. Prohibits unescalated rhetorical jumps ($13 \to 20$) while maintaining violence continuity ($19 \to 18/19$).

6. Downstream Applications: NL2SPARQL & Graph-RAG

- **NL2SPARQL Benchmark ($n = 50$ Gold Queries):** 100% syntax validity, 100% schema compliance, and **52.0% execution accuracy** (district filtering 80%, provenance 100%; complex temporal/spatial windows require human review).
- **Multi-Relational KG Embeddings (PyKEEN):** RotatE achieves **MRR = 0.369** and **Hits@10 = 0.641** over 654 triples, substantially outperforming TransE (MRR = 0.211).

7. Empirical Benchmark Alignment

External Benchmark	Corpus Size	Evaluated	Code Concord	Macro Concord
vs ACLED (2020–2026)	6,691 events	42 matched	**78.6%**	**100.0%** ($HV \geq 18$)
vs GDELT 2.0 (Exact URLs)	41,554 stories	78 stories	**61.5%**	**100.0%** ($HV \geq 18$)

*Non-circular GDELT protocol matches strictly on identical source URLs without CAMEO pre-filtering.

8. Controlled Ablation Study (Held-Out Test Set, $n = 150$)

Model Architecture	BinAcc	Prec@HV	Rec@HV	F1@HV	Std-FPR	Provenance
Keyword Heuristic	0.453	0.320	0.804	0.458	0.727	100.0%
Pure Symbolic Rule Engine	0.393	0.348	**0.902**	0.503	0.869	100.0%
Zero-Shot NLI (DistilBERT)	0.620	0.446	0.490	0.467	0.313	0.0%
Zero-Shot NLI + Symbolic	**0.780**	**0.737**	0.549	**0.629**	**0.101**	**100.0%**
Dense Neural (MiniLM+LSTM)	0.787	0.852	0.451	0.590	0.040	0.0%
NeuroSym-BD Full Hybrid	**0.853**	**0.968**	0.588	**0.732**	**0.010**	**100.0%**

- **Model-Agnostic Gating**: C-ONTO elevates Zero-Shot NLI (F_1 : 0.467 $\to$ 0.629, FPR: 31.3% $\to$ 10.1%).
- **Significant Synergy**: Full Hybrid cuts false alarm count by 75% (FP : 4 $\to$ 1, $p = 0.0129$, McNemar test).
- **Zero-Leakage Article Holdout ($n = 164$)**: Hybrid maintains superiority across 49 unseen articles (84.1% Acc, 0.683 F1 vs 81.7% Acc, 0.625 F1).

9. Real-World Conflict Case Walkthrough

Scenario: Highway Garment Strike (Savar, Dhaka):
"Hundreds of readymade garment workers blocked the Dhaka-Aricha highway demanding unpaid wages."

- **Neural Classifier Mistake:** High lexical tension causes dense text scorer to trigger CAMEO 182 (*Physical Assault*), predicting severe armed violence (FP).
- **Symbolic C-ONTO Interception:** Gating engine scans predicate arguments: no physical trauma or assault verbs detected; precursor was labor protest (14).
- **Corrective Fallback:** Intercepts invalid jump and maps to CAMEO 144 (*Block passage* / non-violent demonstration), successfully preventing false alarm.
- **Auditable Provenance:** Generated RDF triple grounds inference directly to Savar jurisdiction with source sentence offset and 100% W3C PROV-O trace.

10. Reproducibility & Codebase

- **Complete Open-Source Stack**: Code, 20 BD-CAMEO ontology schemas, SPARQL endpoints, and evaluation scripts released under MIT License.
- **Verification**: 28/28 unit tests pass (`make test`).

`https://github.com/anonymised/neurosym-bd`

LaTeX TikZposter