ANGEL Industries

Mfg. of Decorative Laminates

GANDHINAGAR, GUJARAT.

info@angelmica.in | www.angelmica.in

MADE IN INDIA

एक कदम स्वच्छता की ओर

AXOR DOOR LAMINATES

THE ART OF TINT

VOL 2



VOL 2

100 PHENOLIC LAMINATES

THE ART OF TINT



Every shade tells a story. The Art of Tint is a curated collection where colors, textures, and finishes blend seamlessly to create timeless interiors. Discover the beauty of design expressed through the subtle power of tints.

AXOR DOOR LAMINATES

ABOUT US





Discover TINT - a curated collection of soft, pastel-shaded laminates that bring calm, charm, and character into every space. Whether it's a dreamy blush, a minty fresh green, or a muted sky blue, every shade in this collection is crafted to soothe the senses and elevate interiors.

AXOR® LAMINATES

I N D E X

WALL PAPER

SEAMLESS ART

CARBON FIBRE

FLUTE WOODY

HIGH GLOSS

TEXTURE

FLUTE

SUEDE FINISH

GREENOAK

SPARKLE METALLIC

SUPER MATT

WAVES

TINT




AXOR LAMINATES

DESIGN THAT BREATHES LIFE



Where textures &
shades bring spaces to life.



1035 WL

WALL PAPER



247 WL




TELL
A STORY
OF STYLE



231 WL

WALL PAPER





244 WL

AXOR LAMINATES

THE POWER OF BLACK



Where deeper tones define design with boldness & grace

SEAMLESS ART

Perfect finishes, and refined details that bring unmatched beauty to every space



FLAWLESS ART

AXOR LAMINATES



206 SA



244 SA

TINT



240 SA



232 SA

TINT




AXOR LAMINATES

SPACE THAT BLENDS RETRO MEMORIES




Lorem Ipsum is simply dummy text of the printing and typesetting industry.


228 FW



244 FW



1006 FW



234 FW

4

FLUTE WOODY

EARTHY TONES & RHYTHM





Warm earthy tones flow in grooves that add depth and harmony

4 WAVES



Flowing lines shaped like waves, adding depth and natural balance to interiors

SHAPED BY GRACEFUL WAVES







2904 WV



1202 WV



1207 WV




2903 WV

GREEK OAK

Surfaces that blend perfect harmony
with lasting beauty



235 GO




242 GO




BALANCE & BEAUTY

AXOR LAMINATES




232 GO




247 GO

CARBON FIBRE




1006 CF




234 CF


LINEAR ELEGANCE ON EVERY CORNER



It brings structured, stylish beauty throughout an entire space



1035 CF



232 CF




4 FLUTE


Both visually pleasing and well-proportioned

LINES THAT SPEAK







1001 PS



1006 PS




214 PS



226 PS



1025 PS



1029 PS



206 PS



1206 HG | PG

SPARKLE METALLIC

1211 HG | PG

1212 HG | PG

1213 HG | PG

1214 HG | PG

DAZZLE YOUR INTERIORS




Add sparkle and brilliance, instantly elevating the style of any space



1210 HG | PG



1203 HG | PG



1208 HG | PG



1204 HG | PG

RADIANCE IN EVERY SHEET




Infuse your interiors with light and sparkle, creating spaces that feel vibrant and luxurious.

AXOR LAMINATES

TINT

SPARKLE METALLIC



1205 HG | PG



1207 HG | PG



SUPER MATT

ELEVATE INTERIORS NATURALLY



Transform walls and furniture with laminates that catch the eye and captivate

231 SM

1006 SM

247 SM

248 SM

234 SM

245 SM

246 SM

214 SM

1007 SM

205 SM



SUPER MATT



Suggests a fusion, where two ideas come together seamlessly

TINT


1014 SM

1026 SM

243 SM

244 SM

1018 SM



MINIMAL MEETS STYLE



241 SM

240 SM

242 SM

239 SM

206 SM

228 SM

1000 SM

1025 SM

235 SM

1001 SM

207 SM

232 SM

226 SM

225 SM

SUPER MATT



Brings in freshness, innovation,
and a contemporary touch

CLASSIC
MODERNIZE
SPACE



HIGH GLOSS

ENIGMATIC IMPRESSION



Create a lasting, intriguing impact with their unique style and design

1001 HG

231 HG

232 HG

1006 HG

207 HG

245 HG

214 HG

1007 HG

222 HG

234 HG



AXOR LAMINATES

TINT

TINT

Turning every surface into a statement of grandeur.



MAGNI-
FICIENT
CREATION

1000 HG

1025 HG

235 HG

206 HG

HIGH GLOSS



Create a lasting, intriguing impact with their unique style and design

247 HG

208 HG

229 HG

225 HG

236 HG

HIGH GLOSS

237 HG

242 HG

239 HG

1011 HG

DESIGN TO STEAL SPOTLIGHT



Crafted to stand out and become the highlight of any interior



AXOR LAMINATES

TINT

241 HG

240 HG

243 HG

244 HG

1018 HG

HIGH GLOSS

1026 HG

238 HG

248 HG

246 HG

1014 HG

THE ART OF REFLE-CTION



Bring warmth and light into your home with our high-gloss finishes

1020 HG

1015 HG

1004 HG

1005 HG

AXOR LAMINATES

TINT



SUEDE FINISH



Highlights design, imagination,and the ability to craft unique interiors

235 SF

236 SF

208 SF

232 SF

229 SF

1025 SF

207 SF

225 SF

206 SF

900 SF

AXOR LAMINATES

PLAYFUL CREATION

1000 SF

1001 SF

231 SF

1018 SF

1007 SF

1006 SF

1011 SF

214 SF

234 SF



237 SF

222 SF

238 SF

INDEX

SR.	DESIGN	FINISH	PAGE
1	**205**	SM	28
2	**206**	SA	9
3	**206**	PS	22
4	**206**	SM	31
5	**206**	HG	35
6	**206**	SF	41
7	**207**	SM	31
8	**207**	HG	33
9	**207**	SF	41
10	**208**	HG	36
11	**208**	SF	41
12	**214**	PS	21
13	**214**	SM	28
14	**214**	HG	34
15	**214**	SF	42
16	**222**	HG	34
17	**222**	SF	42
18	**225**	SM	31
19	**225**	HG	36
20	**225**	SF	41
21	**226**	PS	22
22	**226**	SM	31
23	**228**	FW	12
24	**228**	SM	31
25	**229**	HG	36
26	**229**	SF	41
27	**231**	WL	6
28	**231**	SM	27
29	**231**	HG	33
30	**231**	SF	42
31	**232**	SA	10
32	**232**	GO	18
33	**232**	CF	20

SR.	DESIGN	FINISH	PAGE
34	**232**	SM	31
35	**232**	HG	33
36	**232**	SF	41
37	**234**	FW	14
38	**234**	CF	19
39	**234**	SM	27
40	**234**	HG	34
41	**234**	SF	42
42	**235**	GO	17
43	**235**	SM	31
44	**235**	HG	35
45	**235**	SF	41
46	**236**	HG	36
47	**236**	SF	41
48	**237**	HG	37
49	**237**	SF	42
50	**238**	HG	39
51	**238**	SF	42
52	**239**	SM	30
53	**239**	HG	37
54	**240**	SA	10
55	**240**	SM	30
56	**240**	HG	38
57	**241**	SM	30
58	**241**	HG	38
59	**242**	GO	17
60	**242**	SM	30
61	**242**	HG	37
62	**243**	HG	38
63	**243**	SM	29
64	**244**	HG	38
65	**244**	WL	8
66	**244**	FW	13

SR.	DESIGN	FINISH	PAGE
67	**244**	SM	29
68	**244**	SA	9
69	**245**	HG	34
70	**245**	SM	28
71	**246**	HG	39
72	**246**	SM	28
73	**247**	HG	36
74	**247**	WL	5
75	**247**	GO	18
76	**247**	SM	27
77	**248**	HG	39
78	**248**	SM	27
79	**900**	SF	41
80	**1000**	SM	31
81	**1000**	HG	35
82	**1000**	SF	42
83	**1001**	PS	21
84	**1001**	SM	31
85	**1001**	HG	33
86	**1001**	SF	42
87	**1004**	HG	40
88	**1005**	HG	40
89	**1006**	FW	13
90	**1006**	CF	19
91	**1006**	PS	21
92	**1006**	SM	27
93	**1006**	HG	33
94	**1006**	SF	42
95	**1007**	SM	28
96	**1007**	HG	34
97	**1007**	SF	42
98	**1011**	HG	37
99	**1011**	SF	42

SR.	DESIGN	FINISH	PAGE
100	**1014**	SM	29
101	**1014**	HG	39
102	**1015**	HG	40
103	**1018**	SM	29
104	**1018**	HG	38
105	**1018**	SF	42
106	**1020**	HG	40
107	**1025**	PS	22
108	**1025**	SM	31
109	**1025**	HG	35
110	**1025**	SF	41
111	**1026**	SM	29
112	**1026**	HG	39
113	**1029**	PS	22
114	**1035**	WL	4
115	**1035**	CF	20
116	**1202**	WV	15
117	**1202**	HG | PG	23
118	**1203**	HG | PG	25
119	**1204**	HG | PG	25
120	**1205**	HG | PG	26
121	**1206**	HG | PG	23
122	**1207**	WV	16
123	**1207**	HG | PG	26
124	**1208**	HG | PG	25
125	**1210**	HG | PG	25
126	**1211**	HG | PG	24
127	**1212**	HG | PG	24
128	**1213**	HG | PG	24
129	**1214**	HG | PG	24
130	**2903**	WV	16
131	**2904**	WV	15



GENERAL INFORMATION

Size :
1220mm x 2440mm

Finishes :
Suede, Matt, Glossy & Variable Texture.

Back Side Finish :
Uniform Sanding Gives Guarantee for easy pasting.

Durability :
The best technology, provides high durability to Altis Laminate, Altis Laminates are mended for life time.

Flexibility :
A Speciality formulated phenol formaldehyde and melamine formaldehyde resins with a special kind of plasticizer is used for better flexibility.

Note :
Sample pasted here in represent only colour and finish, may not match actual Thickness. Please keep laminates away from direct sunlight.
Bonding of laminate under high humidity. Plywood with high moisture content. ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination / air bubbles in between ply and laminates.

Care & Maintenance :
Wipe clean with ordinary soap of household liquid detergent. For stubborn stains, use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended.
Angel Industries warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the company is however limited to the cost of the product only.

LIMITED WARRANTY

> Kindly check the sheet in all aspect immediately after purchasing & prior to cutting.
> In case of Manufacturing defect, only replacement of used sheet will be made.



No claim will be Entertained For cracking arising our for groove currying or L Shape



No claim will be Entertained For Air Bubbles

AXOR LAMINATES

Properties	Specified Values as per IS : 2046-1995 Type S, HGS	ALTIS Laminates
Thickness	1.00mm(± 10%)	1.00mm(± 10%)
Resistance to surface wear	350 (Revolutions)	> 350 (Revolutions)
Resistance to immersion in boiling water - Mass increase (%) - Thickness increases (%) Appearance	 10.0% (Maximum) 11.8% (Maximum) not worse than 4	 5.0% Max. 6.5% Max. ✓
Resistance to dry heat 180°C	Not worse than 4	✓
Dimensional Stability at deviated temperature - Longitudinal (%) - Transverse (%)	 0.55% (Maximum) 1.025% (Maximum)	 0.5% Max. 0.87% Max.
Dimensional Stability at 20°C - Longitudinal (%) - Transverse (%)	 0.375% (Maximum) 0.60% (Maximum)	 0.295% Max. 0.45% Max.
Resistance to impact by small diameter ball	20 N (Minimum)	25 N (Maximum)
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	2.0 N (Minimum)	2.75 N (Maximum)
Resistance to staining	Not worse than 5	✓
Resistance to colour change (Wool standard) - in xenon arc light - in enclosed carbon arc light	 Not worse than 6 Not worse than 5	 ✓ ✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓