AXOR®
LAMINATES

ANGEL Industries
GANDHINAGAR, GUJARAT.

info@angelmica.in | www.angelmica.in

AXOR®
LAMINATES

VOLUME
3

CREATIVITY



CRAFTED FOR CREATIVE MINDS

AXOR®
LAMINATES

VOLUME - 3

SURFACES

RE-IMAG-INED




PROJECT COLLECTION

A new project collection of decorative laminates to decorate your furniture and space. AXOR Laminates elevate the aesthetic appeal of your space with its astounding designs and quality.

AXOR®
LAMINATES



749 MT



750 MT

Style Your Kitchen the

MARBLE WAY



100% PHENOLIC LAMINATES

TERMITE FREE LAMINATES

WATER RESISTANT


HEAT RESISTANT

STONE

AXOR® LAMINATES



751 MT



746 WW



745 WW

WOODY



739 WW




738 WW

100% PHENOLIC LAMINATES

AXOR® LAMINATES



749 HG



750 HG



721 HG



751 HG



742 HG



740 HG

HIGH GLOSS



734 HG

100% PHENOLIC LAMINATES

AXOR® LAMINATES



724 HG

100% PHENOLIC LAMINATES

AXOR LAMINATES




745 HG




746 HG

HIGH GLOSS



730 HG



733 HG

STRAIGHT VENZA

100% PHENOLIC LAMINATES

AXOR LAMINATES



744 SV



743 SV

STRAIGHT VENZA



742 SV



747 SV

100% PHENOLIC LAMINATES

AXOR LAMINATES




740 SV



741 SV

STRAIGHT VENZA



748 SV

100% PHENOLIC LAMINATES

AXOR LAMINATES




724 SV

STRAIGHT VENZA

100% PHENOLIC LAMINATES

AXOR LAMINATES



723 SV



945 SV

STRAIGHT VENZA



726 SV



943 SV


SUEDE FINISH

100% PHENOLIC LAMINATES

AXOR® LAMINATES



745 SF



746 SF



739 SF



738 SF



744 SF



743 SF

SUEDE FINISH



734 SF

100% PHENOLIC LAMINATES

AXOR LAMINATES



740 SF



752 SF



741 SF

SUEDE FINISH



742 SF



747 SF


SUEDE FINISH



731 SF

100% PHENOLIC LAMINATES

AXOR LAMINATES



730 SF

SUEDE FINISH




726 SF



727 SF

100% PHENOLIC LAMINATES

AXOR LAMINATES




737 SF


SUEDE FINISH




729 SF



724 SF



754 SF



723 SF



945 SF



728 SF



943 SF


SUEDE FINISH



944 SF

100% PHENOLIC LAMINATES

AXOR® LAMINATES



942 SF




941 SF


SUEDE FINISH

100% PHENOLIC LAMINATES

AXOR LAMINATES




733 SF



748 SF



928 SF



922 SF


SUEDE FINISH

100% PHENOLIC LAMINATES

AXOR LAMINATES




912 SF



921 SF




939 SF



753 SF

SUEDE FINISH

903 SF



907 SF



908 SF



904 SF

909 SF

100% PHENOLIC LAMINATES

SCAN FOR BROCHURE

AXOR® LAMINATES

SR.	DESIGN	FINISH	PAGE
1	721	HG	13
2	723	SV	31
3	723	SF	53
4	724	HG	18
5	724	SV	30
6	724	SF	52
7	726	SV	33
8	726	SF	49
9	727	SF	49
10	728	SF	55
11	729	SF	51
12	730	HG	21
13	730	SF	48
14	731	SF	47
15	733	HG	22
16	733	SF	59
17	734	HG	17
18	734	SF	41
19	737	SF	50
20	738	WW	10
21	738	SF	38
22	739	WW	9
23	739	SF	37
24	740	HG	16
25	740	SV	27
26	740	SF	42
27	741	SV	28
28	741	SF	44
29	742	HG	15
30	742	SV	25
31	742	SF	45
32	743	SV	24
33	743	SF	40
34	744	SV	23
35	744	SF	39
36	745	WW	8

SR.	DESIGN	FINISH	PAGE
37	745	HG	19
38	745	SF	35
39	746	WW	7
40	746	HG	20
41	746	SF	36
42	747	SV	26
43	747	SF	46
44	748	SV	29
45	748	SF	59
46	749	MT	3
47	749	HG	11
48	750	MT	4
49	750	HG	12
50	751	MT	6
51	751	HG	14
52	752	SF	43
53	753	SF	62
54	754	SF	52
55	903	SF	63
56	904	SF	63
57	907	SF	63
58	908	SF	63
59	909	SF	63
60	912	SF	61
61	921	SF	61
62	922	SF	60
63	928	SF	60
64	939	SF	62
65	941	SF	58
66	942	SF	58
67	943	SV	34
68	943	SF	56
69	944	SF	57
70	945	SV	32
71	945	SF	54

TECHNICAL SPECIFICATION

Size
1220mm x 2440mm.

Finishes
Straight Venza, High Gloss, Suede Finish.

Back Side Finish
Uniform sanding gives guarantee for easy pasting.

Durability
The best technology, provides high durability to AXOR Laminate, AXOR Laminates are mended for life time.

Flexibility
A speciality formulated phenol formaldehyde and melamine formaldehyde resins with a special kind of plasticizer is used for better flexibility.

Note
Sample pasted here in represent only colour and finish, may not match actual thickness. Please keep laminates away from direct sunlight.

Bonding of laminate under high humidity. Plywood with high moisture content. Ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to melamination / air bubbles in between ply and laminates.

The product must be inspected prior to installation and our liability will be limited to the cost of the product only.

Care & Maintenance
Wipe clean with ordinary soap of household liquid detergent. For stubborn stains, use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended.

LIMITED WARRANTY

> **Kindly check the sheet in all aspect immediately after purchasing & prior to cutting.**
> **In case of Manufacturing defect, only replacement of used sheet will be made.**



No claim will be Entertained
For cracking arising our for groove currying or L Shape



No claim will be Entertained
For Air Bubbles