

Enterprise-Level Scenario-Based MCQs

1. Flask Architecture & Request Handling

A fintech company is building an internal reimbursement portal using Flask. Employees submit reimbursement requests through a web form, and managers review requests on a dashboard. During testing, developers notice that every form submission reloads the page but no data is saved to the database.

Which issue is MOST likely causing the problem?

- A. The Flask application is missing template inheritance
 - B. The route only accepts GET requests instead of POST requests**
 - C. Jinja2 templates are not installed
 - D. Flask cannot process HTML forms directly
-

2. Flask Templates & Responses

An HR portal built using Flask displays employee salary reports. The backend successfully fetches salary data, but the UI page shows blank values even though no errors appear in logs.

What is the MOST probable cause?

- A. The Flask server is not running in debug mode
 - B. Variables were not passed properly to the Jinja template**
 - C. HTML cannot display Python objects
 - D. Flask requires JavaScript for template rendering
-

3. FastAPI Request Validation

A healthcare platform exposes an API endpoint for patient registration using FastAPI and Pydantic models. During testing, invalid age values like "twenty" are rejected automatically.

Which FastAPI feature is responsible for this behavior?

- A. SQLAlchemy validation
- B. Flask-WTF forms

C. Pydantic request validation

D. Uvicorn middleware

4. FastAPI Path & Query Parameters

A logistics company provides an endpoint:

```
/shipment/{shipment_id}?status=delivered
```

What is `shipment_id` considered in FastAPI?

A. Header parameter

B. Query parameter

C. Path parameter

D. Body parameter

5. REST API Principles

An e-commerce platform redesigns its APIs to align with REST principles. Developers are reviewing endpoint naming standards.

Which endpoint BEST follows REST conventions for retrieving all products?

A. `/getAllProducts`

B. `/products/list`

C. `/products`

D. `/fetchProductsNow`

6. CRUD Operations

A banking application exposes the following API operations:

- Create account
- Retrieve account details
- Update customer address
- Remove account

Which HTTP method should be used for removing an account?

- A. GET
 - B. POST
 - C. PUT
 - D. DELETE**
-

7. API Best Practices

A retail organization's APIs are failing because clients cannot understand server errors. The API team decides to standardize response structures.

Which practice is MOST appropriate?

- A. Returning plain text errors
 - B. Returning random numeric codes
 - C. Returning structured JSON responses with HTTP status codes**
 - D. Returning HTML pages for failures
-

8. Postman API Testing

A QA engineer wants to automatically verify whether an API response status is 200 OK in Postman.

Which Postman feature should be used?

- A. Collections
 - B. Monitors
 - C. Tests tab with assertions**
 - D. Environment variables
-

9. Git Basics

A developer accidentally commits buggy code directly to the main branch of a production repository.

Which Git best practice would have prevented this issue?

- A. Using force push
 - B. Working directly on production branch
 - C. Using feature branches and pull requests**
 - D. Deleting local repositories regularly
-

10. Virtual Environments

Two Python projects on the same system require different versions of FastAPI. Developers face dependency conflicts.

What is the BEST solution?

- A. Reinstall Python globally
 - B. Use separate virtual environments**
 - C. Delete pip cache
 - D. Use one shared requirements file
-

11. Pytest Fixtures

A telecom company's automated tests repeatedly create database connections before every test case, increasing execution time significantly.

Which Pytest feature can optimize this?

- A. Flask blueprints
 - B. Fixtures**
 - C. Path parameters
 - D. Middleware
-

12. Assertions in Testing

A developer writes this test:

```
assert response.status_code == 200
```

What is the PRIMARY purpose of this assertion?

- A. To deploy the application
 - B. To validate expected behavior**
 - C. To improve API speed
 - D. To create database entries
-

13. CI/CD Pipelines

A company wants every GitHub push to automatically trigger testing and deployment validation.

Which concept supports this requirement?

- A. Manual deployment
 - B. CI/CD pipeline**
 - C. Flask routing
 - D. Database indexing
-

14. GitHub Actions

A DevOps engineer creates a workflow file under `.github/workflows/`.

What is the PRIMARY purpose of this file?

- A. Database backup
 - B. Docker image cleanup
 - C. Defining automated CI/CD workflows**
 - D. API authentication
-

15. Docker Containerization

A machine learning application works on the developer's laptop but fails on production servers due to missing dependencies.

How does Docker help solve this issue?

- A. By replacing Python completely
- B. By packaging application code and dependencies together**
- C. By removing the operating system
- D. By converting APIs into databases

16. Docker Images vs Containers

A junior developer is confused between Docker images and containers.

Which statement is CORRECT?

- A. Images are running instances of applications
 - B. Containers are templates used to create images
 - C. Images are blueprints, while containers are running instances
 - D. Containers cannot run Python applications
-

17. SQL CRUD Operations

An insurance company database stores policyholder information. A developer wants to update a customer's phone number.

Which SQL operation should be used?

- A. INSERT
 - B. SELECT
 - C. UPDATE
 - D. DELETE
-

18. ORM Concepts with SQLAlchemy

A software architect recommends using SQLAlchemy ORM instead of raw SQL queries.

What is the MAIN advantage?

- A. It eliminates databases entirely
 - B. It allows interaction with databases using Python objects
 - C. It converts APIs into Docker containers
 - D. It removes the need for testing
-

19. MongoDB & NoSQL

A social media company stores rapidly changing user activity logs with flexible schema requirements.

Why is MongoDB a suitable choice?

- A. It only supports structured tabular data
 - B. It is optimized for relational joins
 - C. It supports flexible document-based storage
 - D. It cannot handle JSON data
-

20. CSV & JSON Data Integration

An analytics team receives customer data from multiple vendors in CSV and JSON formats. Before importing into databases, the data must be validated and transformed.

Which activity BEST describes this process?

- A. API deployment
- B. Data integration and preprocessing
- C. Container orchestration
- D. Route handling