

Complete Product Manual — Every Surface, Workflow & Control

Product: **Que** — Cursor for data teams · schema-first · HITL · attested delivery

Local UI: <http://localhost:5174> · API: <http://localhost:8787>

Repository: github.com/ShabrezadiLabz/QUE · Manual version: **3.1** · August 2026

Audience: data engineers, analytics engineers, stewards, admins, pilot leads, CEOs reviewing HITL trust

What this manual is: a full operating handbook for the current product IA (Assistant-unified chat + agent, Settings Domains, Jobs Results for managed/validation, Report Studio, Review inbox). Target length $\approx$ **50 A4 pages** when printed.

Boundaries: Que is not your warehouse, not Tableau, and not SOC 2 Type II by itself. AI never receives the full lake — only metadata plus scrubbed pinned samples (typically 5–10 rows).

How to use: Print to PDF (A4) or open HTML side-by-side with the app. Follow Scenario chapters for day-1 production; use page chapters as a control encyclopedia.

Table of contents

1. 1. Quick start & environment	21. 21. Report Studio
2. 2. Product DNA & Offer A / B	22. 22. Ship
3. 3. Information architecture & navigation	23. 23. Marketplace
4. 4. Roles & permissions	24. 24. Eval
5. 5. Architecture & master flows	25. 25. Lineage
6. 6. Privacy, samples & AI policy	26. 26. Drift agent
7. 7. HITL trust model (Promote tiers)	27. 27. Catalog / Glossary / Steward (WIP)
8. 8. Scenario A — Offer A warehouse stitch	28. 28. Compliance
9. 9. Scenario B — Offer B managed + BI	29. 29. Product brief page
10. 10. Scenario C — Team Cursor loop	30. 30. Settings (all tabs)
11. 11. Scenario D — CEO Outcome → Ship	31. 31. Domains (Settings)
12. 12. Scenario E — Industry template playbook	32. 32. Redirects & legacy routes
13. 13. Login & public pages	33. 33. Ops, status, digests
14. 14. Assistant (/chat)	34. 34. Team operating model
15. 15. Stitch Agent (in Assistant)	35. 35. Troubleshooting
16. 16. Workspace canvas	36. 36. Claims you can / cannot make
17. 17. Sources & connectors	37. 37. Deep control inventory
18. 18. Joins (HITL review)	38. 38. Glossary of Que terms
19. 19. Jobs (notebook / results / deploy)	39. 39. API quick reference
20. 20. Review (proposals + transforms)	40. 40. Production go-live checklist

1. Quick start & environment

Piece	Command / URL
Postgres	Docker service (typical user/db/pass stitch) on :5432
Migrate	cd api && npm run migrate
Seed demo owner	npm run seed:demo → demo@que.local / que-demo-2026
API	cd api && npm run dev → http://localhost:8787
UI	npm run dev (repo root / schemagraph) → http://localhost:5174
Public health	GET /health · UI /status · GET /metrics?format=prom

- 1 Start Postgres, run migrations, seed demo user.
- 2 Start API then UI; open /login.
- 3 Sign in as demo owner; confirm workspace switcher shows a workspace.
- 4 Open /sources → connect at least two systems (or fixtures).
- 5 Sync schema → open /workspace → confirm tables on canvas.
- 6 Run join inference → /joins Promote → draft a job on /jobs.
- 7 Use /chat for schema Q&A, /outcome , or /agent .

Legacy demo accounts may exist (e.g. owner@stitch.local). Prefer the Que demo seed for client walkthroughs.

2. Product DNA & Offer A / B

Rule	Production meaning
Schema-first	Connectors introspect structure; Que does not ETL your lake into Que as SoR.
Pinned samples 5–10	Scrubbed, frozen until re-pin; used for overlap evidence for joins.
Human Promote	Suggested joins are not production truth until Promote (HITL).
Attested delivery	Jobs/exports carry evidence; warehouse or managed plane holds rows.
AI denied lake	Chat/agent see metadata + scrubbed grids only — never full managed payloads.

Offer A — Bring your warehouse

Snowflake / Databricks / Postgres remain system of record. Que proposes joins, drafts jobs, digests external failures, exports / triggers dbt PRs.

Choose when: you already have a warehouse and want a control-plane HITL layer.

Offer B — Que managed plane

Land certified datasets from jobs into Que (quotas + retention). Certify on Jobs → Results → build Report Studio → Ship / embed.

Choose when: Excel/SQL teams need attested DA without a full warehouse yet.

3. Information architecture & navigation

Que uses a dark IDE shell: primary top nav + collapsible Tools sidebar + status bar.

Primary nav (top)

Label	Route	Job
Assistant	/chat	Schema Q&A, Outcome plans, Stitch Agent HITL
Workspace	/workspace	Schema graph canvas, edit joins, inspect tables
Sources	/sources	Connectors, sync, source detail
Joins	/joins	HITL Promote / Reject / edit mappings
Ship	/ship	Delivery drafts toward BI / stakeholders

Tools sidebar

Label	Route	Notes
Jobs	/jobs	Notebook · Results (managed + validation) · Deploy
Review	/proposals	Proposals + transforms inbox
Report Studio	/bi	Certified BI canvas (metrics unified here)
Marketplace	/marketplace	Industry template packs
Eval	/eval	Golden-set / quality scoreboard
Lineage	/lineage	Column / asset lineage lite
Drift	/drift-agent	Schema-change remap proposals
Catalog / Glossary / Steward	respective routes	WIP glass overlay — preview only
Compliance	/compliance	Evidence / digests / ops checklist
Product	/product	Client positioning brief
Settings	/settings	Members → Domains → AI & Policy, etc.

Agent and Domains are *not* separate Tools items anymore — use Assistant ([/agent](#)) and Settings → Domains.

4. Roles & permissions

Role	Can	Cannot (typical)
Viewer	Browse schema, joins, lineage, BI preview	Sync, Promote, settings writes, mint embeds
Member	Sync, edit joins, Promote/Reject, jobs, chat write, comments	Most admin security / billing / enterprise
Admin	Members, security, enterprise, automation, delete domains, golden schedule	Owner-only break-glass / destructive ops as configured
Owner	Full workspace + billing + break-glass	—

Team OS settings can raise minimum role for Propose vs Promote. Presence chips show active teammates (HTTP heartbeat — not live cursors).

5. Architecture & master flows

```
Sources (connectors)
  | sync schema + optional pin 5-10 scrubbed rows
  ▼
Workspace canvas ↔ Joins HITL (Promote / Reject)
  |
  ├── Assistant: Q&A · /outcome · /agent checkpoints
  ├── Review: proposals / transform diffs
  └── Jobs: notebook → dry-run / live → Results
        ├── Offer A: export / dbt / warehouse status
        └── Offer B: certify managed → Report Studio → Ship / embed

Drift agent ← schema change → remap proposals → Accept/Dismiss
Eval ← golden pairs → recall scoreboard (not row preview)
Domains (Settings) ← ownership boundaries for sources / globs
```

Rules pack still learns from Promote/templates in the backend and injects into chat/transforms even though the Rules UI redirects to Assistant.

6. Privacy, samples & AI policy

- **Schema pack:** table/column names, types, keys, relationship suggestions.
- **Pinned samples:** typically 5–10 scrubbed rows per table; frozen until human re-pins.
- **Verify rows in chat:** shows scrubbed samples only — never full managed dataset payloads.
- **Settings → AI & Policy:** toggles for pinned samples, Stitch Agent enablement, auto-promote low-risk (default off), BYOK keys, GitHub/dbt branches, execution plane (customer vs managed).
- **Attestation:** exports and job artifacts can carry fingerprints verifiable via [/verify](#).

Never paste production secrets into chat. Use Settings secret slots / BYOK for model keys.

7. HITL trust model (Promote tiers)

Tier	Meaning	Typical action
Green	High overlap / strong name evidence	Still Promote for audit unless auto-promote policy ON (default off)
Yellow	Plausible but ambiguous	Edit mapping, discuss in thread, then Promote or Reject
Red	Weak / conflicting	Reject or mark incorrect join on canvas with confirm

- 1 Infer joins (Assistant, Agent, Job tools, or Joins page).
- 2 Open Join Review; inspect left/right columns and sample overlap.
- 3 Edit if needed; add comments for DA/DE debate.
- 4 Promote (truth) or Reject (discard suggestion).
- 5 Downstream jobs / Outcome / Agent continue only after HITL gates clear.

8. Scenario A — Offer A warehouse stitch (production day)

- | | |
|---|--|
| 1 | Admin connects Snowflake/Databricks/Postgres on /sources ; Sync. |
| 2 | Pin scrubbed samples on critical tables (5–10). |
| 3 | Infer joins; Promote Green/Yellow after review on /joins . |
| 4 | Settings → AI & Policy: execution plane customer (Offer A). |
| 5 | Draft stitch job (Assistant /job or Jobs → New); dry-run. |
| 6 | Freeze contract; export SQL/dbt or open PR; warehouse CI runs. |
| 7 | External status / digests surface on Compliance and Assistant strips. |

Success: Promoted joins feed job contract; warehouse remains SoR; Que holds decisions + evidence.

9. Scenario B — Offer B managed plane + certified BI

- 1 Connect Excel/CSV/Postgres fixtures; sync + pin samples.
- 2 Promote joins needed for the stitch notebook.
- 3 Run job → open [/jobs/:id/results](#).
- 4 Use Managed layer: land/preview scrubbed result → [Certify](#).
- 5 Open Report Studio ([/bi](#)) → Scaffold from managed / chat [/bi](#).
- 6 Run visuals, certify report tiles, Ship or mint embed token.

Standalone [/managed](#) redirects to Jobs — managed UX lives on Results.

10. Scenario C — Team Cursor loop (daily DE/DA)

- | | |
|---|--|
| 1 | Org conventions live in backend rules (learned from Promote / packs). |
| 2 | DE opens Assistant with @tables or /agent → draft transform/job. |
| 3 | Diff lands in Review (/proposals); peer Approve/Reject. |
| 4 | Promote joins when needed; comments capture debate. |
| 5 | Eval golden pairs on schedule; watch recall before enabling auto-promote. |
| 6 | Marketplace install for domain bootstrap when starting a new product area. |

11. Scenario D — CEO Outcome → Ship

- 1 In Assistant type `/outcome I want revenue by region...`.
- 2 Review Outcome plan card steps (sources → joins → metrics → chart).
- 3 Use [Infer joins](#) / [Run next](#); Promote Yellow/Red on Joins.
- 4 Optional: Approve/Advance linked agent from the Outcome card.
- 5 [Ship to BI](#) creates a Ship draft; refine on [/ship](#).
- 6 Or `/bi` to scaffold Report Studio after managed certify.

12. Scenario E — Industry template playbook

- | | |
|---|---|
| 1 | Open Marketplace or Eval template install. |
| 2 | Apply pack: schema match, seed rules, infer joins (HITL), draft job, Outcome, Ship draft, optional BI scaffold. |
| 3 | Review Open links in Marketplace result — does not auto-Promote. |
| 4 | Human Promotes joins; completes job / BI as needed. |

Templates accelerate setup; trust gates remain human.

13. Login & public pages

Route	Auth	Purpose
/login	Public	Email/password (SSO when configured)
/auth/callback	Public	OAuth/SSO callback → workspace
/status	Public	API ok, DB latency, inventory counts
/sales	Public	Honest Offer A/B positioning
/verify	Public	Attestation fingerprint verification
/embed/:token	Token	Embedded certified BI view

Status page uses fixed rem widths (avoid Tailwind `max-w-xl` — custom spacing tokens collapse those utilities to 16–40px).

14. Assistant (/chat) — full functionality

Single thread for schema Q&A, Outcome plans, Stitch Agent, and BI scaffold intents.

Composer & context

- **@mentions:** @table / @table.column ground answers.
- **Skills:** type / or open Skills chip.
- **Attachments / voice:** when enabled in UI, attach text snippets or dictate.
- **Sidebar:** schema tables, expand columns, insert mentions; roadmap / graph link.
- **Feedback:** +1 / -1 on assistant messages.

Slash skills

Skill	Purpose
/list	Inventory tables
/describe	Columns/keys for focused table
/joins · /suggested	Explain or list suggested joins
/sql	Schema-only SELECT/JOIN draft
/job	Draft stitch job artifact
/diff	Schema summary counts
/privacy	Explain schema-only policy
/outcome	CEO Outcome plan card
/agent	Stitch Agent HITL pipeline
/bi	Scaffold Report Studio
/help	Skills help

Outcome follow-ups (type in chat)

run next · infer joins · ship · approve / advance (outcome-linked agent).

Verify rows

Shows scrubbed sample grids only (max 5–10) — never lake dumps.

15. Stitch Agent (inside Assistant)

Former standalone Agent page is merged into chat. Enable via Settings → AI & Policy → [Enable Stitch Agent](#).

- 1 Type `/agent Build trusted customer 360..` (or Skills → Stitch agent).
- 2 Inline **Agent plan card** shows status, steps, open checkpoint, tool transcript.
- 3 Approve plan → tools run (list sources, infer joins, draft job...).
- 4 On promote_joins checkpoint: open Join Review, Promote, then [Continue after Promote](#).
- 5 Open drafted job from card when `jobId` appears.

Chat follow-ups: `approve` · `reject` · `continue after promote` · `refresh` .

Deep link: [/agent](#) → [/chat?agent=1](#) (resumes open session).

Auto-promote remains off unless policy explicitly enabled after Eval gates.

16. Workspace canvas

- Visual schema graph: tables as nodes, joins as edges.
- Select table → inspector (columns, keys, sample blurb).
- Edit join edges; incorrect-join confirm dialog before saving bad mappings.
- Minimap / canvas tools; presence of suggested vs promoted relationships.
- Entry point after sync; pairs with Joins for HITL.

Use Workspace for structural understanding; use Joins for formal Promote decisions.

17. Sources & connectors

Routes: `/sources/new`, `/sources/new/:connector`, `/sources/:sourceId`.

Catalog categories

Databases · Warehouses · Files · CRM · Custom.

Connectors (current catalog)

Type	Typical use
PostgreSQL	OLTP / analytics Postgres
MongoDB	Document collections → schema inference
Snowflake	Offer A warehouse
Databricks	Offer A lakehouse
Excel / CSV	File-based Offer B paths
BigQuery	GCP warehouse
Salesforce	CRM objects

- 1

Pick connector → fill host/creds or fixtures path.
- 2

Test connection → Save → Sync schema.
- 3

Pin scrubbed samples on tables used for join inference.
- 4

Re-sync after upstream DDL; watch Drift for remap proposals.

18. Joins (HITL review)

- Inbox of suggested relationships with confidence / overlap.
- Edit left/right columns and cardinality/direction.
- **Promote** accepts into contract; **Reject** discards.
- Threads/comments for DE↔DA debate.
- Incorrect join from canvas requires explicit confirm.

AI join quality depends on sample overlap — pin samples before trusting suggestions.

19. Jobs — notebook, results, deploy

List monitor + focused views: `/jobs/:jobId/notebook` · `/results` · `/deploy` .

Notebook

- Markdown + SQL cells; save; dirty-state guards.
- Dry-run (capped) vs live (bounded).
- Templates panel; create from Assistant drafts.

Results

- Run output / live results.
- **Managed data layer:** preview scrubbed → Certify (Offer B).
- **Validation layer:** generate/run suite checks (former `/validation` page).

Deploy

- Export JSON / SQL / dbt; open dbt PR when GitHub configured.
- Schedules / private runner / orchestrator hooks (also Settings → Automation).
- Contract freeze + attestation evidence.

20. Review — proposals & transforms

[/proposals](#) is the unified Review inbox. [/transforms](#) redirects here.

- List open diffs (joins, SQL, transforms, agent drafts).
- Select item → right panel: who, nature, query, referred tables.
- Approve / Reject; side-by-side diff when available.
- Link to Stitch Agent via [/chat?agent=1](#).

21. Report Studio (/bi)

Power BI-like studio: ribbon, fields, multi-tile canvas, filters, visuals. </metrics> → </bi?focus=data>.

- 1 Certify a managed dataset from Jobs → Results (Offer B) or connect semantic sources.
- 2 Scaffold from managed or chat `/bi` / "build report...".
- 3 Add KPI/card/bar/line/pie/table tiles; bind fields; Run all.
- 4 Certify visuals; Ship or embed.

Schema-first preview uses certified managed data only — not the raw lake.

22. Ship

- Delivery drafts created from Outcome [Ship to BI](#) or manual Ship flows.
- Title, chart hint, outcome linkage, stakeholder-ready packaging.
- Pairs with Report Studio embeds for Offer B demos.

23. Marketplace

- Browse industry packs.
- Apply = end-to-end playbook install (schema match, rules seed, join infer HITL, job, Outcome, Ship, optional BI).
- Does not auto-Promote.
- Open links jump into the created artifacts.

24. Eval

- Quality / Green eligibility scoreboard — not a row preview tool.
- Configure golden pairs JSON; schedule; Run now.
- Watch recall before enabling auto-promote low-risk joins.
- May also surface template install entry points.

25. Lineage

- Column / pipeline lineage lite across catalogued assets and job outputs.
- Use before Promote or after Drift to see blast radius.

26. Drift agent

- Schema change → impact → suggested remap / re-freeze.
- Accept / Dismiss remain human trust gates.
- Distinct from Stitch Agent (which lives in Assistant).
- Digests can notify Slack/Teams via Team OS settings.

27. Catalog / Glossary / Steward (work in progress)

These Phase-4 surfaces show a frosted **Work in progress** overlay. Navigation remains; body interaction is blocked.

Page	Intended future job	Use today instead
Catalog	Dashboards/metrics/pipelines as assets	Jobs, Lineage, Report Studio
Glossary	Business terms ↔ tables/columns	Assistant + future steward tickets
Steward	Certify/expire queues, policy packs, tickets	Review, Jobs Results, Compliance

28. Compliance

- Evidence packs, digests, ops checklist for pilot/customer reviews.
- Build digest for Offer A failure summaries.
- Pairs with Settings → Governance attestations / signed artifacts / audit log.

29. Product brief page

`/product` — honest client positioning (Offer A/B, HITL, schema-only). Use in demos; not a full marketing site.

30. Settings — every tab

Tab	Route	Contents
Members	/settings/members	Roles, invites, remove members
Security	/settings/security	SSO status, API keys summary, sessions
Enterprise	/settings/enterprise	SCIM, CMK, SIEM, SOC2 pack, break-glass (admin)
Automation	/settings/automation	Scheduled sync/jobs, orchestrator, private runner
Governance	/settings/governance	Drift alerts, attestations, signed artifacts, audit
Team OS	/settings/team	Propose vs Promote min roles, Slack/Teams digests
Domains	/settings/domains	Data products, stewards, sources, table globs
Billing	/settings/billing	Seats, checkout, usage (admin)
AI & Policy	/settings/ai-policy	Flags, BYOK, GitHub/dbt, Stitch Agent, samples

31. Domains (Settings) — full workflow

- | | |
|---|---|
| 1 | Open Settings → Domains (or /domains redirect). |
| 2 | Seed Orders / Finance / Growth or create custom domain. |
| 3 | Assign steward (workspace member), link sources, set table globs. |
| 4 | Save; use stats for unscoped sources coverage. |
| 5 | Jump to Joins / Jobs / Assistant for scoped work. |
| 6 | Admin can delete domains; updates audited. |

Active domain preference may be stored in localStorage per workspace for Team OS continuity.

32. Redirects & legacy routes

Old / alias	Goes to
/agent	/chat?agent=1
/domains	/settings/domains
/outcome	Assistant (outcome intent)
/metrics	/bi?focus=data
/managed	/jobs
/validation	Jobs (Results)
/transforms	/proposals
/rules	/chat

33. Ops, status, digests

- Public [/status](#): API, DB latency, workspaces/connections/jobs/managed counts.
- Prometheus: `GET /metrics?format=prom`.
- Team OS digests: drift + join review notifications.
- Compliance digests for Offer A external failures.
- Enterprise break-glass for emergency access (owner).

34. Team operating model & upskilling

Role	Weekly habit
DE	Sync, canvas edits, job notebooks, Review diffs, Agent plans
DA	Join threads, Outcome plans, Ship, Report Studio
Steward/Admin	Domains ownership, digests, Eval recall, AI policy
CEO/Pilot lead	Outcome → Ship demos; read Compliance evidence

Train on HITL first; AI second. Never skip Promote for Yellow/Red in production pilots.

35. Troubleshooting cheat sheet

Symptom	Check
Chat answers empty schema	Sync sources; reindex AI; confirm workspace
Join suggestions weak	Pin 5–10 samples; check name overlap
Agent disabled	Settings → AI & Policy → Enable Stitch Agent
BI scaffold fails	Certify managed on Jobs → Results first
UI thin vertical strip	Avoid <code>max-w-md/xl</code> with custom spacing tokens — use rem widths
Redirect loops	See §32 legacy map
Status page blank	API up; open <code>GET /status</code>

36. Claims you can / cannot make

Can say: schema-first HITL stitch; scrubbed samples; attested exports; Offer A/B; human Promote; eval recall gates.
Cannot say: "AI saw your whole warehouse"; "fully automatic trusted joins"; "we are your BI warehouse"; "SOC 2 certified product alone"; "Catalog/Glossary/Steward are production-complete" (WIP).

37. Deep control inventory (selected)

Surface	Controls
Assistant	Skills, @mention, Outcome card actions, Agent card Approve/Reject/Continue, Verify rows, feedback, reindex
Joins	Infer, edit mapping, Promote, Reject, comments, incorrect-join confirm
Jobs	New job, notebook save, dry-run/live, managed certify, validation suite, deploy exports, schedules
Review	Approve/Reject proposal, side-by-side, transform panel
Report Studio	Scaffold, Run all, tile edit, certify, filters
Domains	Create/edit/delete, steward, sources, globs, seed starters
Drift	Propose fixes, Accept, Dismiss
Settings AI	enableStitchAgent, samples, auto-promote, BYOK, plane

38. Glossary of Que terms

Term	Definition
HITL	Human-in-the-loop — Promote/Approve gates before truth
Promote	Accept a suggested join into the production contract
Pinned sample	Scrubbed 5–10 row grid frozen for AI/join evidence
Offer A / B	Customer warehouse vs Que managed plane
Outcome	CEO-style plan object in Assistant
Stitch Agent	Multi-step tool plan with checkpoints in Assistant
Managed dataset	Certified job output in Que plane (Offer B)
Report Studio	Certified BI canvas at /bi
Domain	Owned data product boundary (Settings)
Eval	Golden-set quality scoreboard
Drift	Schema-change remap agent
Attestation	Evidence fingerprint on delivered artifacts

39. API quick reference (power users)

Area	Examples
Health	GET /health · GET /status · GET /metrics
Auth	POST /auth/login · GET /auth/me
Sources	Workspace connections CRUD + sync
Joins	Infer, promote, reject endpoints
Chat	Chat message + context pack
Agent	/workspaces/:id/agent/sessions + checkpoint
Domains	/workspaces/:id/domains CRUD
Jobs	Notebook update, run, export, managed certify
BI	Scaffold report, charts, embed tokens

All workspace routes require auth bearer + workspace membership. Admin routes use requireMinRole .

40. Production go-live checklist

1	Demo/prod workspace created; owners/admins assigned.
2	SSO/security reviewed; API keys rotated; BYOK if required.
3	≥2 production sources synced; samples pinned on join-critical tables.
4	Join golden set loaded in Eval; recall measured.
5	Auto-promote still OFF unless recall gate met and policy signed.
6	Stitch Agent enabled only if team trained on checkpoints.
7	Offer A plane or Offer B quotas configured.
8	First job dry-run + attested export rehearsed.
9	Drift digests + Compliance path validated.
10	Domains stewarded for Orders/Finance/Growth (or client equivalents).
11	Catalog/Glossary/Steward understood as WIP — not sold as complete.
12	Status page + on-call know API health endpoints.

14b. Assistant — message anatomy & CEO mode

Owner/CEO sessions may show a CEO badge and stronger Outcome defaults. Each assistant bubble can include:

- Natural language answer grounded in schema pack + retrieved chunks.
- Optional SQL draft + Save job.
- Referenced tables visualization.
- Sample preview panels (scrubbed).
- Citations / retrieved chunk refs for auditability.
- Inline OutcomePlanCard or AgentPlanCard.

Context refresh runs on focus, visibility, schema-change bus, and periodic timer so @mentions stay current after sync.

17b. Sources — sync & fixture tips

- Use fixture paths for Snowflake/Databricks demos when live creds unavailable.
- MongoDB: collections inferred into tabular schema views.
- Excel/CSV: watch type inference; re-pin samples after column renames.
- After sync, open Workspace to verify node counts; then pin samples before Infer.
- Connection failures: check host/port/SSL, workspace role (viewer cannot sync).

19b. Jobs — contract freeze & export gates

- Freeze contract after Promoted joins stabilize.
- Export gates may require promoted joins and clear drift.
- dbt PR needs GitHub branch settings under AI & Policy.
- Private runner / orchestrator webhook for customer VPC execution (Offer A).
- Validation suite on Results: generate checks, run, inspect statuses.
- Managed certify creates dataset usable by Report Studio scaffold.

21b. Report Studio — visual types & certify

- Visuals: KPI, card, bar, line, pie, table (scaffold packs multiple).
- Field well: drag measures/dimensions; filters on canvas.
- Run all executes against certified managed preview path.
- Certify tiles before embedding; embed tokens minted by admins.
- Chat `/bi` creates pack then navigates to `/bi?report=...`

30b. Settings — Team OS & AI flags detail

Team OS

- Min role to propose/infer joins.
- Min role to Promote.
- Slack/Teams webhook digests for drift and join review.

AI & Policy (selected flags)

- Pinned samples for AI (default on).
- Enable Stitch Agent.
- Auto-promote low-risk (Green) after recall gate — default off.
- Snowflake query join assist from ACCOUNT_USAGE (optional).
- BYOK OpenAI/Anthropic secret slots.
- GitHub repo + dbt deploy branches.
- Execution plane: customer vs managed.

30c. Security & Enterprise notes

- Revoke sessions; revoke other sessions.
- SSO enforce can block password login except break-glass.
- Enterprise: SCIM provisioning, CMK, SIEM export, SOC2 evidence pack downloads.
- Break-glass: owner opens time-boxed emergency access with reason; close when done.
- Audit log under Governance captures domain create/update/delete and other actions.

23b. Marketplace playbook — what gets created

A full industry apply typically yields:

- Matched tables / suggested mappings.
- Seeded org rules (backend).
- Join inference proposals awaiting Promote.
- Draft stitch job notebook.
- Outcome plan and optional Ship draft.
- Optional BI scaffold if managed path ready.

Human still Promotes joins and validates job dry-run before production export.

24b. Eval — golden pairs & auto-promote gate

- | | |
|---|---|
| 1 | Author golden join pairs JSON for critical relationships. |
| 2 | Run Eval now; note recall. |
| 3 | Enable schedule for regression. |
| 4 | Only if recall $\geq$ configured gate AND leadership accepts risk, consider auto-promote Green. |
| 5 | Keep Yellow/Red always HITL. |

26b. Drift — accept remap workflow

- 1 Upstream renames/drops column; sync detects drift event.
- 2 Drift agent proposes remap / re-freeze.
- 3 Review impact on jobs and joins.
- 4 Accept to apply proposal or Dismiss with note.
- 5 Re-run affected job dry-run; update promoted joins if needed.

Appendix A — Day-in-the-life scripts

DE morning

- | | |
|---|---|
| 1 | Check Drift + Compliance digests. |
| 2 | Sync overnight sources; open Workspace. |
| 3 | Clear Join Review backlog (Promote/Reject). |
| 4 | Advance Agent checkpoint or job notebook dry-run. |
| 5 | Respond to Review diffs from DA. |

DA afternoon

- | | |
|---|---|
| 1 | Assistant Outcome for stakeholder question. |
| 2 | Promote joins with DE comments. |
| 3 | Ship draft → Report Studio polish. |
| 4 | Share embed or export evidence. |

Appendix B — 2-hour pilot training outline

1	0:00 DNA + Offer A/B + privacy (samples).
2	0:20 Connect two sources; sync; pin samples.
3	0:40 Infer + Promote joins (Yellow example).
4	1:00 Assistant skills + Outcome.
5	1:20 /agent checkpoint through draft job.
6	1:40 Jobs Results certify + /bi scaffold (Offer B) or export (Offer A).
7	1:55 Domains + WIP honesty + status page.

Appendix C — FAQ

Question	Answer
Where did Agent go?	Inside Assistant via /agent; /agent redirects.
Where did Domains go?	Settings → Domains.
Where is Managed?	Jobs → Results managed layer.
Where is Validation?	Jobs → Results validation layer.
Where are Metrics?	Report Studio (/bi?focus=data).
Where are Transforms?	Review (/proposals).
Where are Rules?	Backend + learn-from-Promote; UI redirects to chat.
Is Catalog ready?	No — WIP overlay.

Appendix D — Printing this manual

- Open `Que-Complete-Product-Manual.html` in Chrome/Edge.
- Print → Save as PDF · Paper A4 · Margins default · Background graphics ON.
- Or run `node docs/build-complete-manual.mjs --pdf` with Playwright installed.
- Expected length $\approx$ 50 pages depending on font metrics.

End of Que Complete Product Manual v3.0

17c. Connector field matrix

Connector	Key fields	Notes
PostgreSQL	host, port, database, user, password, SSL	Default demo user often stitch
MongoDB	uri or host/port, database	Collections → inferred tables
Snowflake	account, warehouse, database, schema, user, password/key, fixturesPath	Fixtures for demos
Databricks	host, http path, token, catalog/schema, fixtures	Offer A lakehouse
Excel	file upload / path	Sheet → table
CSV	file path, delimiter	Type inference
BigQuery	project, dataset, credentials JSON	GCP warehouse
Salesforce	instance, client, secret, refresh	CRM objects

Always Test connection before Save. Sync after Save. Pin samples on join keys before Infer.

18b. Join inference — what the model uses

- Column name similarity (customer_id ↔ cust_id).
- Type compatibility.
- Pinned sample overlap ratios (target band often cited ~88–95% for easy keys).
- Optional Snowflake ACCOUNT_USAGE / Databricks query-history assist when enabled.
- Org rules (never join on email alone for finance, etc.).

Without pins, overlap evidence is weak — treat suggestions as hypotheses only.

19c. Notebook cell patterns

```
# Markdown: intent / contract notes
## Customer 360 stitch
Promote joins: crm.customers ↔ wh.orders

-- SQL: bounded select for dry-run
SELECT c.id, c.region, o.order_id, o.amount
FROM crm.customers c
JOIN wh.orders o ON c.id = o.customer_id
WHERE o.created_at >= CURRENT_DATE - INTERVAL '30' DAY
LIMIT 500;
```

- Keep cells reviewable; avoid SELECT * in production contracts.
- Document Promoted join IDs in markdown cells for auditors.
- Dry-run before live; inspect null keys and dup rates on Results.

20b. Review item lifecycle

1	Created (agent draft, transform NL, join propose, SQL edit).
2	Open in Review inbox with author + referred tables.
3	Peer inspects unified or side-by-side diff.
4	Approve → applies workspace truth / advances state.
5	Reject → remains historical; author revises.

22b. Ship draft fields

- Title / description from Outcome chart hint.
- Linked outcomeld.
- Chart type preference (bar/line/kpi...).
- Open from Assistant Ship action → </ship?id=...>
- Hand off to Report Studio for certified visuals when Offer B.

21c. Embeds & tokens

- 1 Certify managed dataset and report tiles.
- 2 Admin mints embed token.
- 3 Share `/embed/:token` with stakeholder.
- 4 Revoke on Settings/Security or BI admin panel when access ends.

Embeds show certified preview paths — not live warehouse dumps.

Appendix E — Weekly ops ritual (printable)

Mon	Sync health + Drift digests + Status page
Tue	Join Review burn-down (DE+DA)
Wed	Review inbox hour (senior DE)
Thu	Report Studio certify / Ship for stakeholders
Fri	Eval recall + Domains stewardship + Compliance checklist

Appendix F — RACI (lightweight)

Activity	R	A	C	I
Connect sources	DE	Admin	DA	Steward
Promote joins	DE/DA	DE lead	Steward	CEO
Job export / dbt PR	DE	DE lead	Analytics eng	Ops
Certify BI	DA	Analytics lead	DE	Stakeholders
AI policy / auto-promote	Admin	Owner	DE lead	All
Domains stewardship	Steward	Owner	DE/DA	All

Appendix G — Incident playbooks

Bad join promoted

- 1 Reject or correct join; document in comments.
- 2 Re-freeze affected job contracts.
- 3 Re-run dry-run; notify Ship/BI owners.
- 4 Add Eval golden pair to prevent regression.

Schema drift blocks export

- 1 Open Drift agent; Accept remap or fix manually.
- 2 Re-Promote joins if columns changed.
- 3 Clear export gate; re-export.

Embed showing stale data

- 1 Re-run job; re-certify managed.
- 2 Refresh Report Studio Run all.
- 3 Re-mint embed if token scoped to old report revision.

Appendix H — Security review checklist

- Password login vs SSO enforce decision recorded.
- No production warehouse passwords in chat logs.
- BYOK keys in secret slots only.
- Viewer role used for external auditors.
- Break-glass procedure tested once.
- Audit log retention understood.
- Embed tokens inventory + revocation path.
- Pinned samples scrubbing policy agreed with legal.

Appendix I — 30-minute customer demo script

- 1 Status page (trust / ops).
- 2 Sources: show two connectors synced.
- 3 Workspace canvas flyover.
- 4 Joins: Promote one Yellow with commentary.
- 5 Assistant: /outcome revenue by region.
- 6 /agent approve → continue after promote → open job.
- 7 Jobs Results: validation + managed certify (Offer B) OR export story (Offer A).
- 8 Report Studio scaffold; Ship.
- 9 Settings Domains + honesty on WIP Catalog.
- 10 Close with claims you will not make.

Appendix J — Extended glossary

Term	Definition
Context pack	Schema summary sent to AI for a workspace
Contract freeze	Lock job expectations after Promote
Dry-run	Capped execution for validation
External status	Warehouse/CI callback digested in Que
Golden pair	Known-good join for Eval recall
Incorrect join	Canvas-marked bad edge requiring confirm
Playbook install	Marketplace full HITL bootstrap
Private runner	Customer VPC job executor
Proposal	Review inbox item awaiting Approve
Reindex	Refresh vector/docs index for chat retrieval
Scaffold	Auto-build BI pack from managed/chat
Scrub	Mask/redact sample values before AI/UI
SoR	System of record for rows
Steward	Domain owner accountable for Promote quality
Table glob	Pattern assigning tables to a Domain
Tool transcript	Agent card log of tool calls

Appendix K — Manual revision history

Ver	Date	Notes
2.0	Aug 2026	Production Use Guide (prior)
3.0	16 Aug 2026	Complete manual: Agent→Assistant, Domains→Settings, Jobs Results layers, WIP overlays, Status width fix
3.1	16 Aug 2026	Code-accurate inventory: Promote thresholds, sample caps, Ship/Workspace/Joins/Jobs controls, onboarding

Appendix L — Promote tiers (code-accurate)

Suggested joins are **never** production truth until human **Promote**.

Tier	How it is decided	Promote UX
Red	Weak/opaque evidence (e.g. confidence < 0.7, low/none pin overlap, or missing safe name/FK/history with conf < 0.85)	Promote (Red · DE/admin). Gated by <code>redPromoteMinRole</code> (default admin).
Yellow	Decent evidence; not Green	Promote (Yellow · one-click). Gated by <code>yellowPromoteMinRole</code> (default member).
Green	High confidence (typically ≥ 0.92) + safe signals (+ pin/cross-source rules)	Auto-Promote only if <code>enableAutoPromoteLowRisk</code> and Eval recall $\geq$ <code>autoPromoteMinRecall</code> (default 0.9). Else treated as Yellow.

- Joins: filters Pending/Accepted/Rejected/All; Re-run inference; Suggest mappings; comments; rename Accept/Reject/Dismiss; golden-set report.
- Workspace: Incorrect-join confirm before saving a bad edge; Stitch Session (two connections → infer → ship); export PDF/PNG/JSON.

Appendix M — Sample & privacy caps (code-accurate)

Cap	Limit	Where
Pinned samples	5–10 rows (default 10)	Scrubbed; frozen until re-pin; AI when <code>aiMayUsePinnedSamples</code>
Sync column samples	Typically ≤ 5	Scrubbed before metadata store when scrub on
Live Validate	≤ 20 rows read-only	Jobs notebook Validate (not stored as lake)
Chat Verify rows	Hard-cap 5–10 scrubbed	Never managed dump / full lake

Appendix N — Workspace & Sources control map

- **Workspace:** TopBar search , filters, MiniMap, RightSidebar, Stitch Session, Create stitch job, Incorrect-join confirm.
- **Sources:** Install POC pack; catalog → Configure (fixture vs live); Sync Schema; health/re-auth; legacy `?view=` redirects.

Appendix O — Jobs tabs & Ship deep links

Tab	Route	Controls
Notebook	/jobs/:id/notebook	Save; Run Test (dry_run); Validate (≤ 20 rows); View results / Deploy
Results	/jobs/:id/results	Managed preview/certify; Validation suite; sample tables
Deploy	/jobs/:id/deploy	Mark Ready; Contract freeze; drift ack; export JSON/SQL/dbt; Open dbt PR; schedules

- **Ship:** Approve/Rollback; attestation fingerprint; jobId/materializationId; embed URL; Verify; ?id= / ?outcomeId= .

Appendix P — Chrome, onboarding & day-one path

- Header: Workspace switcher, Presence, onboarding ? (connect → sync → Promote → jobs → policy), Auth, API status.
- Status bar: SCHEMA-ONLY • NO RAW DATA (page eyebrows may override).

```
Day-one path (code-aligned)
/login → /sources (or POC pack) → Sync
→ /joins or /workspace → Promote HITL
→ /chat (/outcome or /agent) → plan
→ /jobs/.../notebook → Results → Deploy
→ /ship and/or /bi → embed
→ /compliance / /verify for diligence
```

Que Complete Product Manual v3.1 — appendices L–P from live App.tsx / page code.