D'aMigo's Guest App — Product Requirements Document

Field	Value
Document ID	PRD-GUEST-1.0
App	`guest-web` (mobile webview; WhatsApp in-app browser primary)
API	`guest-api` (REST + optional WebSocket for order status)
Version	1.0
Date	2026-10-15
Companion	CRM-APP-PRD.md, SYSTEM-ARCHITECTURE.md

---

1. Executive summary

The guest app is a **restaurant-scoped ordering webview** opened from **packaging QR/barcode** (Phase 1) or optionally from **Discover hub** (Phase 1 minimal / Phase 2 expanded). One **global guest identity** (phone); **per-restaurant** credits, offers, and cart. Primary journey: **Scan** → **rewards (optional)** → **menu** → **checkout (UPI)** → **track** → **orders home**.

North star (guest-side): Completed platform orders with repeat within 30 days.

---

2. Goals & non-goals

2.1 Goals

- Frictionless order on phone without installing an app
- Restaurant branding (logo, name, credits) — no aggregator logos
- Compliant consent (DPDP); marketing separate from game
- Transparent fees (convenience ₹2, delivery Shiprocket + ₹5 display)

2.2 Non-goals (Phase 1)

- Native iOS/Android apps
- Full Swiggy-like marketplace (Hero is curated list only)
- Dine-in table ordering as primary model (design artifacts mentioning "Table 04" are **deprecated** for Phase 1 — see gaps doc)
- Cash on delivery (recommend UPI-only pilot)
- Ads on reward / spin screens

---

3. Users & personas

Persona	Description	Needs

Delivery guest	Ordered via aggregator; scans bag sticker	Rewards, reorder direct, track
Repeat guest	Returns via orders home or new scan	Fast menu, saved address
Hub guest	Opens `/hub` without scan	Pick kitchen, no false "table" UX

---

4. Design system

- **Reference:** Stitch export `crimson_guest_experience/DESIGN.md`
- **Viewport:** 390×844 baseline; safe areas `env(safe-area-inset-*)`
- **Fonts:** Plus Jakarta Sans (headings), Inter (body, tabular nums for ₹)
- **Primary CTA:** `#E23744` / crimson family (align CRM accent in Phase 1.1 if consolidating with navy `#10233F`)
- **WhatsApp chrome:** Mock header `d-amigos.in` — do not duplicate OS back when WA provides close

---

5. Information architecture — six shells

Shell	Route	Stitch reference
G-S1 Restaurant	`/s/:token`, `/r/:restaurantId`	`g1_*`, `g3_scratch`, `g4_win`
G-S2 Menu	`/r/:id/menu`	`g2`, `g8`
G-S3 Checkout	`/r/:id/checkout`	`g9`, `g10`, `g11`, `g12`, `g3_cart`, `g6_location`
G-S4 Track	`/orders/:orderId`	`g13`, `g4_order_tracking`
G-S5 Orders	`/orders`	`g5`, `g16`
G-S6 Discover	`/hub`	`g17`, `g6_hero`, `g18`

Modals (not top-level routes): profile/consent (`g5_one_time_guest_profile`), switch kitchen (`g18`), item sheet (part of G-S2).

Error routes: `/s/:token/error` or inline states — `g14` expired, `g15` kitchen paused.

---

6. Global rules

ID	Rule	Implementation
G-R01	One cart = one `restaurant_id`	Server rejects mixed cart
G-R02	Back from menu → `/orders`	Not to spin screen
G-R03	Credits label	"Credits with {Restaurant}" — not "WhatsApp wallet"
G-R04	Game optional	"View menu without offer" always available Phase 1

G-R05	No ads on G-S1 reward zone	Layout guard
G-R06	Est. elsewhere price	Owner-entered reference only; no scraping
G-R07	Session auth	JWT after OTP; httpOnly cookie or secure storage
G-R08	Idempotent pay	`Idempotency-Key` on order create

---

7. Feature specification

7.1 Scan & token resolution (G-S1)

G-01.01 Resolve scan token

Item	Detail
Trigger	GET `/s/:token` load
API	`GET /v1/scan/resolve?token=`
Success	302 → `/r/{restaurantId}?ctx={scanId}`
Acceptance	Valid token returns restaurant meta, batch id, scan logged
Errors	Unknown → G-ERR-01; Expired batch → G-ERR-02; Revoked → G-ERR-03; Consumed (if single-use) → G-ERR-04
Phase	P0
Tests	TC-G-001..004

Backend: `sticker_tokens` joined to `sticker_batches`; check `valid_from`, `valid_to`, `status`.

G-01.02 Restaurant header

Item	Detail
UI	Logo, name, credits pill, profile avatar
API	`GET /v1/me/restaurants/:id/profile`
Acceptance	Credits match ledger; 401 → prompt OTP
Phase	P0
Tests	TC-G-010

G-01.03 Packaging perks banner

Item	Detail
Copy	"You scanned our packaging — rewards inside."
Acceptance	No table number in Phase 1 packaging flow

Phase	P1
Tests	TC-G-011

G-01.04 Offer carousel

Item	Detail
API	`GET /v1/restaurants/:id/offers/active`
Acceptance	Horizontal scroll; T&C link per offer
Phase	P1
Tests	TC-G-012

G-01.05 Spin wheel

Item	Detail
API	`POST /v1/rewards/spin` body `{ restaurantId, scanId }`
Rules	Server-side outcome; max spins configurable per restaurant/day
Acceptance	Outcome logged; cannot spin after limit — show message
Compliance	Display promo T&C; not gambling copy
Phase	P1
Tests	TC-G-020..022

G-01.06 Scratch card

Item	Detail
API	Same engine as spin, mode `scratch`
Acceptance	Tab switch spin/scratch; one reward path per session policy
Phase	P1
Tests	TC-G-023

G-01.07 Win celebration & avail

Item	Detail
UI	Bottom sheet: prize, expiry, Avail CTA
API	`POST /v1/rewards/claim`
Acceptance	Claim idempotent; binds offer to guest+restaurant
Phase	P1
Tests	TC-G-024..025

G-01.08 Skip to menu

Item	Detail
Nav	→ `/r/:id/menu` without claim
Phase	P1
Tests	TC-G-026

7.2 Profile & consent (modal)

G-02.01 One-time profile

Item	Detail
Trigger	First claim or first checkout
Fields	Name, phone (+91 OTP verify)
API	`POST /v1/me/profile`, `POST /v1/auth/otp/request`, `POST /v1/auth/otp/verify`
Acceptance	Phone verified before pay
Phase	P0
Tests	TC-G-030..033

G-02.02 Consent toggles

Item	Detail
Required	Transactional (order updates)
Optional separate	Marketing WhatsApp; game/participation acknowledgement
API	`POST /v1/me/consents` with version ids
Acceptance	Stored with timestamp; marketing campaigns skip if false
Phase	P0
Tests	TC-G-034..035

7.3 Menu (G-S2)

G-03.01 Category navigation

| API | `GET /v1/restaurants/:id/menu?version=published` | | **Acceptance** | Sticky chips; empty category hidden | | **Phase** | P0 | | **Tests** | TC-G-040 |

G-03.02 Menu list

Item	Detail
Acceptance	Veg/non-veg icons; out-of-stock greyed

Phase	P0
Tests	TC-G-041

G-03.03 Search

| API | Client filter or `?q=` | | **Phase** | P1 | | **Tests** | TC-G-042 |

G-03.04 Item bottom sheet

Item	Detail
Fields	Modifiers, qty, add
API	`POST /v1/cart/items`
Acceptance	Price updates with tabular nums
Phase	P0
Tests	TC-G-043..044

G-03.05 Reference price chip

Item	Detail
Source	`menu_items.reference_price` optional
Label	"Est. reference ₹X" — no brand names
Phase	P2
Tests	TC-G-045

G-03.06 Sticky cart bar

| API | `GET /v1/cart` | | **Acceptance** | Shows count and subtotal; tap → checkout | | **Phase** | P0 | | **Tests** | TC-G-046 |

G-03.07 Kitchen paused (read-only)

Item	Detail
UI	g15 — browse menu, ordering disabled
API	`restaurant.ordering_enabled=false`
Acceptance	Banner with resume time if set
Phase	P1
Tests	TC-G-047

G-03.08 Back navigation

Item	Detail

Rule	Header back → `/orders`
Phase	P1
Tests	TC-G-048

7.4 Checkout (G-S3)

G-04.01 Cart review

| API | `GET /v1/cart` | | **Acceptance** | Apply sticker/claimed offer lines visible | | **Phase** | P0 | | **Tests** | TC-G-050 |

G-04.02 Delivery address

Item	Detail
UI	Map pin, address form, serviceability
API	`POST /v1/me/addresses`, `GET /v1/delivery/serviceability`
Phase	P1
Tests	TC-G-051..053

G-04.03 Shiprocket quote

Item	Detail
API	`POST /v1/delivery/quote` → `{ carrier, shiprocket_rate, platform_markup: 5 }`
Display	"Delivery (Shiprocket + ₹5)"
Acceptance	Block checkout if not serviceable
Phase	P1
Tests	TC-G-054..055

G-04.04 Bill summary

| Lines | Subtotal, discount, delivery, convenience ₹2, taxes per policy, total | | **Phase** | P1 | | **Tests** | TC-G-056 |

G-04.05 Create order + payment

| API | `POST /v1/orders` → Razorpay order/payment link | | **Acceptance** | Idempotent; state `PAYMENT_PENDING` until webhook | | **Phase** | P1 | | **Tests** | TC-G-057..059 |

G-04.06 Payment success

| UI | `g12` — order id, track CTA | | **Webhook** | `payment.captured` → `PAID` | | **Side effect** | Kapso utility message if transactional opt-in | | **Phase** | P1 | | **Tests** | TC-G-060 |

G-04.07 Payment failed

| UI | `g11` — retry | | **Phase** | P1 | | **Tests** | TC-G-061 |

7.5 Track (G-S4)

G-05.01 Order timeline

| API | `GET /v1/orders/:id` + poll or WS | | **States** | Placed → Accepted → Preparing → Dispatched → Delivered | | **Phase** | P1 | | **Tests** | TC-G-070 |

G-05.02 Map / rider

| Source | Shiprocket webhook fields when available | | **Phase** | P2 | | **Tests** | TC-G-071 |

G-05.03 Help

| Action | Deep link WhatsApp utility thread (restaurant) | | **Phase** | P2 | | **Tests** | TC-G-072 |

7.6 Orders home (G-S5)

G-06.01 Active / past tabs

| API | `GET /v1/me/orders?status=active|past` | | **Acceptance** | Multi-restaurant list | | **Phase** | P1 | | **Tests** | TC-G-080 |

G-06.02 Track / reorder

| Reorder | Navigate to `/r/:id/menu` | | **Phase** | P1 | | **Tests** | TC-G-081 |

G-06.03 Profile & consents management

| API | `GET/PATCH /v1/me/consents` | | **Phase** | P2 | | **Tests** | TC-G-082 |

7.7 Discover hub (G-S6)

G-07.01 Kitchen list (pilot)

| API | `GET /v1/hub/restaurants?city=bangalore` | | **Acceptance** | Curated; no fake wait-times Phase 1 | | **Phase** | P2 | | **Tests** | TC-G-090 |

G-07.02 Search

| Phase | P2 | | **Tests** | TC-G-091 |

G-07.03 Switch kitchen modal

| Rule | Confirm clears cart | | **Phase** | P2 | | **Tests** | TC-G-092 |

G-07.04 Hub entry without spin

| Rule | No game on hub unless policy changes | | **Phase** | P2 | | **Tests** | TC-G-093 |

7.8 Error & edge states

ID	Screen	Copy / behavior
G-ERR-01	Invalid QR	Support contact
G-ERR-02	Expired sticker batch	Explain 10–15 day batch policy; hub CTA
G-ERR-03	Revoked	Admin revoked
G-ERR-04	Consumed token	If single-use policy enabled
G-ERR-05	Restaurant inactive	Read-only or block

---

8. Guest API surface (summary)

See API-CONTRACTS-OVERVIEW.md for full list.

Domain	Endpoints
Auth	`/v1/auth/otp/*`, `/v1/me`
Scan	`/v1/scan/resolve`
Catalog	`/v1/restaurants/:id/menu`, `/offers`
Cart	`/v1/cart`
Orders	`/v1/orders`, `/v1/me/orders`
Delivery	`/v1/delivery/quote`, `/serviceability`
Rewards	`/v1/rewards/spin`, `/claim`

---

9. Non-functional requirements

NFR	Target
TTI on 4G	< 3s first contentful paint on menu
Accessibility	Tap targets ≥ 44px; contrast AA
Security	HTTPS only; CSRF on cookie auth; rate limit OTP
Privacy	Minimal PII; retention policy in privacy notice
Analytics	Events: scan, spin, menu_view, add_cart, pay_success

---

10. Phase mapping (guest)

Phase	Features
P0	G-01.01, G-02.*, G-03.01-04,06, G-04.01
P1	Full scan/rewards, checkout, pay, track, orders home
P2	Hub, reference price, map, profile manage
P3	Per-order QR, advanced personalization

---

11. Open decisions (guest)

See DECISION-LOG.md. Critical: single-use vs multi-scan token; game mandatory or not.

Appendix A — Event analytics schema

Event	Properties
`scan_resolved`	restaurant_id, batch_id, token_id
`reward_spin`	outcome_id
`order_paid`	order_id, amount, restaurant_id

End of Guest PRD v1.0