src\components\News.js

```
import React, { useState , useEffect } from "react";
 1
 2
    import NewsItem from "./NewsItem";
    import Spinner from "./Spinner";
 3
    import PropTypes from 'prop-types'
 4
 5
 6
    const News = (props) => {
 7
      const [articles, setArticles] = useState([]);
      const [loading, setloading] = useState(true);
 8
 9
      const [page, setpage] = useState(1);
10
      const [totalresults, settotalresults] = useState(0);
11
      // function to capitalize the first letter
12
13
      const capitalizefirstletter = (string) => {
14
        return string.charAt(∅).toUpperCase() + string.slice(1);
15
      }
16
      const updateNews = async () => {
17
        const url = `https://newsapi.org/v2/top-headlines?country=${props.country}&category=
18
    ${props.category}&apiKey=5d0256b391864729b53a645ab5817942&page=${page}&pageSize=
    ${props.pageSize}`;
        setloading(true);
19
20
        let data = await fetch(url);
21
        let parsedData = await data.json();
22
        setArticles(parsedData.articles);
23
        settotalresults(parsedData.totalResults);
24
        setloading(false);
25
      }
26
      useEffect(() => {
27
        document.title = `Authentic News - ${capitalizefirstletter(props.category)}`
28
        updateNews();
29
        // eslint-disable-next-line
    \},\ [\ ]);\ //\ empty\ dependency\ array\ indicates\ that\ the\ effect\ runs\ only\ once,\ after\ the\ initial\ render
30
31
32
      const handlePre = async () => {
        let url = `https://newsapi.org/v2/top-headlines?country=${props.country}&category=
33
    ${props.category}&apiKey=5d0256b391864729b53a645ab5817942&page=${page-1}&pageSize=
    ${props.pageSize}`;
        setloading(true)
34
35
36
        let data = await fetch(url);
37
        let parsedData = await data.json();
38
39
        setArticles(parsedData.articles)
40
        settotalresults(parsedData.totalResults)
        setloading(false)
41
42
        setpage(page-1)
43
44
45
46
      };
47
48
      const handleNext = async () => {
        let url = `https://newsapi.org/v2/top-headlines?country=${props.country}&category=
49
    ${props.category}&apiKey=5d0256b391864729b53a645ab5817942&page=${page + 1}&pageSize=
```

```
${props.pageSize}`;
 50
         setloading(true)
 51
 52
         let data = await fetch(url);
         let parsedData = await data.json();
 53
 54
 55
         setArticles(parsedData.articles)
         settotalresults(parsedData.totalResults)
 56
 57
         setloading(false)
 58
         setpage(page+1)
 59
       };
 60
 61
       return (
 62
         <div className="container my-3">
         <h1 className="text-center" style={{margin:'70px 0 40px 0'}}> Top
 63
     {capitalizefirstletter(props.category)} Headlines</hl>
            {loading && <Spinner/>}
 64
         <div className="row">
 65
            {articles.map((element) => {
 66
               return <div className="col-md-4" key={element.url}>
 67
 68
                    <NewsItem
 69
                      title={element.title}
                      description={element.description}
 70
 71
                      newsUrl = {element.url}
 72
                      date = {element.publishedAt}
 73
                      imgUrl={element.urlToImage}/>
 74
                  </div>
 75
           })}
 76
 77
           {!loading && (
              <div className="container d-flex justify-content-evenly my-3">
 78
 79
                <button
 80
                  disabled={page <= 1}</pre>
 81
 82
                  type="button"
                  className="btn btn-secondary"
 83
 84
                  onClick={handlePre}
 85
                >
 86
                  ← Previous
 87
                </button>
                {/* <span>{Math.ceil(totalresults / 21)}</span> */}
 88
 89
                <button
 90
                 disabled={
 91
                  (page+1) > Math.ceil(totalresults / 18)
 92
                  type="button"
 93
 94
                  className="btn btn-secondary"
 95
                  onClick={handleNext}
 96
                  Next →{" "}
 97
 98
                </button>
 99
              </div>
           )}
100
101
         </div>
102
         </div>
103
       );
```

```
105
    News.defaultProps = {
106
      country: 'in',
107
       pageSize: 15,
108
       category: 'general',
    }
109
110
111
    News.propTypes = {
112
       country: PropTypes.string,
113
       pageSize: PropTypes.number,
114
      category: PropTypes.string,
115
     }
116
117
     export default News;
118
119
120
     // // instead of using if else in your handelNextClick you could use disable={
     this.state.page + 1 > Math.ceil(this.state.totalReslts/20)} in you
     // // ur next button
121
122
123
```