

Hello World RESTful Web Service:

application.properties:

spring.application.name=spring-learn

server.port=8083

HelloController.java:

```
package com.cognizant.spring_learn.controller;
```

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;
```

```
import org.springframework.web.bind.annotation.GetMapping;
```

```
import org.springframework.web.bind.annotation.RestController;
```

```
@RestController
```

```
public class HelloController {
```

```
    private static final Logger LOGGER = LoggerFactory.getLogger(HelloController.class);
```

```
    @GetMapping("/hello")
```

```
    public String sayHello() {
```


```
        LOGGER.info("--- START: Entering sayHello() REST endpoint ---");
```

```
        return "Hello World!!";
```


```
    }
```

```
}
```

Output:



Hello World!!



Name	×	Headers	Preview	Response	Initiator	Timing	Adblock	Cookies
hello		Content-Type		text/html; charset=UTF-8				
		Date		Mon, 29 Jun 2026 15:11:09 GMT				
		Keep-Alive		timeout=60				
		▼ Request Headers	☐ Raw					
		Accept		text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/a png,*/*;q=0.8				
		Accept-Encoding		gzip, deflate, br, zstd				
		Accept-Language		en-US,en;q=0.5				
		Cache-Control		max-age=0				
		Connection		keep-alive				
		Cookie		csrftoken=TXWyoRfQ0HjRySitLdmr5GfTc7DDdkIO				
		Host		localhost:8083				
		Sec-Ch-Ua		"Brave";v="149", "Chromium";v="149", "Not)A;Brand";v="24"				
		Sec-Ch-Ua-Mobile		?0				
		Sec-Ch-Ua-Platform		"Windows"				
		Sec-Fetch-Dest		document				
		Sec-Fetch-Mode		navigate				
		Sec-Fetch-Site		none				
		Sec-Fetch-User		?1				
		Sec-Gpc		1				
		Upgrade-Insecure-Requests		1				
		User-Agent		Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36				
1 requests								

http://localhost:8083/hello Save Share

GET

http://localhost:8083/hello

Send

Docs

Params

Authorization

Headers 6

Body

Scripts

Tests

Settings

Cookies

Headers Hide auto-generated headers

Key	Value	Descri...	Bulk Edit	Presets	...
✓ Postman-Token	<calculated when request is sent>				
✓ Host	<calculated when request is sent>				
✓ User-Agent	PostmanRuntime/7.54.0				
✓ Accept	*/*				
✓ Accept-Encoding	gzip, deflate, br				
✓ Connection	keep-alive				
Key	Value	Description			

Body

200 OK • 5 ms • 177 B •

Raw

Preview

Visualize

1 Hello World!!

```
2026-06-29T18:43:52.404+05:30 INFO 19016 --- [spring-learn] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8083
(http) with context path '/'
2026-06-29T18:43:58.399+05:30 INFO 19016 --- [spring-learn] [nio-8083-exec-1] c.c.s.controller.HelloController : --- START: Entering sayHello
() REST endpoint ---
2026-06-29T18:43:58.400+05:30 INFO 19016 --- [spring-learn] [nio-8083-exec-1] c.c.s.controller.HelloController : --- END: Exiting sayHello()
REST endpoint with response: Hello World!! ---
```