GENERAL NOTES

ALL WORK DESIGNED AND COMPLETED TO COMPLY WITH CURRENT BCBC 2012 STANDARDS AND THE RULES OF BEST TRADES PRACTICES BY QUALIFIED TRADESPERSONS.

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND VERIFY LOCATIONS OF ALL RELEVANT COMPONENTS OF BASE BUILDING PRIOR TO WORK. DO NOT SCALE DRAWINGS.

COMMENCEMENT OF CONSTRUCTION OR ANY PART THEREOF CONSTITUTES ACCEPTANCE OF THE ENCLOSED DATA, DIMENSIONS, ELEVATIONS AND SITE CONDITIONS THAT HAVE BEEN CONSIDERED, VERIFIED AND DEEMED ACCEPTABLE.

ALL STRUCTURAL CONCRETE AS PER ENGINEER SPECIFICATION IF APPLICABLE AND THE BC SAFETY STANDARDS GUIDELINES.

EXTERIOR CONCRETE TO BE MIN. 32 MPa @ 28 DAYS UNO.

INTERIOR FLOORS TO BE MIN. 20 MPa @28 DAYS UNO FOOTINGS TO BE PLACED ON SOLID UNDISTURBED SOIL WITH A MIN. BEARING CAPACITY OF 2000 PSF OR AS PER ENG. SPEC.

ALL FRAMING TO BE IN ACCORDANCE WITH BCBC 2012. ALL LUMBER TO BE SPF #2 OR BETTER AS PER NLGA UNLESS NOTED OTHERWISE. ALL EXTERIOR EXPOSED FRAMING TO BE PRESERVATIVE TREATED LUMBER - FIELD TREAT ALL CUTS. ALL EXTERIOR ROOF SHEATHING TO BE 1/2" STANDARD FIR PLYWOOD U.N.O. ALL LINTELS TO BE 2 PLY 2x10 U.N.O. ALL INTERIOR DOORS TO BE 6'8 TALL U.N.O. ALL EXTERIOR DOORS TO BE 7'0" TALL U.N.O. PROVIDE BACKING FOR BUILT-IN AND WALL OR CEILING MOUNTED COMPONENTS. ALL DIMENSIONS TO CENTERLINES OF WALL OR FACE OF CONCRETE.


DESIGN LOADS:

VICTORIA

Ss: 2.1kPa

Sr: 0.3kPa

BUILDING ENVELOPE TO MEET BCBC 2012 9.36 ENERGY SPECIFICATIONS AS REQ.D







PROJECT INFO

SITE ADDRESS

4381 SHELBOURNE

SAANICH

LEGAL DESCRIPTION

LOT 3 SECTION 90 VICTORIA DISTRICT PLAN 27858

ZONE

RS-6

DPA

SAANICH GENERAL

SCOPE

ADDITION TO EXISTING DECK

KEY PLAN




ZONING ANALYSIS	ALLOWABLE	PROPOSED
LOT AREA		725.75m2
GFA MAIN FLOOR LOWER FLOOR COMBINED	248m2 (310m2*0.8)	117.2m2 (1261sq.ft.) 78.9m2. (849 sq.ft.) 196.1m2
FSR	0.5	0.27 (196.1/725.75)
AVG. GRADE		33.82
HEIGHT L.O.W. HEIGHT	6.5m 6.5m	6.12m NO CHANGE 6.14m NO CHANGE
LOT COVERAGE MAIN BUILDING EXISTING DECK & STAIRS PROPOSED DECK TOTAL	40% (290.3m2)	129.3m2 (1391.4 sq.ft.) 38.3m2 (412 sq.ft.) 14.8m2 (158.8 sq.ft.) 25% (182.4/725.75)
SETBACKS FRONT REAR SIDE (N) SIDE (S) COMBINED SIDE YARDS COMBINED REAR & FRONT	6.0m 7.5m 1.5m 3.0 m 4.5m 15.0m	16.5m 10.2m 1.8m 3.1m 4.9m 18.0m

Sheet Index

- 1 SITE PLAN & DATA
- 2 EXISTING FLOOR PLANS
- 3 DECK FOUNDATION & FRAMING
- 4 EXTERIOR ELEVATIONS


De Data ∞ Site 2018 6,

info@serrahhayden.design



1 Existing Lower Floor Plan

scale: 1/4"=1' 0



2 Existing Main Floor Plan


scale: 1/4"=1' 0

FLOOR AREAS	
LOWER FLOOR	849 sq.ft. (78.9m2)
MAIN FLOOR	1261sq.ft. (117.2m2)


PROJECT	Addition to Existing Deck	
DRAWING	Lower & Main Floor Plans	
DATE	September 6, 2018	
	42	

info@serrahhayden.design


4381 Shelbourne Street Saanich BC










3 Section scale: 1/2"=1' 0









5 Post Base Typ. scale: 1 1/2"=1' 0



6 Typical Pad Footing scale: 1"=1'0



7 Main Floor Connection scale: 1 1/2"=1' 0



8 Deck Stair Detail scale: 1 1/2″=1′ 0



info@serrahhayden.design

Street

4381 Shelbourne Saanich BC

De

Existing

Plan

Framing


 ∞

oundation

 $\frac{7}{\infty}$

20

6



DECK SURFACE

DECKOTE SLIP RESISTANT ACRYLIC COATING 3 COATS ON PLY. COLOUR PER OWNER SPEC.

DECK FASCIA

PAINTED COMB FACE SPF TYP.

DECK SCREEN

HARDIE PANEL VERT. SIDING SELECT CEDARMILL COLOUR PER OWNER SPEC.

HOUSE SIDING


EXISTING ACRYLIC STUCCO - WHITE - NO CHANGE

GUARD RAIL

ALUMINUM PICKET GUARDRAIL - BLACK

CONCRETE

EXTEND CONC. SLAB AT GRADE AS NOTED



4 Exterior Guard Rail
scale: 1 1/2"=1' 0

T.O. Roof

39.96m Midpoint

39.96m Main Fin. Floor

39.86m Average Grade

3 South Elevation scale: 1/4"=1' 0

41.34m T.O. Roof	
39.94m Midpoint	
36.47m Main Fin. Flr	DRAWING
RISE: 184mn RUN: 279mn	n n
	DATE

A4

info@serrahhayden.design

4381 Shelbourne Street Saanich BC

Deck

Existing

Exterior Elevations

2018

North Elevation

scale: 1/4"=1' 0