

Lab 3: Registration Form using HTML Components and Printing values in a JSP Page

HTML Source Code:-

```
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Registration Form</title>
<link rel="stylesheet" type="text/css" href="css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<link rel="stylesheet" type="text/css"
href="css/bootstrap-responsive.css">
<link rel="stylesheet" type="text/css"
href="css/bootstrap-responsive.min.css">
</head>
<body>

<h1 align="center">
<b>REGISTRATION FORM</b>
</h1>
<form action="welcome.jsp" method="post" align="center">

<div>
<label for="inputFirstname">First Name
</label>
<div>
<input type="text" name="firstname" maxlength="12"
placeholder="First Name"></input>
</div>
</div>

<div>
<label for="inputLastname">Last Name </label>
<div>
<input type="text" name="lastname" maxlength="12"
placeholder="Last Name"></input>
</div>
</div>
```

```
<div>
<label for="inputMobile">Mobile</label>
<div>
<input type="number" name="mobile" maxlength="10"
></input>

</div>
</div>

<div>
<label for="inputEmail">E-mail</label>
<div>
<input type="email" name="email" maxlength="50"
placeholder="abc@gmail.com"></input>
</div>
</div>

<div>
<label for="gender">Gender</label>
<div>
<input type="radio" name="optionsRadios" id="optionsRadios1"
value="Male" checked>Male <input type="radio"
name="optionsRadios" id="optionsRadios2" value="Female">Female
</div>
</div>

<div>
<label for="inputAddress">Address </label>
<div>
<input type="text" name="address" maxlength="70" id="address"
placeholder="Address"></input>
</div>
</div>

<div>
<label for="inputCity">City </label>
<div>
<input type="text" name="city" id="city"
placeholder="Kolkata"></input>
</div>
</div>

<div>
<label for="inputState">State </label>
<div>
<input type="text" id="state" name="state" id="state"
```

```

placeholder="West Bengal"></input>
</div>
</div>

<div>
<div>
<input type="reset" value="Reset" /> <input
type="submit" value="Submit" />
</div>
</div>

</form>
</body>
</html>
</body>
</html>

```

JSP Source Code:-

```

<html>
  <head>
    <title>Using GET Method to Read Form Data</title>
  </head>

  <body>
    <h1>Using GET Method to Read Form Data</h1>
    <ul>
      <li><p><b>First Name:</b>
        <%= request.getParameter("firstname") %>
      </p></li>
      <li><p><b>Last Name:</b>
        <%= request.getParameter("lastname") %>
      </p></li>
      <li><p><b>Mobile Number:</b>
        <%= request.getParameter("mobile") %>
      </p></li>
      <li><p><b>E-Mail:</b>
        <%= request.getParameter("email") %>
      </p></li>
      <li><p><b>Gender:</b>
        <%= request.getParameter("optionsRadios") %>
      </p></li>
      <li><p><b>Address:</b>
        <%= request.getParameter("address") %>

```

```
</p></li>
<li><p><b>City:</b>
    <%= request.getParameter("city") %>
</p></li>
<li><p><b>State:</b>
    <%= request.getParameter("state") %>
</p></li>
</ul>

</body>
</html>
```