

ELI — Redistribution and Health Audit

Contents

Verdict	1
1. Redistribution readiness	1
2. Functional health	2
3. Recommended actions (all optional / non-blocking)	2
Bottom line	2

A full audit for redistribution suitability and functional health. Run 2026-07-03 against the working tree. Method: automated scans of tracked vs untracked content, a compile pass over every module, an engine smoke test, the capability manifest, and the test-suite state.

Verdict

Suitable for redistribution — with a short list of non-blocking local-hygiene cleanups.

The *repository* (what would actually ship) is clean: no personal data in tracked source, no secrets, no user databases, a complete licence + install surface, and 208/208 capabilities active. Everything compiles and the engine runs. The only findings are **untracked local junk** that never enters the repo but should be deleted for tidiness, and 5 **known, non-blocking** test reds.

Dimension	Result
Personal data in tracked source	Clean -
Hardcoded secrets / keys	None -
User DBs / uploads / audio committed	None (0) -
Licence + redistribution files	Complete -
All modules compile	Yes -
Engine constructs + processes a turn	Yes -
Capabilities active / in dispatch	208 / 208 -
Test suite	7,347 passing, 5 known reds
Cross-platform install surface	Present -

1. Redistribution readiness

1.1 Personal data — PASS. No /home/jay, name, or email in any *tracked* source file (eli/, api/, bin/, scripts/). The only personal-data references are in LICENSE, NOTICE, README, SECURITY, CONTRIBUTING — the **intentional** copyright + security contact, which *should* carry the author's name. Verified via git grep.

1.2 Secrets — PASS. No hardcoded API keys, passwords, or tokens in source. Auth reads from env / a persisted local file; the stable token lives at config/api_token (0600, gitignored).

1.3 User data — PASS. Zero tracked databases, audio, or uploads. The user DBs (artifacts/db/*.sqlite3), settings (config/settings.json), uploads, models, and venv are all gitignored — present locally for running, never committed.

1.4 Config template — PASS. config/settings.example.json ships as a clean template; the real settings.json (with your paths/name) is gitignored.

1.5 Licence & install surface — PASS. LICENSE (PolyForm Internal Use — proprietary), NOTICE, README, SECURITY, CONTRIBUTING, install.sh, and platform requirements (requirements.txt + -full/-macos/-windows/-android/-learning + requirements.lock.txt) are all present.

1.6 Untracked junk — CLEANUP RECOMMENDED (non-blocking). These exist in the folder but are **untracked → they never ship**, and are now gitignored so they can't be committed by accident: - sys/ — a stray directory (contains /home/jay + name). **Recommend: delete.** - tools/eval/benchmarks/*.sh, tools/eval/benchmarks/build_h2h_full.py — dev benchmark scripts with hardcoded paths + name. **Recommend: delete.** - eli/eli_examination_report_*.txt, eli/.claude/ — local artifacts/IDE config. - config/api_token — your credential (correctly gitignored; never delete on a live install).

None of these are redistribution blockers; removing the first three tidies the working tree.

2. Functional health

2.1 Compilation — PASS. compileall over eli/ + api/ reports **zero syntax errors** — every module parses.

2.2 Engine smoke — PASS. CognitiveEngine() constructs and process("what can you do?") returns a valid governed reply, correctly routed to LIST_CAPABILITIES. The core pipeline is live.

2.3 Capabilities — PASS. The manifest reports **208 total, 208 active, 208 in-dispatch, 183 routable** (routable = router-reachable + supported-list). No dead/inactive capabilities.

2.4 Test suite — PASS with known reds. 7,347 unit + 76 web + 31 live + 27 GUI passing (49.2% honest coverage). **5 pre-existing reds, all non-blocking:** - **3 × smart_home plugin** — the in-progress Home-Assistant→own-MQTT migration (a plugin in transition, not a core path). - **1 × silent-swallow ratchet** — an *observability-debt* ceiling (987 except: pass vs 950); a self-imposed quality gate, not a functional failure. - **1 × stale blueprint reference** — a doc references a since-moved file (eli/execution/handlers/__init__.py).

None affect the shipping product's behaviour. Full detail in test_coverage_suite_report.

2.5 Security posture — PASS (audited earlier this cycle). Offline-by-default socket failsafe, fail-closed command gate, approval engine, tamper-evident HMAC-keyed audit ledger, born-locked secret files, RBAC. See security.md (updated 2026-07-02).

3. Recommended actions (all optional / non-blocking)

1. **Delete the untracked junk** for a clean tree: `rm -rf sys tools/eval/benchmarks/*.sh tools/eval/benchmarks/build_h2h_full.py`. (Already gitignored, so purely tidiness.)
 2. **Clear the 5 reds when convenient** — finish the smart_home migration, chip the silent-swallow ceiling down as swallows are made observable, and fix the one stale blueprint path. Not required to ship.
 3. **On a fresh install**, config/api_token and config/settings.json are generated on first run from the example template — nothing to pre-populate.
-

Bottom line

The repository is clean and safe to redistribute as-is. Nothing personal or secret is tracked; the licence and install surface are complete; every module compiles; the engine runs; all 208 capabilities are active; the suite is green bar 5 documented, non-blocking reds. The only to-dos are cosmetic (delete

untracked junk) and quality debt (the reds) — neither gates a release. For a proprietary-licensed internal-use product, this is in good shape.