

# Blueprint — ELI v2.0 download-and-run release

## Contents

|                                                   |   |
|---------------------------------------------------|---|
| What ships . . . . .                              | 1 |
| Maintainer: build (on your dev machine) . . . . . | 1 |
| Maintainer: publish GitHub Release . . . . .      | 2 |
| End user: download & run . . . . .                | 3 |
| Troubleshooting . . . . .                         | 3 |

How to build, publish, and use the **portable Linux package** — the v2 finish line for people who want ELI working without cloning source.

Companion: root [RELEASE.md](#) (maintainer checklist) · [README.md](#) (user-facing).

---

## What ships

| Artifact                             | Size (typical)    | Contains                                                        |
|--------------------------------------|-------------------|-----------------------------------------------------------------|
| ELI_v2-2.0.0-linux-portable.tar.gz   | ~8 MB (no models) | Source tree, wheel, INSTALL_ELI.sh, RUN_ELI.sh, install scripts |
| Model/voice pack (local-assets-v2.1) | ~6+ GB total      | nomic embedder, starter GGUFs, cleared Piper voices             |

**Not in the tarball:** .venv, artifacts/, models/\*.gguf — created at install time.

**Auto-fetched on INSTALL\_ELI.sh (network once):** - Python deps into .venv - Full SQLite architecture (blank slate) via eli.core.init\_data - models/embeddings/nomic-embed-text-v1.5.Q4\_K\_M.gguf (~80 MiB) - Piper en\_US-amy-medium + whisper STT via eli.runtime.voice\_assets

**From asset pack (--with-github-assets):** starter chat models + voices on the release tag. Excluded from auto-restore: en\_US-ryan-\*, en\_US-lessac-\*, en\_GB-cori-high.

**Tested path:** Linux x86\_64 + NVIDIA GPU. Windows/macOS/AMD installers exist; feedback welcome.

---

## Maintainer: build (on your dev machine)

```
cd /path/to/ELI_v2.0
# Uses project .venv for python-build if system pip is PEP-668 locked
bash scripts/build_v2_release.sh
```

Outputs:

```
dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz
dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz.sha256
```

Optional monolithic build (includes local models/ — huge):

```
bash scripts/build_v2_release.sh --with-assets
```

Sync source into an existing staging tree after edits:

```
bash scripts/sync_build.sh
```

---

## Maintainer: publish GitHub Release

**Live release:** [v2.0.0](#)

**Model pack:** [local-assets-v2.1](#)

### First-time publish (new tag)

```
cd /path/to/ELI_v2.0
```

```
PKG=dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz
```

```
SHA=dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz.sha256
```

```
gh release create v2.0.0 \
  --repo ShadowESC95/ELI_v2.0 \
  --title "ELI v2.0 – Linux portable (download & run)" \
  --notes "$(cat <<'EOF'
## Download & run (Linux)
```

1. Download **\*\*ELI\_MKXI\_v2.0\_PRO-2.0.0-linux-portable.tar.gz\*\*** below.
2. Verify (optional): `\`sha256sum -c ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz.sha256\``
3. Extract and install:

```
\\\`bash
tar -xzf ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz
cd ELI_MKXI_v2.0_PRO-2.0.0-linux-portable
./INSTALL_ELI.sh
./RUN_ELI.sh --with-github-assets # optional model pack (separate assets tag)
./RUN_ELI.sh
\\\`
```

**\*\*Best tested:\*\*** Linux x86\_64 + NVIDIA. Rough edges elsewhere – [open an issue](<https://github.com>)

**\*\*v3\*\*** is in active development: [https://github.com/ShadowESC95/Eli\\_v3](https://github.com/ShadowESC95/Eli_v3)

```
EOF
```

```
)" \
  "$PKG" "$SHA"
```

### Refresh an existing release (rebuild + replace assets)

When the tag already exists (e.g. after README/install script fixes), upload new binaries with `--clobber` and refresh the notes:

```
PKG=dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz
```

```
SHA=dist/app_packages/ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz.sha256
```

```
gh release upload v2.0.0 --repo ShadowESC95/ELI_v2.0 --clobber "$PKG" "$SHA"
```

```
gh release edit v2.0.0 --repo ShadowESC95/ELI_v2.0 --title "..." --notes-file RELEASE_NOTES.md
```

Checksum after upload (2026-07-05 rebuild):

```
034cd6a256db4dbec7f7cacccf2da938afbb7fc8d04ce51508a54199af763d50
```

## Model / voice pack (separate tag)

Large files cannot live in git. Upload to a dedicated release tag:

```
export ELI_ASSET_RELEASE_TAG=v2.0.0-assets
python3 scripts/upload_github_asset_files.py --repo ShadowESC95/ELI_v2.0 --tag "$ELI_ASSET_REL
```

Users restore with:

```
./RUN_ELI.sh --with-github-assets --tag v2.0.0-assets
```

---

## End user: download & run

From [GitHub Releases](#) (not “Code → Download ZIP” — that’s source without the installer wiring).

```
tar -xzf ELI_MKXI_v2.0_PRO-2.0.0-linux-portable.tar.gz
cd ELI_MKXI_v2.0_PRO-2.0.0-linux-portable
./INSTALL_ELI.sh
./RUN_ELI.sh --with-github-assets # once, if model pack published
./RUN_ELI.sh
```

Inside the tarball, README\_INSTALL.txt repeats these steps.

**Data folders** (artifacts/db/, etc.) are created on first install/run — see [artifacts/README.md](#).

---

## Troubleshooting

| Problem                          | Fix                                                                            |
|----------------------------------|--------------------------------------------------------------------------------|
| python3 -m build fails (PEP 668) | Use project .venv: .venv/bin/pip install build then re-run build_v2_release.sh |
| No GGUF after install            | Run --with-github-assets or python -m eli.core.model_download --auto           |
| eli command not found            | hash -r after INSTALL_ELI.sh; check ~/.local/bin on PATH                       |
| GPU not used                     | NVIDIA driver + CUDA path; see README “Tested on & known limitations”          |

---