



unvibe

PRIVATE BETA

Understand the code AI writes.

A desktop learning layer for people building with AI
coding tools.



AI writes the code.
Unvibe helps you understand it.


AI coding is faster. Understanding is now the bottleneck.

Teams can generate and ship more code than ever. The gap is confidence: what changed, why it works, and whether the builder can maintain it.

- **Context disappears**
Generated changes arrive inside unfamiliar files, patterns, and dependencies.
- **Review gets deferred**
People accept code to keep momentum, then lose the moment when learning could happen.
- **Knowledge does not compound**
Copied and pasted in chat windows instead of becoming a durable personal learning history.

Unvibe turns each AI-generated change into a learning moment.


It sits beside the existing coding workflow: explain the change with project context, let the user choose depth, then retain the learning.



One calm companion app. Five places to keep learning moving.

The product is not another code generator. It is the layer that makes AI-assisted work understandable and memorable.

- | | | |
|----|-----------------|--|
| 01 | Study | Revisit what needs attention. |
| 02 | History | See the work you actually learned from. |
| 03 | Quiz | Test understanding inside real explanations. |
| 04 | Progress | Track cautious evidence and streaks. |
| 05 | Plan | Manage Free, Pro, or Teams. |



Privacy is part of the product architecture, not a settings afterthought.

Unvibe is designed so private repository content is handled deliberately before any approved cloud analysis.

1

Filter locally

Secrets, env files, keys, ignored folders, and binaries are excluded before a remote request.

2

Preview context

Per-repository consent makes it clear what context is approved for explanation.

3

Keep boundaries

The backend never reads the repository. Users retain control over what leaves their machine.

Learning compounds when it is connected to real work.

Unvibe records activity, concepts, and comprehension signals so a developer can build understanding over time without invented mastery scores.

Explain

What this change does



Choose depth

New to Expert



Check

One meaningful question



Save

History and snippets



Review

Needs-review queue

The result: better verification today, stronger technical judgment tomorrow.

A simple model that earns trust before it earns revenue.

Free removes the API-key and payment barrier. Paid plans expand capacity, advanced learning, and shared team workflows.

Free

\$0

30 explanations/month
1 active project
Saved learning history

Pro

\$8/mo

\$96/year
Higher limits
Advanced learning tools

Teams

\$8/member/mo

2-seat minimum
Shared workspaces
Roles and centralized billing

Test-mode billing only until approved production configuration is in place.

The beta is designed to learn where understanding breaks down.

The initial go-to-market is intentionally focused: people already using AI coding tools who want to stay accountable for the code they ship.

- **Private beta**
Invite early builders who use AI coding tools every day and can share high-signal workflow feedback.
- **Prove the loop**
Measure whether explanations, checks, and review queues create repeat learning behavior.
- **Expand responsibly**
Add team workflows after the individual learning loop is trusted, reliable, and privacy-safe.

No public download claim until a real signed build is ready.

What we are building next is depth, not distraction.

The product roadmap follows the learning loop: make the core experience reliable first, then extend the context and collaboration around it.

Now

Desktop beta, context-aware explanations, comprehension checks, saved learning.

Next

Stronger project context, reliable sync, deeper study and review workflows.

Later

Teams workspaces, shared knowledge, and Pro capabilities when the underlying entitlement system is proven.



unvibe

AI writes the code. Unvibe helps people understand it.

Private beta • Mac first • Free to join

unvibe.site

