

Analyze Forensic Timeline Generator: how it is put together



Note: an earlier -p / --priority option was removed in 2026.
It accepted a minimum priority but never filtered anything,
because the log lines this tool parses carry no priority f.

sketched from the file

Analyze Forensic Timeline Generator: the run, step by s



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what Analyze Forensic Timeline Generator is for

WHAT IT IS

Note: an earlier -p / --priority option was removed in 2026. It accepted a minimum priority but never filtered anything, because the log lines this tool parses carry no priority f.

WHAT GOES IN

The files at the top of the tree: main.py, README.md, requirements.txt.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, 

Analyze Forensic Timeline Generator: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

Analyze Forensic Timeline Generator in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



5 files in the tree.
6 commits, first 2025-07-21, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn.

Analyze Forensic Timeline Generator: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. requirements.txt
4. banner.png

in flow order, first to last



base plate: the repo itself, sectioned

span: 5 files, 177 lines counted

turns of the crank so far: 6 commits, 2025-07-21 to 2026-10-30

measured and sketched, GK