

Codeintel Inconsistent Naming Convention Detector: how it is put toget



sketched from the files

Codeintel Inconsistent Naming Convention Detector: the run, step



If a step fails, the honest run says so and stops.

traced, not guessed.

Product map: what Codeintel Inconsistent Naming Convention Detector is

WHAT IT IS

A small project in Python, Markdown, Text. The README and the files are the whole claim.

WHAT GOES IN

The files at the top of the tree: main.py, README.md, requirements.txt.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, 

Codeintel Inconsistent Naming Convention Detector: data flow, in one dire




One direction. Anything the code does not do is not drawn.

second sheet, GK

Codeintel Inconsistent Naming Convention Detector in numbers, counted 202

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



5 files in the tree.
6 commits, first 2025-06-14, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Codeintel Inconsistent Naming Convention Detector: schematic of the app


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. requirements.txt
4. banner.png

in flow order, first to last



base plate: the repo itself, sectioned

span: 5 files, 138 lines counted

turns of the crank so far: 6 commits, 2025-06-14 to 2026-10-30

measured and sketched, GK