

Codeintel Sql Injection PreparedStatement Checker: how it is put toge



sketched from the files

Codeintel Sql Injection Preparedstatement Checker: the run, step



If a step fails, the honest run says so and stops.

traced, not guessed


Product map: what Codeintel Sql Injection Preparedstatement Checker is

WHAT IT IS	WHAT GOES IN
A small project in Python, Markdown, Text. The README and the files are the whole claim.	The files at the top of the tree: main.py, README.md, requirements.txt.

WHAT COMES OUT	WHERE IT STOPS
What the top files produce when they run or get read. Nothing else is promised.	No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand,

Codeintel Sql Injection Preparedstatement Checker: data flow, in one dir




One direction. Anything the code does not do is not drawn.

second sheet, GK

Codeintel Sql Injection Preparedstatement Checker in numbers, counted 2026

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



5 files in the tree.
6 commits, first 2025-06-14, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Codeintel Sql Injection Preparedstatement Checker: schematic of the app


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. requirements.txt
4. banner.png

in flow order, first to last



base plate: the repo itself, sectioned

span: 5 files, 222 lines counted

turns of the crank so far: 6 commits, 2025-06-14 to 2026-10-30

measured and sketched, GK