

Signature analyzer: verify one, or scan many



Bad input exits 1: missing file, malformed JSON, JSON that is not a list, non-hex signature.
Collection scan is ECDSA only. EdDSA with a list prints that analysis is ECDSA only.

specimen tag, GR

What main() decides, in order



Unparseable entries are skipped,
never counted as parsed.

signed in the corner

GK


Product map: two jobs, one small tool

WHO	JOB ONE	JOB TWO
Me, checking a signature or a batch of them before trusting a key.	Verify one ECDSA or EdDSA signature against a PEM public key.	Scan ECDSA signatures for the same r value used more than once.

INPUTS	OUTPUTS	NOT DONE
A PEM key, a message and a hex signature, or a JSON list of signatures.	VALID or INVALID on the console, or a JSON nonce_reuse result.	No biased nonce check, no malleability check, no hash but SHA-256.

margin note, signed 


Data flow inside the scan: from hex to an r value



etched plate, Neither form parses: the entry is skipped and parsed_count does not rise.

Signature analyzer in numbers, counted 2026-10-30

Lines by kind, from git ls-files and a line count over each tracked text file.



requirements.txt holds one line, cryptography 41 or later, with no trailing newline.

The whole repo is 6 files and 8 commits. First commit 2025-06-17, last one 2026-10-30, both from git log.
Tests: no test suite ships in this repo, so no pass is claimed. See VISUAL.md for the run limits.
Full table with the counting method for every number: VISUAL.md in this folder.

GK

Crypto Signature Analyzer: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. requirements.txt

in flow order, first to last



base plate: the repo itself, sectioned

span: 3 files, 209 lines counted

turns of the crank so far: 4 commits, 2025-06-17 to 2025-06-17

measured and sketched. GK