

File Secure Delete: how it is put together



This tool securely deletes files by overwriting them multiple times, preventing data recovery. It focuses on file operations and analysis.

sketched from the fil

File Secure Delete: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what File Secure Delete is for

WHAT IT IS

This tool securely deletes files by overwriting them multiple times, preventing data recovery. It focuses on file operations and analysis.

WHAT GOES IN

The files at the top of the tree: main.py, README.md, banner.png.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

File Secure Delete: data flow, in one direction




One direction. Anything the code does not do is not drawn.

Second sheet, GK

File Secure Delete in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



5 files in the tree.
6 commits, first 2025-01-02, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

File Secure Delete: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. banner.png
4. LICENSE

in flow order, first to last



base plate: the repo itself, sectioned

span: 5 files, 124 lines counted

turns of the crank so far: 6 commits, 2025-01-02 to 2026-10-30

measured and sketched, GK