

Misconfig Policy Generator: how it is put together



The misconfig-Policy-Generator tool automates the generation of security policies based on user-defined criteria, ensuring consistency and compliance. It focuses on detecting misc.

sketched from the files

Misconfig Policy Generator: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what Misconfig Policy Generator is for

WHAT IT IS

The misconfig-Policy-Generator tool automates the generation of security policies based on user-defined criteria, ensuring consistency and compliance. It focuses on detecting misc.

WHAT GOES IN

The files at the top of the tree: main.py, README.md, LICENSE.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

Misconfig Policy Generator: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

Misconfig Policy Generator in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



3 files in the tree.
5 commits, first 2025-01-02, last 2025-01-02, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Misconfig Policy Generator: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. LICENSE

in flow order, first to last



base plate: the repo itself, sectioned

span: 3 files, 173 lines counted

turns of the crank so far: 5 commits, 2025-01-02 to 2025-01-02

measured and sketched, GK