

Monitor Process Monitor: how it is put together



This tool aims to enhance cybersecurity by monitoring system processes for suspicious activity. It is designed to detect and alert on anomalous process behavior that could indicat.

sketched from the files

Monitor Process Monitor: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what Monitor Process Monitor is for

WHAT IT IS

This tool aims to enhance cybersecurity by monitoring system processes for suspicious activity. It is designed to detect and alert on anomalous process behavior that could indicat.

WHAT GOES IN

The files at the top of the tree: main.py, README.md, LICENSE.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

Monitor Process Monitor: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

Monitor Process Monitor in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



3 files in the tree.

4 commits, first 2025-01-01, last 2025-01-01, from the local git log.

No test files by name in this snapshot.

counted and drawn, GK

Monitor Process Monitor: Schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.py
2. README.md
3. LICENSE

in flow order, first to last



base plate: the repo itself, sectioned

span: 3 files, 100 lines counted

turns of the crank so far: 4 commits, 2025-01-01 to 2025-01-01

measured and sketched, GK