

JavaScript Quiz Results

Score: 20 of 25

80% Correct:

Question 1:

Inside which HTML element do we put the JavaScript?



<script>

Your answer

<javascript>

<scripting>

<js>

Question 2:

What is the correct JavaScript syntax to change the content of the HTML element below?

<p id="demo">This is a demonstration.</p>



#demo.innerHTML = "Hello World!";

Your answer

document.getElementById("demo").innerHTML = "Hello World!";

Correct answer

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

Question 3:

Where is the correct place to insert a JavaScript?

 The <head> section

Your answer

The <body> section

Both the <head> section and the <body> section are correct

Correct answer

Question 4:

What is the correct syntax for referring to an external script called "xxx.js"?

 <script src="xxx.js">

Your answer

<script name="xxx.js">

<script href="xxx.js">

Question 5:

The external JavaScript file must contain the <script> tag.

 False

Your answer

True

Question 6:

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

```
alertBox("Hello World");
```

```
msg("Hello World");
```

Question 7:

How do you create a function in JavaScript?

✓ `function myFunction()`

Your answer

`function:myFunction()`

`function = myFunction()`

Question 8:

How do you call a function named "myFunction"?

✓ `myFunction()`

Your answer

`call function myFunction()`

`call myFunction()`

Question 9:

How to write an IF statement in JavaScript?

✓ `if (i == 5)`

Your answer

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

Question 10:

How to write an IF statement for executing some code if "i" is NOT equal to 5?

✓ if (i != 5)

Your answer

if i != 5 then

if i <> 5

if (i <> 5)

Question 11:

How does a WHILE loop start?

✓ while (i <= 10)

Your answer

while (i <= 10; i++)

while i = 1 to 10

Question 12:

How does a FOR loop start?

✓ for (i = 0; i <= 5; i++)

Your answer

for (i <= 5; i++)

for (i = 1 to 5)

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

Question 13:

How can you add a comment in a JavaScript?



//This is a comment

Your answer

<!--This is a comment-->

'This is a comment

Question 14:

How to insert a comment that has more than one line?



/*This comment has
more than one line*/

Your answer

<!--This comment has
more than one line-->

//This comment has
more than one line//

Question 15:

What is the correct way to write a JavaScript array?



var colors = (1:"red", 2:"green", 3:"blue")

Your answer

var colors = ["red", "green", "blue"]

Correct answer

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

Question 16:

How do you round the number 7.25, to the nearest integer?

✓ `Math.round(7.25)`

Your answer

`round(7.25)`

`rnd(7.25)`

`Math.rnd(7.25)`

Question 17:

How do you find the number with the highest value of x and y?

✓ `Math.max(x, y)`

Your answer

`Math.ceil(x, y)`

`top(x, y)`

`ceil(x, y)`

Question 18:

What is the correct JavaScript syntax for opening a new window called "w2" ?

✗ `w2 = window.new("http://www.w3schools.com");`

Your answer

`w2 = window.open("http://www.w3schools.com");`

Correct answer

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

✓ False

Your answer

True

Question 20:

How can you detect the client's browser name?

✗ client.navName

Your answer

browser.name

navigator.appName

Correct answer

Question 21:

Which event occurs when the user clicks on an HTML element?

✓ onclick

Your answer

onmousedown

onchange

onmouseover

Question 22:

How do you declare a JavaScript variable?

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK

Question 23:

Which operator is used to assign a value to a variable?

✓ =

*

x

-

Your answer

Question 24:

What will the following code return: Boolean(10 > 9)

✓ true

false

NaN

Your answer

Question 25:

Is JavaScript case-sensitive?

✓ Yes

No

Your answer

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK



W3Schools' Online Certification

The perfect solution for professionals who need to balance work, family, and career building.

More than 25 000 certificates already issued!

[Get Your Certificate »](#)

The [HTML Certificate](#) documents your knowledge of HTML.

The [CSS Certificate](#) documents your knowledge of advanced CSS.

The [JavaScript Certificate](#) documents your knowledge of JavaScript and HTML DOM.

The [Python Certificate](#) documents your knowledge of Python.

The [jQuery Certificate](#) documents your knowledge of jQuery.

The [SQL Certificate](#) documents your knowledge of SQL.

The [PHP Certificate](#) documents your knowledge of PHP and MySQL.

The [XML Certificate](#) documents your knowledge of XML, XML DOM and XSLT.

The [Bootstrap Certificate](#) documents your knowledge of the Bootstrap framework.

[Copyright 1999-2019](#) by Refsnes Data. All Rights Reserved.

We use cookies to understand how you use our site and to improve your experience. This includes personalizing content and advertising.

[Manage choices](#)

OK