




Homogeneous Vinyl

sphera[®]

element | energetic | elite **b+**



27 x 2 m

creating better environments

Forbo

FLOORING SYSTEMS



50000 white

[Order a sample](#)



The Sphera Element homogeneous vinyl collection offers a complete spectrum of colours, with logical steps from light to dark and from neutral to more pronounced colours. The natural, understated floor designs complement popular interior finishes like wood and stone.

With 51 versatile colours, Sphera Element is perfect for creating authentic, welcoming interiors and defining zones on open spaces. The 7 multi designs combine 3 shades from the core palette, creating a harmonious connection between various colours. Their higher colour contrast provides excellent dirt-hiding and scratch resistant properties, making them ideal for high-traffic areas.

Sphera Element is the ultimate flooring solution for demanding areas in healthcare, education and public environments where hygiene, durability and ease of maintenance are essential.



Technical specifications

Sphera meets the requirements of EN ISO 10581

		Sphera Element	Sphera Energetic	Sphera Elite b+
	Total thickness	EN ISO 24346	2.0 mm	2.0 mm
	Surface finish	SMART top	SMART top	SMART top
	Wear layer binder content	EN ISO 10581	Type 1	Type 1
	Collection size	51	43	18
	Domestic use	EN ISO 10874	Class 23	Class 23
	Commercial use	EN ISO 10874	Class 34	Class 34
	Light industrial use	EN ISO 10874	Class 43	Class 43
	Roll width	EN ISO 24341	2.0 m	2.0 m
	Roll length	EN ISO 24341	≤ 27 m	≤ 27 m
	Total weight	EN ISO 23997	2900 g/m ²	2850 g/m ²
	Dimensional stability Typical value	EN ISO 23999	≤ 0.4% ~ 0.2%	≤ 0.4% ~ 0.2%
	Slip resistance (ramp test)	DIN 51130	R9	R9
	Castor chair continuous use	ISO 4918	Pass	Pass
	Residual indentation Typical value	EN ISO 24343-1	≤ 0.10 mm ~ 0.03 mm	≤ 0.10 mm ~ 0.03 mm
	Colour fastness to light	EN ISO 105 B-02 method 3	≥ 7	≥ 7
	Indoor air emissions: TVOC after 28 days	ISO 16516	≤ 0.01 mg/m ³	≤ 0.01 mg/m ³
	Resistance to chemicals	EN ISO 26987	Very good	Very good
	Flexibility	EN ISO 24344	Ø 10 mm	Ø 10 mm
	Use in wet areas*	EN 13553	Yes*	Yes*
	Bacteria resistance	EN ISO 846	Does not support growth	
	Cleanroom particle emission	ISO 14644-1	ISO 5	-
	Life Cycle Assessment	LCA is the foundation for securing the lowest environmental impact		
	Creating better environments			
	Renewable electricity	Sphera is manufactured using 100% electricity from renewable sources		
	Back to the Floor	Installation off cuts can be collected and recycled via Back to the Floor		
	Recycled content	EN 17861	34%	43%
	Bio-circular content (mass balance)	EN 17861	-	23%

Sphera meets the requirements of EN 14041:2004

	Productcode	0200301-DOP-605	0200301-DOP-605	0200301-DOP-605
	Productcode	0200301-DOP-GB605	0200301-DOP-GB605	0200301-DOP-GB605
	Reaction to fire	EN 13501-1	B _{fl} -s1, G, CS	B _{fl} -s1, G, CS
	Slip resistance	EN 13893	μ ≥ 0.30	μ ≥ 0.30
	Thermal conductivity	EN 12524	0.25 W/mK	0.25 W/mK
	Body voltage	EN 1815	≤ 2.0 kV	≤ 2.0 kV

*Sphera has been tested to EN 13553 for general product performance only. Sphera is not a safety floor, Surestep products should be used when installed in continuous contaminated areas.

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.

All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPD's) which can be found on all of our websites.



sphera

element

The Sphera Element homogeneous vinyl collection offers a complete spectrum of colours, with logical steps from light to dark and from neutral to more pronounced colours. The natural, understated floor designs complement popular interior finishes like wood and stone.

With 51 versatile colours, Sphera Element is perfect for creating authentic, welcoming interiors and defining zones on open spaces. The 7 multi designs combine 3 shades from the core palette, creating a harmonious connection between various colours. Their higher colour contrast provides excellent dirt-hiding and scratch resistant properties, making them ideal for high-traffic areas.

Sphera Element is the ultimate flooring solution for demanding areas in healthcare, education and public environments where hygiene, durability and ease of maintenance are essential.

We recommend ordering an A4 sample of the material to truly see the full design effect.

Please note the minimum order for Sphera is 10m² per colourway.

50000 white

Thickness	2 mm
LengthWidth	≤ 27 m x 200 cm
Ncs	S 1002-G50Y
Lrv	72%
Recycled content	34%
Renewable electricity	100%
CO ₂ footprint (A1-A3)	5.75 kg CO ₂ e/m ²

