



---

## Web dev

1 message

---

**Shadrach Godwin** <shadrachgodwin172@gmail.com>  
To: godwinayomide239@gmail.com

Wed, Sep 16, 2020 at 9:48 PM

Front page :

```
<!DOCTYPE html>
<html>

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>WELCOME TO FASTPAY</title>
</head>
<body>
<center>
  <link rel="stylesheet" href="style.css">
  
  <center>
<h3 style="color:lightblue; font-family:monospace"> Easy and Fast online transaction</h1>
<br>
<br>

<br>
<br>
<button class="button_go">Login</button>
<br>
<br>
<button class="button_go">Register</button>
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
</center>
</body>
<style>
body{
  margin:0;
  background-color:#000000;
  /* Body should be plain black(#000000 or #000) user*should please do more process */
}
.button_go{
  border:1px solid white;
  background:black;
  color:white;
  font-family: courier;
  font-size: 18px;
  outline:none;
```

```

border-radius:5px;
width:300px;
height:28px;
}
.button_go:hover{
border:3px solid lightgreen;
}
.button_skip{
background: lightgreen;
color:red;
outline:none;
color:#000000;
font-weight:888;
bottom:0;
height:25px;
left:0;
position: fixed;
right:0;
font-size:20px;
font-family: courier;

}
United{
top:92%;
left:0;
bottom:0;
right:0;
position: absolute;
}
ul{
position: absolute;
top:85%;
left:43%;
transform: translate(-50%, -50%);
display:flex;
}
ul li{
list-style: none;
width:5px;
height:23px;
border-radius:1px;
margin: 0 3px;
background: lightgreen;
animation: animate 0.4s infinite alternate;
}
@keyFrames animate
{
0%{
transform: scaleY(1);
}
25%{
transform: scaleY(1);
}
50%{
transform: scaleY(1);
}
75%{
transform: scaleY(1);
}
100%{
transform: scaleY(2);
}

```

```

}
}
ul li:nth-child(1)
{
animation-delay: .1s;
}
ul li:nth-child(2)
{
animation-delay: .2s;
}
ul li:nth-child(3)
{
animation-delay: .3s;
}
ul li:nth-child(4)
{
animation-delay: .4s;
}
ul li:nth-child(5)
{
animation-delay: .5s;
}
ul li:nth-child(6)
{
animation-delay: .6s;
}
</style>
</html>

```

Login page :

```

<!DOCTYPE html>
<html lang="us">

```

```

<head>
<title>Fastpay</title>
<link rel="stylesheet" type="style/css" href="https://www.Omegas.com/w3css/3/w3.css">
<meta charset="uft-8">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta name="description" content="Login into FastPay and Connect with your friends, send money to them and
get together with them with this online transaction app">
<meta http="x-ua-comtatible" content="IE=edge">

```

```

<style>
@media screen and (min-width: 380px) {
  body {
    background: #fff;
  }
}

```

```

img {
width: 70px;
height: 70px;
border-radius: 30px;
float: center;
}

```

```

input {
border: none;
background-color: #fff;
border-bottom-color: blue;
}

```

```
border-width: 2px;
border-top-style: none;
border-left-style: none;
border-right-style: none;
border-bottom-style: solid;
width: 250px;
height: 30px;
padding: 5px;
outline-style: none;
font-family: Arial;
transition-duration: 2s;
}
```

```
input::placeholder {
background-color: #fff;
border-width: 2px;
border-top-style: none;
border-left-style: none;
border-right-style: none;
border-bottom-style: solid;
}
```

```
input:focus {
background-color: #fff;
border-top-style: none;
border-left-style: none;
border-right-style: none;
border-bottom-style: solid;
}
```

```
#check {
width: 20px;
height: 20px;
color: blue;
margin: 0 0 18px;
padding-bottom: 6px;
background: blue;
}
```

</style>

<center>

<br />



<h2>Login to your FastPay Account</h2>

<form method="get" onsubmit="return validateForm()" target="index.html" action="https://codeliber.com/form-action.php">

<br />

<input type="tel" name="PhoneNumber" id="number" placeholder="Phone Number" required>

<br />

<br />

<input type="password" name="passWord" id="password" placeholder="Password" required>

<script>

```
function validateForm() {
var password = document.getElementById("password").value;
var length = password.length;
if (length < 8) {
alert("Input a password that is more than 8 characters");
return false;
}
}
```

</script>

<br />

<br />

```
<input type="email" name="eMail" placeholder="Email">
<br />
<br>
<style>
  #input2 {
    background-color: lightblue;
    border: none;
    color: #fff;
    font-weight: bold;
    border-radius: 5px;
    padding: 3px;
    width: 250px;
    height: 35px;
    text-align: center;
    font-size: 16px;
    font-family: Arial;
  }

  #input2:hover {
    box-shadow: 1px 1px 3px 3px #00b3ff;
  }
</style>
<input type="submit" id="input2" value="Log in" name="Form">
</form>
<br>
<style>
  #a2 {
    color: blue;
    text-decoration: none;
    font-weight: bold;
    font-size: 16px;
    font-family: Arial;
  }

  #a2:visited {
    color: blue;
    text-decoration: none;
  }

  #a2:hover {
    color: blue;
    text-shadow: 2px 2px #fff;
  }
</style>
<a href="forgotten password.html" id="a2"> Having trouble logging in? </a>
<br />
<br />
<style>
  a {
    color: lightblue;
    font-weight: bold;
    font-size: auto;
    font-family: Arial;
    background: none;
  }

  a:visited {
    color: blue;
    text-decoration: none;
  }
}
```

```

    a:hover {
        color: blue;
        text-shadow: 2px 2px #fff;
    }
</style>
<a href="https://Fastpay.tk" target="_blank"> Create New Fastpay Account </a>
<br />
<br />
</head>

<body>
<style>
    button {
        background-color: lightblue;
        border: none;
        color: #fff;
        font-weight: bold;
        border-radius: 5px;
        padding: 3px;
        width: 150px;
        height: 35px;
        text-align: center;
        font-size: 16px;
        font-family: Arial;
        outline: none;
    }

    button:hover {
        box-shadow: 1px 1px 3px 3px #00b3ff;
    }
</style>
<br>
<br>
<button id="btn"> Sign up </button>
<script>
    var btn = document.getElementById("btn");

    btn.addEventListener("click", function() {
        alert("We are experiencing problems with our signing up, we will resolve this problem and get back to you,
thank you");
    });
</script>
</center>
</body>

</html>
<script src="main.js"></script>
</body>

</html>

```

Sign up page :

```

<!DOCTYPE html>
<html>

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Sign up</title>
</head>

```

```

<style>
  @media screen and (min-width: 380px) {
    body {
      background: #fff;
    }
  }

  img {
    width: 70px;
    height: 70px;
    border-radius: 30px;
    float: center;
  }

  input {
    border: none;
    background-color: #fff;
    border-bottom-color: blue;
    border-width: 2px;
    border-top-style: none;
    border-left-style: none;
    border-right-style: none;
    border-bottom-style: solid;
    width: 250px;
    height: 30px;
    padding: 5px;
    outline-style: none;
    font-family: Arial;
    transition-duration: 2s;
  }

  input::placeholder {
    background-color: #fff;
    border-width: 2px;
    border-top-style: none;
    border-left-style: none;
    border-right-style: none;
  }

  input:focus {
    background-color: #fff;
    border-top-style: none;
    border-left-style: none;
    border-right-style: none;
    border-bottom-style: solid;
  }

  #check {
    width: 20px;
    height: 20px;
    color: blue;
    margin: 0 0 18px;
    padding-bottom: 6px;
    background: blue;
  }
</style>
<center>
<br />

<h2>Welcome to FastPay Fill </h2>
<form method="get" onsubmit="return validateForm()" target="index.html" action="https://codeliber.com/form-

```

```
action.php">
  <br />
  <input type="tel" name="PhoneNumber" id="number" placeholder="Phone Number" required>
  <br />
  <br />
  <input type="password" name="passWord" id="password" placeholder="Password" required>
  <script>
    function validateForm() {
      var password = document.getElementById("password").value;
      var length = password.length;
      if (length < 8) {
        alert("Input a password that is more than 8 characters");
        return false;
      }
    }
  </script>
  <br />
  <br />
  <input type="email" name="eMail" placeholder="Email">
  <br />
  <br>
  <style>
    #input2 {
      background-color: lightblue;
      border: none;
      color: #fff;
      font-weight: bold;
      border-radius: 5px;
      padding: 3px;
      width: 250px;
      height: 35px;
      text-align: center;
      font-size: 16px;
      font-family: Arial;
    }

    #input2:hover {
      box-shadow: 1px 1px 3px 3px #00b3ff;
    }
  </style>
  <input type="submit" id="input2" value="Log in" name="Form">
</form>
<br>
<style>
  #a2 {
    color: blue;
    text-decoration: none;
    font-weight: bold;
    font-size: 16px;
    font-family: Arial;
  }

  #a2:visited {
    color: blue;
    text-decoration: none;
  }

  #a2:hover {
    color: blue;
    text-shadow: 2px 2px #fff;
  }
}
```



</style>

<body>

</body>

</html>

Forgotten password page :

<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Forgotten password</title>

<center>



</head>

<center>

<h1>Need help with your password?</h1>

<p> Enter your fastpay email address and we'll help you create new password </p>

<br>

<style>

@media screen and (min-width: 380px) {

body {

background: #fff;

}

}

img {

width: 70px;

height: 70px;

border-radius: 30px;

float: center;

}

input {

border: none;

background-color: #fff;

border-bottom-color: blue;

border-width: 2px;

border-top-style: none;

border-left-style: none;

border-right-style: none;

border-bottom-style: solid;

width: 250px;

height: 30px;

padding: 5px;

outline-style: none;

font-family: Arial;

transition-duration: 2s;

}

input::placeholder {

background-color: #fff;

border-width: 2px;

```
border-top-style: none;
border-left-style: none;
border-right-style: none;
}

input:focus {
background-color: #fff;
border-top-style: none;
border-left-style: none;
border-right-style: none;
border-bottom-style: solid;
}

#check {
width: 20px;
height: 20px;
color: blue;
margin: 0 0 18px;
padding-bottom: 6px;
background: blue;
}
</style>
```

```
<br />
<br>
<style>
#input2 {
background-color:lightblue;
border:none;
color:#fff;
font-weight:bold;
border-radius:5px;
padding:3px;
width: 250px;
height: 35px;
text-align:center;
font-size: 16px;
font-family: Arial;
}
#input2:hover {
box-shadow: 1px 1px 3px 3px #00b3ff;
}
</style>
```

```
<input type="email" name="eMail" placeholder="Email">
<br />
<br>
<style>
#input2 {
```

```
background-color:lightblue;
border:none;
color:#fff;
font-weight:bold;
border-radius:5px;
padding:3px;
width: 250px;
height: 35px;
text-align:center;
font-size: 16px;
font-family: Arial;
}
#input2:hover {
box-shadow: 1px 1px 3px 3px #00b3ff;
}
</style>
```

```
<br>
<style>
#input2 {
background-color:lightblue;
border:none;
color:#fff;
font-weight:bold;
border-radius:5px;
padding:3px;
width: 250px;
height: 35px;
text-align:center;
font-size: 16px;
font-family: Arial;
}
#input2:hover {
box-shadow: 1px 1px 3px 3px #00b3ff;
}
</style>
<style>
  @media screen and (min-width: 380px) {
    body {
      background: #fff;
    }
  }
}
```

```
img {
width: 70px;
height: 70px;
border-radius: 30px;
float: center;
}
```

```
input {
border: none;
background-color: #fff;
border-bottom-color: blue;
border-width: 2px;
border-top-style: none;
border-left-style: none;
border-right-style: none;
border-bottom-style: solid;
width: 250px;
height: 30px;
```

```
padding: 5px;
outline-style: none;
font-family: Arial;
transition-duration: 2s;
}
```

```
input::placeholder {
  background-color: #fff;
  border-width: 2px;
  border-top-style: none;
  border-left-style: none;
  border-right-style: none;
}
```

```
input:focus {
  background-color: #fff;
  border-top-style: none;
  border-left-style: none;
  border-right-style: none;
  border-bottom-style: solid;
}
```

```
#check {
  width: 20px;
  height: 20px;
  color: blue;
  margin: 0 0 18px;
  padding-bottom: 6px;
  background: blue;
}
```

</style>

```
<style>
  button {
    background-color: lightblue;
    border: none;
    color: #fff;
    font-weight: bold;
    border-radius: 5px;
    padding: 3px;
    width: 150px;
    height: 35px;
    text-align: center;
    font-size: 16px;
    font-family: Arial;
    outline: none;
  }
```

```
  button:hover {
    box-shadow: 1px 1px 3px 3px #00b3ff;
  }
```

</style>

<button id=bbtn> NEXT</button>

```
<style>
#input2 {
  background-color: lightblue;
  border: none;
  color: #fff;
  font-weight: bold;
  border-radius: 5px;
  padding: 3px;
```

```
width: 250px;
height: 35px;
text-align:center;
font-size: 16px;
font-family: Arial;
}
#input2:hover {
box-shadow: 1px 1px 3px 3px #00b3ff;
}
</style>
<br>
<br>
<br>
<br>
<a href="Forgotten Email address?" id="a2"> Forgotten Email address? </a>

<body>
<br>
<br>
<br>
<br>
<a href="index.html" id="a2">Return to FastPay login</a>

</body>

</html>
```

Front end pages for fast pay web