

Wi-Fi
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
2222	91.471290200	2001:16a4:275:f3a8::	2a00:1450:4006:815::	HTTP	274	GET /r/r1.cr1 HTTP/1.1
2226	91.552615400	2a00:1450:4006:815::	2001:16a4:275:f3a8::	HTTP	297	HTTP/1.1 304 Not Modified
2237	91.621142500	2001:16a4:275:f3a8::	2600:1416:e000:1b3::	HTTP	301	GET / HTTP/1.1
2239	91.648135500	2600:1416:e000:1b3::	2001:16a4:275:f3a8::	HTTP	337	HTTP/1.1 304 Not Modified
2248	91.722684400	2001:16a4:275:f3a8::	2600:1416:e000:1ae::	HTTP	301	GET / HTTP/1.1
2250	91.743906200	2600:1416:e000:1ae::	2001:16a4:275:f3a8::	HTTP	337	HTTP/1.1 304 Not Modified
2263	91.821838900	2001:16a4:275:f3a8::	2001:16a0:1:2021::5::	HTTP	301	GET / HTTP/1.1
2265	91.846501700	2001:16a0:1:2021::5::	2001:16a4:275:f3a8::	HTTP	337	HTTP/1.1 304 Not Modified
2266	91.861439500	2001:16a4:275:f3a8::	2a00:1450:4006:815::	HTTP	274	GET /r/r4.cr1 HTTP/1.1
2269	91.941397000	2a00:1450:4006:815::	2001:16a4:275:f3a8::	HTTP	297	HTTP/1.1 304 Not Modified
10048	176.487051600	2001:16a4:275:f3a8::	2600:1f13:37c:1400::	HTTP	544	GET / HTTP/1.1
10064	176.709617400	2600:1f13:37c:1400::	2001:16a4:275:f3a8::	HTTP	1047	HTTP/1.1 200 OK (text/html)
10161	179.813641000	2001:16a4:275:f3a8::	2600:1f13:37c:1400::	HTTP	567	GET /online HTTP/1.1
10168	180.285651800	2600:1f13:37c:1400::	2001:16a4:275:f3a8::	HTTP	647	HTTP/1.1 301 Moved Permanently (text/html)
10171	180.291997900	2001:16a4:275:f3a8::	2600:1f13:37c:1400::	HTTP	568	GET /online/ HTTP/1.1
10181	180.524100200	2600:1f13:37c:1400::	2001:16a4:275:f3a8::	HTTP	193	HTTP/1.1 200 OK (text/html)
10184	180.583451300	2001:16a4:275:f3a8::	2600:1f13:37c:1400::	HTTP	498	GET /favicon.ico HTTP/1.1
10185	180.822804000	2600:1f13:37c:1400::	2001:16a4:275:f3a8::	HTTP	490	HTTP/1.1 200 OK (PNG)

> Frame 2222: Packet, 274 bytes on wire (2192 bits), 274 bytes captured (2192 bits) on interface VD
> Ethernet II, Src: de:20:ec:7e:ed:36 (de:20:ec:7e:ed:36), Dst: 02:c7:cd:9c:7a:a7 (02:c7:cd:9c:7a:a7)
> Internet Protocol Version 6, Src: 2001:16a4:275:f3a8:84f:54ef:f987:e2ef, Dst: 2a00:1450:4006:815:
> Transmission Control Protocol, Src Port: 54588, Dst Port: 80, Seq: 1, Ack: 1, Len: 200
> Hypertext Transfer Protocol

0000 02 c7 cd 9c 7a a7 de 20 ec 7e ad 36 86 dd 60 006...
0010 72 cb 00 dc 06 40 20 01 16 a4 02 75 f3 a8 08 4f@...U...0
0020 54 ef f9 87 e2 ef 2a 00 14 50 48 06 08 15 00 00*.P8.....
0030 00 00 00 00 20 03 d5 3c 00 50 6b 75 9c 1d 86 ed<..Pku.....
0040 45 8b 50 18 00 ff 0d ca 00 40 47 45 54 20 2f 72 E.P.....GET /r
0050 2f 72 31 2e 63 72 6c 20 48 54 54 50 2c 21 2e 31 /r1.cr1 HTTP/1.1
0060 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 6f 6c 3a -Cache-Control:
0070 20 6d 61 78 2d 61 67 65 20 2d 3d 20 33 30 30 2e max-age = 3000
0080 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 4b 65 65 Connect ion: Kee
0090 70 2d 41 6c 69 76 65 0d 0a 41 63 63 65 70 74 3a p-Alive -Accept:
00a0 20 2a 2f 2a 00 0a 49 66 2d 4d 6f 64 69 66 69 65 */* -If -Modifie
00b0 64 2d 53 69 6e 63 65 3a 20 57 65 64 2c 20 31 31 d-Since: Wed, 11
00c0 20 46 65 62 20 32 30 32 36 20 31 34 3a 33 38 3a Feb 202 6 14:38:
00d0 30 30 20 47 4d 54 0d 0a 55 73 65 72 2d 41 67 65 00 GMT -User-Age
00e0 06 74 3a 20 4d 69 63 72 6f 73 6f 66 74 2d 43 72 nt: Micr osoft-Cr
00f0 79 70 74 6f 41 50 49 2f 31 30 2e 30 0d 0a 48 6f yptoAPI/ 10.0 -Ho
0100 73 74 3a 20 63 2e 70 6b 69 2e 67 6f 6f 67 0d 0a st: c.pk i.goog..
0110 0d 0a

Hypertext Transfer Protocol: Protocol

Packets: 10723 - Displayed: 18 (0.2%) - Dropped: 0 (0.0%)

Profile: Default

Activate Windows
Go to Settings to activate Windows.



tcp

No.	Time	Source	Destination	Protocol	Length	Info
2205	90.302584300	2001:16a4:275:f3a8::...	2001:4860:4842:400::...	TCP	74	54587 → 443 [ACK] Seq=3134 Ack=1264 Win=64256 Len=0
2209	91.020846300	74.125.206.188	192.168.8.33	TCP	66	[TCP Retransmission] 5228 → 55481 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 SACK_PERM WS=256
2218	91.394065500	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	TCP	74	53507 → 80 [FIN, ACK] Seq=1 Ack=1 Win=507 Len=0
2219	91.395349700	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	TCP	86	54588 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
2220	91.470867100	2a00:1450:4006:815::...	2001:16a4:275:f3a8::...	TCP	86	80 → 54588 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM WS=256
2221	91.471011600	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	TCP	74	54588 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
2222	91.471290200	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	HTTP	274	GET /r/r1.cr1 HTTP/1.1
2223	91.487303900	2a00:1450:4006:815::...	2001:16a4:275:f3a8::...	TCP	74	80 → 53507 [FIN, ACK] Seq=1 Ack=2 Win=1052 Len=0
2224	91.487378300	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	TCP	74	53507 → 80 [ACK] Seq=2 Ack=2 Win=507 Len=0
2225	91.551939200	2a00:1450:4006:815::...	2001:16a4:275:f3a8::...	TCP	74	80 → 54588 [ACK] Seq=1 Ack=201 Win=269312 Len=0
2226	91.552615400	2a00:1450:4006:815::...	2001:16a4:275:f3a8::...	HTTP	297	HTTP/1.1 304 Not Modified
2230	91.594349900	2001:16a4:275:f3a8::...	2a00:1450:4006:815::...	TCP	74	54588 → 80 [ACK] Seq=201 Ack=224 Win=65280 Len=0
2233	91.603520300	2001:16a4:275:f3a8::...	2600:1416:e000:1b3::...	TCP	86	54589 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
2235	91.620742300	2600:1416:e000:1b3::...	2001:16a4:275:f3a8::...	TCP	86	80 → 54589 [SYN, ACK] Seq=0 Ack=1 Win=64800 Len=0 MSS=1400 SACK_PERM WS=128
2236	91.620842100	2001:16a4:275:f3a8::...	2600:1416:e000:1b3::...	TCP	74	54589 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
2237	91.621142500	2001:16a4:275:f3a8::...	2600:1416:e000:1b3::...	HTTP	301	GET / HTTP/1.1
2238	91.641573500	2600:1416:e000:1b3::...	2001:16a4:275:f3a8::...	TCP	74	80 → 54589 [ACK] Seq=1 Ack=228 Win=64640 Len=0
2239	91.648135500	2600:1416:e000:1b3::...	2001:16a4:275:f3a8::...	HTTP	337	HTTP/1.1 304 Not Modified
2242	91.690215100	2001:16a4:275:f3a8::...	2600:1416:e000:1b3::...	TCP	74	54589 → 80 [ACK] Seq=228 Ack=264 Win=65024 Len=0
2245	91.703448200	2001:16a4:275:f3a8::...	2600:1416:e000:1ae::...	TCP	86	54590 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM

> Frame 2222: Packet, 274 bytes on wire (2192 bits), 274 bytes captured (2192 bits) on interface v0
 > Ethernet II, Src: de:20:ec:7e:ed:36 (de:20:ec:7e:ed:36), Dst: 02:c7:cd:9c:7a:a7 (02:c7:cd:9c:7a:a7)
 > Internet Protocol Version 6, Src: 2001:16a4:275:f3a8:84f:f987:e2ef, Dst: 2a00:1450:4006:815:
 > Transmission Control Protocol, Src Port: 54588, Dst Port: 80, Seq: 1, Ack: 1, Len: 200
 > Hypertext Transfer Protocol

```

0000 02 c7 cd 9c 7a a7 de 20 ec 7e ed 36 dd 60 00  ....@.....0
0010 72 cb 00 dc 06 40 20 01 16 a4 02 75 f3 08 4f  r.....p.....
0020 54 ef f9 87 e2 ef 2a 00 14 50 40 06 81 05 00  e.....a.....
0030 00 00 00 00 20 03 d5 3c 00 50 65 75 9c 1d 86 ed  .........
0040 45 80 50 18 00 ff 0d ca 00 00 47 45 54 20 2f 72  8.....
0050 2f 72 31 2e 63 72 6c 20 48 54 54 50 2f 31 2e 31  /r1.cr1 HTTP/1.1
0060 0d 0a 43 61 63 68 65 2d 43 6f 6e 5a 7d 6f 6e 3a  -Cache-Control:
0070 20 6d 61 78 2d 61 67 65 20 2d 3d 20 33 30 30 0d  max-age = 3000
0080 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 4b 65 65  Connect ion: Kee
0090 70 2d 41 6c 69 76 65 0d 0a 41 63 63 65 70 74 3a  p-Alive: Accept:
00a0 20 2a 2f 2a 0d 0a 49 66 2d 4d 6f 64 69 66 69 65  */*-; If-Modifie
00b0 64 2d 53 69 6e 63 65 3a 20 57 65 64 2c 20 31 31  d-Since: Wed, 11
00c0 20 46 65 62 20 32 30 32 36 20 31 34 3a 33 38 3a  Feb 202 6 14:38;
00d0 30 30 20 47 4d 54 0d 0a 55 73 65 72 2d 41 67 65  00 GMT -User-Age
00e0 6e 74 3a 20 4d 69 63 72 6f 73 6f 66 74 2d 43 72  nt: Micr osoft-Cr
00f0 79 70 74 6f 41 50 49 2f 31 30 2e 30 0d 0a 48 6f  yptoAPI/ 10.0 -Ho
0100 73 74 3a 20 63 2e 70 6b 69 2e 6f 6f 6f 67 6d 0a  st: c.pk i.goog..
0110 0d 0a

```

Activate Windows

Go to Settings to activate Windows.

No.	Time	Source	Destination	Protocol	Length	Info
5	3.639140000	2a00:1450:4006:811::	2001:16a4:275:f3a8::	UDP	180	443 → 57407 Len=118
6	3.661516700	2001:16a4:275:f3a8::	2a00:1450:4006:811::	UDP	95	57407 → 443 Len=33
53	8.718332300	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1292	Initial, DCID=188469ca69e56477, PKN: 1, CRYPTO, PING, CRYPTO, PING, PING, PING, CRYPTO, CRYPTO, CRYPTO, PADDING, ...
54	8.718580000	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1292	Initial, DCID=188469ca69e56477, PKN: 2, PING, PADDING, PING, CRYPTO, PING, CRYPTO, CRYPTO, CRYPTO, PING, PING, CR...
55	8.722958200	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	137	0-RTT, DCID=188469ca69e56477
56	8.749540600	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	106	Initial, SCID=f88469ca69e56477, PKN: 1, ACK
57	8.752948200	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Initial, SCID=f88469ca69e56477, PKN: 2, ACK, PADDING
58	8.753217800	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Initial, SCID=f88469ca69e56477, PKN: 3, CRYPTO, PADDING
59	8.754950300	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Initial, SCID=f88469ca69e56477, PKN: 4, CRYPTO, PADDING
60	8.754954300	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Handshake, SCID=f88469ca69e56477
61	8.754956600	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Handshake, SCID=f88469ca69e56477
62	8.754958100	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1296	Handshake, SCID=f88469ca69e56477
63	8.754960400	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	1133	Protected Payload (KP0)
64	8.755198300	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1292	Initial, DCID=f88469ca69e56477, PKN: 4, ACK, PADDING
65	8.755810000	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	101	Handshake, DCID=f88469ca69e56477
66	8.756846400	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	224	Protected Payload (KP0), DCID=f88469ca69e56477
67	8.757352300	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1288	Protected Payload (KP0), DCID=f88469ca69e56477
68	8.757416400	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1288	Protected Payload (KP0), DCID=f88469ca69e56477
69	8.757461900	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	1292	Protected Payload (KP0), DCID=f88469ca69e56477
70	8.757559500	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	136	Protected Payload (KP0), DCID=f88469ca69e56477
71	8.783578900	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	597	Protected Payload (KP0)
72	8.783892800	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	182	Protected Payload (KP0)
73	8.784133900	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	93	Protected Payload (KP0), DCID=f88469ca69e56477
74	8.787332000	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	89	Protected Payload (KP0)
75	8.787708700	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	93	Protected Payload (KP0)
76	8.788978700	2001:16a0:202:103::d	2001:16a4:275:f3a8::	QUIC	675	Protected Payload (KP0)
77	8.789416800	2001:16a4:275:f3a8::	2001:16a0:202:103::d	QUIC	97	Protected Payload (KP0), DCID=f88469ca69e56477

> Frame 5: Packet, 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface 'Devic
 > Ethernet II, Src: 02:c7:cd:9c:7a:a7, Dst: de:20:ec:7e:ed:36 (de:20:ec:7e:ed:36)
 > Internet Protocol Version 6, Src: 2a00:1450:4006:811::200a, Dst: 2001:16a4:275:f3a8:84f:54ef:f987
 > User Datagram Protocol, Src Port: 443, Dst Port: 57407
 > Data (118 bytes)

```

0000  de 20 ec 7e ed 36 02 c7  cd 9c 7a a7 86 dd 60 00
0010  00 00 00 7e 11 38 2a 00  14 50 40 06 08 11 00 00
0020  00 00 00 00 20 0a 20 01  16 a4 02 75 f3 a8 08 4f
0030  54 ef f9 87 a2 ef 01 bb  e0 3f 00 7e e6 39 48 cd
0040  9e 0b 70 3c 2a 0b 9c 86  4a 10 de d7 d9 35 f8 b9
0050  e4 13 91 2d 74 54 1a 5e  16 61 c3 6e b4 a4 55 a4
0060  df 7b 91 5d da 93 44 71  68 71 c8 75 46 62 7f 1c
0070  fa ef 4b 80 4f 88 91 89  70 a6 ac 66 d4 8f 20 73
0080  85 cc e0 5f 58 db f0 35  bc 11 65 5d 90 03 23 b6
0090  c1 7a 19 61 40 5b c7 9d  fa 6b de a0 8e 74 cb 74
00a0  a5 a4 c3 6c 12 f4 64 10  87 3a ab 05 6e 0a b4 ab
00b0  d8 b2 c1 d9
  
```