

MRSA PORTFOLIO

Full Stack Developer

I'll provide you with the complete code for the portfolio website I created. Here's the full HTML code with all the styling and functionality:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Full Stack Developer Portfolio</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.4.0/css/all.min.css">
  <script>
    tailwind.config = {
      theme: {
        extend: {
          colors: {
            primary: '#6366f1',
            secondary: '#8b5cf6',
            dark: '#1e1b4b',
            light: '#f5f3ff',
            accent: '#10b981'
          },
          fontFamily: {
            sans: ['Inter', 'sans-serif'],
          },
        },
      },
    }
  </script>
  <style>
    @import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap');

    .gradient-bg {
      background: linear-gradient(120deg, #6366f1, #8b5cf6, #10b981);
      background-size: 200% 200%;
```

```
    animation: gradientBG 15s ease infinite;
}
```

```
@keyframes gradientBG {
  0% {
    background-position: 0% 50%;
  }
  50% {
    background-position: 100% 50%;
  }
  100% {
    background-position: 0% 50%;
  }
}
```

```
.project-card {
  transition: all 0.3s ease;
}
```

```
.project-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 20px 25px -5px rgba(0, 0, 0, 0.1), 0 10px 10px -5px rgba(0, 0, 0, 0.04);
}
```

```
.tech-pill {
  transition: all 0.2s ease;
}
```

```
.tech-pill:hover {
  transform: scale(1.05);
}
```

```
.nav-link {
  position: relative;
}
```

```
.nav-link::after {
  content: "";
  position: absolute;
  width: 0;
  height: 2px;
  bottom: -2px;
  left: 0;
  background-color: #10b981;
  transition: width 0.3s ease;
}
```

```

.nav-link:hover::after {
  width: 100%;
}

.animated-bg {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  overflow: hidden;
  z-index: -1;
}

.animated-bg svg {
  opacity: 0.1;
}

.particle {
  position: absolute;
  border-radius: 50%;
  background: rgba(99, 102, 241, 0.6);
  animation: float 8s infinite ease-in-out;
}
</style>
</head>
<body class="bg-gray-50 font-sans text-gray-800">
  <!-- Navigation -->
  <nav class="bg-white shadow-md sticky top-0 z-50">
    <div class="container mx-auto px-4 py-3 flex justify-between items-center">
      <div class="flex items-center space-x-2">
        <div class="h-10 w-10 rounded-lg gradient-bg flex items-center justify-center">
          <span class="text-white font-bold text-xl">{}</span>
        </div>
        <span class="font-bold text-xl text-dark">Dev<span class="text-primary">Portfolio</span>
      </div>
      <div class="hidden md:flex space-x-8">
        <a href="#home" class="nav-link font-medium text-gray-700 hover:text-primary">Home</a>
        <a href="#about" class="nav-link font-medium text-gray-700 hover:text-primary">About</a>
        <a href="#projects" class="nav-link font-medium text-gray-700 hover:text-
primary">Projects</a>
        <a href="#skills" class="nav-link font-medium text-gray-700 hover:text-primary">Skills</a>
        <a href="#contact" class="nav-link font-medium text-gray-700 hover:text-

```

```

primary">Contact</a>
</div>

<div class="md:hidden">
  <button id="menu-toggle" class="text-gray-700 focus:outline-none">
    <svg class="h-6 w-6" fill="none" stroke="currentColor" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
      <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4 6h16M4
12h16M4 18h16"></path>
    </svg>
  </button>
</div>
</div>

<!-- Mobile menu -->
<div id="mobile-menu" class="md:hidden hidden bg-white border-t">
  <div class="container mx-auto px-4 py-2 flex flex-col space-y-3">
    <a href="#home" class="py-2 text-gray-700 hover:text-primary">Home</a>
    <a href="#about" class="py-2 text-gray-700 hover:text-primary">About</a>
    <a href="#projects" class="py-2 text-gray-700 hover:text-primary">Projects</a>
    <a href="#skills" class="py-2 text-gray-700 hover:text-primary">Skills</a>
    <a href="#contact" class="py-2 text-gray-700 hover:text-primary">Contact</a>
  </div>
</div>
</nav>

<!-- Hero Section -->
<section id="home" class="relative min-h-screen flex items-center">
  <div class="animated-bg">
    <svg viewBox="0 0 100 100" preserveAspectRatio="none">
      <path d="M0,0 L100,0 L100,100 L0,100 Z" fill="#f5f3ff"></path>
    </svg>
    <!-- Particles -->
    <div class="particle" style="width: 50px; height: 50px; top: 20%; left: 10%;"></div>
    <div class="particle" style="width: 30px; height: 30px; top: 60%; left: 80%;"></div>
    <div class="particle" style="width: 70px; height: 70px; top: 80%; left: 30%;"></div>
    <div class="particle" style="width: 40px; height: 40px; top: 30%; left: 60%;"></div>
    <div class="particle" style="width: 60px; height: 60px; top: 70%; left: 70%;"></div>
  </div>

  <div class="container mx-auto px-4 py-16 grid md:grid-cols-2 gap-8 items-center">
    <div class="space-y-6">
      <div>
        <h2 class="text-2xl font-medium text-primary">Hello, I'm</h2>
        <h1 class="text-5xl md:text-6xl font-bold mt-2">John Doe</h1>
        <h3 class="text-2xl md:text-3xl font-medium text-gray-600 mt-2">Full Stack

```

Developer</h3>
</div>

<p class="text-lg text-gray-600">

I build modern web applications with cutting-edge technologies.
Specializing in both frontend and backend development to create
seamless digital experiences.

</p>

<div class="flex space-x-4">

View Projects

Contact Me

</div>

<div class="flex space-x-4 pt-4">

<i class="fab fa-github text-2xl"></i>

<i class="fab fa-linkedin text-2xl"></i>

<i class="fab fa-twitter text-2xl"></i>

<i class="fas fa-envelope text-2xl"></i>

</div>

</div>

<div class="relative">

<div class="w-full h-80 md:h-96 rounded-2xl gradient-bg p-4 flex items-center justify-center shadow-xl">

<div class="bg-white/90 backdrop-blur-sm w-full h-full rounded-xl p-6 flex flex-col">

<div class="flex space-x-2 mb-4">

<div class="w-3 h-3 rounded-full bg-red-500"></div>

<div class="w-3 h-3 rounded-full bg-yellow-500"></div>

<div class="w-3 h-3 rounded-full bg-green-500"></div>

</div>

<div class="font-mono text-sm flex-1 overflow-hidden">

```
<div class="typing-animation">
  <span class="text-purple-600">const</span> <span class="text-blue-600">developer</span> <span class="text-gray-600">=</span> <span class="text-gray-600">{</span><br>
    &nbsp;&nbsp;&nbsp;<span class="text-green-600">'name'</span><span class="text-gray-600">:</span> <span class="text-orange-600">'John Doe'</span><span class="text-gray-600">,</span><br>
    &nbsp;&nbsp;&nbsp;<span class="text-green-600">'skills'</span><span class="text-gray-600">:</span> <span class="text-gray-600">[</span><span class="text-orange-600">'JavaScript'</span><span class="text-gray-600">,</span> <span class="text-orange-600">'React'</span><span class="text-gray-600">,</span> <span class="text-orange-600">'Node.js'</span><span class="text-gray-600">,</span> <span class="text-orange-600">'Python'</span><span class="text-gray-600">]</span><span class="text-gray-600">,</span><br>
    &nbsp;&nbsp;&nbsp;<span class="text-green-600">'passion'</span><span class="text-gray-600">:</span> <span class="text-orange-600">'Building innovative web solutions'</span><br>
    <span class="text-gray-600">}</span><br><br>
    <span class="text-purple-600">function</span> <span class="text-yellow-600">createAmazingExperiences</span><span class="text-gray-600">()</span> <span class="text-gray-600">{</span><br>
      &nbsp;&nbsp;&nbsp;<span class="text-purple-600">return</span> developer.<span class="text-yellow-600">skills</span>.<span class="text-yellow-600">map</span><span class="text-gray-600">(</span><span class="text-gray-600">(skill <span class="text-purple-600">=></span> <span class="text-orange-600">'Mastering '</span> <span class="text-purple-600">+</span> <span class="text-gray-600">skill<span class="text-gray-600">)</span><br>
      <span class="text-gray-600">}</span>
    </div>
  </div>
</div>
</div>
```

```
<div class="absolute -bottom-6 -right-6 w-24 h-24 rounded-xl gradient-bg shadow-lg hidden md:block"></div>
<div class="absolute -top-6 -left-6 w-16 h-16 rounded-xl bg-accent shadow-lg hidden md:block"></div>
</div>
</div>
</section>
```

<!-- About Section -->

```
<section id="about" class="py-20 bg-white">
```

```
<div class="container mx-auto px-4">
```

```
<div class="text-center mb-16">
```

```
<h2 class="text-3xl md:text-4xl font-bold">About Me</h2>
```

```
<div class="w-24 h-1 bg-primary mx-auto mt-4 rounded-full"></div>
```

```
</div>
```

```

<div class="grid md:grid-cols-2 gap-12 items-center">
  <div class="relative">
    <div class="w-full h-96 rounded-2xl bg-gray-100 overflow-hidden shadow-lg">
      <div class="w-full h-full bg-gradient-to-br from-primary/90 to-secondary/90 flex items-center justify-center">
        <svg class="w-48 h-48 text-white/20" fill="currentColor" viewBox="0 0 20 20"
xmlns="http://www.w3.org/2000/svg">
          <path fill-rule="evenodd" d="M10 9a3 3 0 100-6 3 3 0 000 6zm-7 9a7 7 0 114 0H3z" clip-rule="evenodd"></path>
        </svg>
      </div>
    </div>

    <div class="absolute -bottom-6 -left-6 w-32 h-32 rounded-xl bg-accent/20 backdrop-blur-sm border border-accent/30 flex items-center justify-center shadow-lg">
      <div class="text-center">
        <div class="text-4xl font-bold text-accent">5+</div>
        <div class="text-sm text-gray-700">Years Experience</div>
      </div>
    </div>
  </div>

  <div class="space-y-6">
    <h3 class="text-2xl font-bold">Full Stack Developer with a passion for creating innovative solutions</h3>

    <p class="text-gray-600">
      I'm a dedicated Full Stack Developer with expertise in building robust web applications from concept to deployment.
      With a strong foundation in both frontend and backend technologies, I create seamless, user-focused experiences.
    </p>

    <p class="text-gray-600">
      My approach combines technical excellence with creative problem-solving, allowing me to develop scalable solutions that meet business objectives while delivering exceptional user experiences.
    </p>

    <div class="grid grid-cols-2 gap-4">
      <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">
          <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4 4L19 7"></path>

```

```
        </svg>
        <span>Frontend Development</span>
    </div>
    <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4
4L19 7"></path>
        </svg>
        <span>Backend Development</span>
    </div>
    <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4
4L19 7"></path>
        </svg>
        <span>Database Design</span>
    </div>
    <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4
4L19 7"></path>
        </svg>
        <span>API Development</span>
    </div>
    <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4
4L19 7"></path>
        </svg>
        <span>Cloud Services</span>
    </div>
    <div class="flex items-center space-x-2">
        <svg class="w-5 h-5 text-accent" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5 13l4
4L19 7"></path>
        </svg>
        <span>AI Integration</span>
    </div>
</div>

<div class="pt-4">
```



```
        <a href="#contact" class="px-6 py-3 bg-primary hover:bg-primary/90 text-white font-medium rounded-lg transition-all shadow-lg hover:shadow-primary/50 inline-block">
```

```
            Get In Touch
```

```
        </a>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Projects Section -->
```

```
<section id="projects" class="py-20 bg-gray-50">
```

```
    <div class="container mx-auto px-4">
```

```
        <div class="text-center mb-16">
```

```
            <h2 class="text-3xl md:text-4xl font-bold">My Projects</h2>
```

```
            <div class="w-24 h-1 bg-primary mx-auto mt-4 rounded-full"></div>
```

```
            <p class="text-gray-600 mt-4 max-w-2xl mx-auto">
```

```
                Explore my latest work showcasing my skills in full stack development,  
                from responsive web applications to complex backend systems.
```

```
            </p>
```

```
        </div>
```

```
    <div class="grid md:grid-cols-2 lg:grid-cols-3 gap-8">
```

```
        <!-- Project 1 -->
```

```
        <div class="project-card bg-white rounded-xl overflow-hidden shadow-lg">
```

```
            <div class="h-48 bg-gradient-to-r from-primary to-secondary flex items-center justify-center">
```

```
                <svg class="w-20 h-20 text-white/30" fill="currentColor" viewBox="0 0 20 20" xmlns="http://www.w3.org/2000/svg">
```

```
                    <path fill-rule="evenodd" d="M3 5a2 2 0 012-2h10a2 2 0 012 2v8a2 2 0 01-2 2h-2.22l.123.489.804.804A1 1 0 0113 18H7a1 1 0 01-.707-1.707l.804-.804L7.22 15H5a2 2 0 01-2-2V5zm5.771 7H5V5h10v7H8.771z" clip-rule="evenodd"></path>
```

```
                </svg>
```

```
            </div>
```

```
            <div class="p-6">
```

```
                <h3 class="text-xl font-bold mb-2">AI-Powered Task Manager</h3>
```

```
                <p class="text-gray-600 mb-4">
```

```
                    A smart task management application that uses AI to prioritize and categorize tasks  
                    for optimal productivity.
```

```
                </p>
```

```
                <div class="flex flex-wrap gap-2 mb-4">
```

```
                    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-full">React</span>
```

```
                    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-full">Node.js</span>
```

```
                    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
```

```

full">MongoDB</span>
    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">TensorFlow.js</span>
    </div>
    <div class="flex space-x-3">
        <a href="#" class="text-primary hover:text-primary/80 font-medium flex items-
center">
            <span>View Project</span>
            <svg class="w-4 h-4 ml-1" fill="none" stroke="currentColor" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M14
5l7 7m0 0l-7 7m7-7H3"></path>
            </svg>
        </a>
        <a href="#" class="text-gray-600 hover:text-gray-800 font-medium flex items-
center">
            <span>Git Hub</span>
            <i class="fab fa-github ml-1"></i>
        </a>
    </div>
</div>
</div>
<!-- Project 2 -->
<div class="project-card bg-white rounded-xl overflow-hidden shadow-lg">
    <div class="h-48 bg-gradient-to-r from-secondary to-accent flex items-center justify-
center">
        <svg class="w-20 h-20 text-white/30" fill="currentColor" viewBox="0 0 20 20"
xmlns="http://www.w3.org/2000/svg">
            <path d="M3 12v3c0 1.657 3.134 3 7 3s7-1.343 7-3v-3c0 1.657 3.134 3 7 3s7-
1.343 7-3z"></path>
            <path d="M3 7v3c0 1.657 3.134 3 7 3s7-1.343 7-3V7c0 1.657 3.134 3 7 3S3 8.657
3 7z"></path>
            <path d="M17 5c0 1.657 3.134 3 7 3S3 6.657 3 5s3.134 3 7 3 7 1.343 7 3z">
</path>
        </svg>
    </div>
    <div class="p-6">
        <h3 class="text-xl font-bold mb-2">E-Commerce Platform</h3>
        <p class="text-gray-600 mb-4">
            A full-featured e-commerce solution with real-time inventory management and
integrated payment processing.
        </p>
        <div class="flex flex-wrap gap-2 mb-4">
            <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">Vue.js</span>

```

```

        <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">Express</span>
        <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">PostgreSQL</span>
        <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">Stripe API</span>
    </div>
    <div class="flex space-x-3">
        <a href="#" class="text-primary hover:text-primary/80 font-medium flex items-
center">
            <span>View Project</span>
            <svg class="w-4 h-4 ml-1" fill="none" stroke="currentColor" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M14
5l7 7m0 0l-7 7m7-7H3"></path>
            </svg>
        </a>
        <a href="#" class="text-gray-600 hover:text-gray-800 font-medium flex items-
center">
            <span>GitHub</span>
            <i class="fab fa-github ml-1"></i>
        </a>
    </div>
</div>
</div>

<!-- Project 3 -->
<div class="project-card bg-white rounded-xl overflow-hidden shadow-lg">
    <div class="h-48 bg-gradient-to-r from-accent to-primary flex items-center justify-center">
        <svg class="w-20 h-20 text-white/30" fill="currentColor" viewBox="0 0 20 20"
xmlns="http://www.w3.org/2000/svg">
            <path fill-rule="evenodd" d="M12.316 3.051a1 1 0 01.633 1.265l-4 12a1 1 0 11-
1.898-.632l4-12a1 1 0 011.265-.633zM5.707 6.293a1 1 0 010 1.414L3.414 10l2.293 2.293a1 1 0 11-
1.414 1.414l-3-3a1 1 0 010-1.414l3-3a1 1 0 011.414 0zm8.586 0a1 1 0 011.414 0l3 3a1 1 0 010
1.414l-3 3a1 1 0 11-1.414-1.414L16.586 10l-2.293-2.293a1 1 0 010-1.414z" clip-rule="evenodd">
            </path>
        </svg>
    </div>
    <div class="p-6">
        <h3 class="text-xl font-bold mb-2">Code Learning Platform</h3>
        <p class="text-gray-600 mb-4">
            An interactive platform for learning programming with real-time code execution and
            AI-powered feedback.
        </p>
        <div class="flex flex-wrap gap-2 mb-4">
            <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-

```

```

full">React</span>
    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">Python</span>
    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">Docker</span>
    <span class="tech-pill px-3 py-1 bg-primary/10 text-primary text-sm rounded-
full">WebSockets</span>
  </div>
  <div class="flex space-x-3">
    <a href="#" class="text-primary hover:text-primary/80 font-medium flex items-
center">
      <span>View Project</span>
      <svg class="w-4 h-4 ml-1" fill="none" stroke="currentColor" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
        <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M14
5l7 7m0 0l-7 7m7-7H3"></path>
      </svg>
    </a>
    <a href="#" class="text-gray-600 hover:text-gray-800 font-medium flex items-
center">
      <span>GitHub</span>
      <i class="fab fa-github ml-1"></i>
    </a>
  </div>
</div>
</div>
</div>
</div>

<div class="text-center mt-12">
  <a href="#" class="px-6 py-3 border-2 border-primary text-primary hover:bg-primary/10
font-medium rounded-lg transition-all inline-flex items-center">
    <span>View All Projects</span>
    <svg class="w-4 h-4 ml-2" fill="none" stroke="currentColor" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
      <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M14 5l7 7m0
0l-7 7m7-7H3"></path>
    </svg>
  </a>
</div>
</div>
</section>

<!-- Skills Section -->
<section id="skills" class="py-20 bg-white">
  <div class="container mx-auto px-4">
    <div class="text-center mb-16">

```

<h2 class="text-3xl md:text-4xl font-bold">My Skills</h2>

<div class="w-24 h-1 bg-primary mx-auto mt-4 rounded-full"></div>

<p class="text-gray-600 mt-4 max-w-2xl mx-auto">

A comprehensive overview of my technical expertise and the technologies I work with.

</p>

</div>

<div class="grid md:grid-cols-2 gap-12">

<!-- Frontend Skills -->

<div class="bg-gray-50 rounded-xl p-8 shadow-lg">

<div class="flex items-center mb-6">

<div class="w-12 h-12 rounded-lg gradient-bg flex items-center justify-center mr-4">

<svg class="w-6 h-6 text-white" fill="none" stroke="currentColor" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">

<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M9.75 17L9 20l-1 1h8l-1 1-.75 3M3 13h18M5 17h14a2 2 0 02 2V5a2 2 0 02 2H5a2 2 0 02 2v10a2 2 0 02 2z"></path>

</svg>

</div>

<h3 class="text-2xl font-bold">Frontend Development</h3>

</div>

<div class="space-y-4">

<div>

<div class="flex justify-between mb-1">

JavaScript / TypeScript

95%</div>

</div>

<div class="w-full bg-gray-200 rounded-full h-2">

<div class="bg-primary h-2 rounded-full" style="width: 95%;></div>

</div>

</div>

<div>

<div class="flex justify-between mb-1">

React / Next.js

90%</div>

</div>

<div class="w-full bg-gray-200 rounded-full h-2">

<div class="bg-primary h-2 rounded-full" style="width: 90%;></div>

</div>

</div>

<div>

<div class="flex justify-between mb-1">

Vue.js

```
        <span>85%</span>
    </div>
    <div class="w-full bg-gray-200 rounded-full h-2">
        <div class="bg-primary h-2 rounded-full" style="width: 85%"></div>
    </div>
</div>
```

```
<div>
    <div class="flex justify-between mb-1">
        <span class="font-medium">CSS / Tailwind / SASS</span>
        <span>90%</span>
    </div>
    <div class="w-full bg-gray-200 rounded-full h-2">
        <div class="bg-primary h-2 rounded-full" style="width: 90%"></div>
    </div>
</div>
```

```
<div>
    <div class="flex justify-between mb-1">
        <span class="font-medium">Responsive Design</span>
        <span>95%</span>
    </div>
    <div class="w-full bg-gray-200 rounded-full h-2">
        <div class="bg-primary h-2 rounded-full" style="width: 95%"></div>
    </div>
</div>
</div>
</div>
```

<!-- Backend Skills -->

```
<div class="bg-gray-50 rounded-xl p-8 shadow-lg">
    <div class="flex items-center mb-6">
        <div class="w-12 h-12 rounded-lg gradient-bg flex items-center justify-center mr-4">
            <svg class="w-6 h-6 text-white" fill="none" stroke="currentColor" viewBox="0 0 24
24" xmlns="http://www.w3.org/2000/svg">
                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M5
12h14M5 12a2 2 0 0 1-2-2V6a2 2 0 0 12-2h14a2 2 0 0 12 2v4a2 2 0 0 1-2 2M5 12a2 2 0 0 0-2 2v4a2 2
0 0 0 2h14a2 2 0 0 0-2-2v-4a2 2 0 0 0-2-2m-2-4h.01M17 16h.01"></path>
            </svg>
        </div>
        <h3 class="text-2xl font-bold">Backend Development</h3>
    </div>
```

```
<div class="space-y-4">
    <div>
        <div class="flex justify-between mb-1">
```

```
    <span class="font-medium">Node.js / Express</span>
    <span>90%</span>
  </div>
  <div class="w-full bg-gray-200 rounded-full h-2">
    <div class="bg-primary h-2 rounded-full" style="width: 90%"></div>
  </div>
</div>

<div>
  <div class="flex justify-between mb-1">
    <span class="font-medium">Python / Django</span>
    <span>85%</span>
  </div>
  <div class="w-full bg-gray-200 rounded-full h-2">
    <div class="bg-primary h-2 rounded-full" style="width: 85%"></div>
  </div>
</div>

<div>
  <div class="flex justify-between mb-1">
    <span class="font-medium">SQL / NoSQL Databases</span>
    <span>90%</span>
  </div>
  <div class="w-full bg-gray-200 rounded-full h-2">
    <div class="bg-primary h-2 rounded-full" style="width: 90%"></div>
  </div>
</div>

<div>
  <div class="flex justify-between mb-1">
    <span class="font-medium">RESTful APIs / GraphQL</span>
    <span>95%</span>
  </div>
  <div class="w-full bg-gray-200 rounded-full h-2">
    <div class="bg-primary h-2 rounded-full" style="width: 95%"></div>
  </div>
</div>

<div>
  <div class="flex justify-between mb-1">
    <span class="font-medium">Cloud Services (AWS/Azure)</span>
    <span>80%</span>
  </div>
  <div class="w-full bg-gray-200 rounded-full h-2">
    <div class="bg-primary h-2 rounded-full" style="width: 80%"></div>
  </div>
</div>
```

```
    </div>
  </div>
</div>
</div>
```

```
<!-- Other Skills -->
```

```
<div class="mt-12">
```

```
  <h3 class="text-xl font-bold mb-6 text-center">Other Technologies & Tools</h3>
```

```
  <div class="flex flex-wrap justify-center gap-4">
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fab fa-docker mr-2"></i>
```

```
      <span>Docker</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fab fa-git-alt mr-2"></i>
```

```
      <span>Git</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fas fa-cloud mr-2"></i>
```

```
      <span>CI/CD</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fas fa-robot mr-2"></i>
```

```
      <span>Machine Learning</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fas fa-mobile-alt mr-2"></i>
```

```
      <span>React Native</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fas fa-lock mr-2"></i>
```

```
      <span>Cybersecurity</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```

```
      <i class="fas fa-project-diagram mr-2"></i>
```

```
      <span>Microservices</span>
```

```
    </div>
```

```
    <div class="tech-pill px-4 py-2 bg-gray-100 hover:bg-primary/10 text-gray-700 hover:text-
primary rounded-full transition-all flex items-center">
```



```
        <i class="fas fa-brain mr-2"></i>
        <span>AI Integration</span>
    </div>
</div>
</div>
</div>
</section>
```

```
<!-- Contact Section -->
```

```
<section id="contact" class="py-20 bg-gray-50">
```

```
    <div class="container mx-auto px-4">
```

```
        <div class="text-center mb-16">
```

```
            <h2 class="text-3xl md:text-4xl font-bold">Get In Touch</h2>
```

```
            <div class="w-24 h-1 bg-primary mx-auto mt-4 rounded-full"></div>
```

```
            <p class="text-gray-600 mt-4 max-w-2xl mx-auto">
```

```
                Have a project in mind or want to discuss potential opportunities?
```

```
                I'd love to hear from you!
```

```
            </p>
```

```
        </div>
```

```
    <div class="grid md:grid-cols-2 gap-12">
```

```
        <div class="bg-white rounded-xl p-8 shadow-lg">
```

```
            <h3 class="text-2xl font-bold mb-6">Send Me a Message</h3>
```

```
            <form class="space-y-4">
```

```
                <div>
```

```
                    <label for="name" class="block text-sm font-medium text-gray-700 mb-1">Name</label>
```

```
                    <input type="text" id="name" class="w-full px-4 py-2 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-primary outline-none transition-all" placeholder="Your Name">
```

```
                </div>
```

```
                <div>
```

```
                    <label for="email" class="block text-sm font-medium text-gray-700 mb-1">Email</label>
```

```
                    <input type="email" id="email" class="w-full px-4 py-2 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-primary outline-none transition-all" placeholder="your@email.com">
```

```
                </div>
```

```
                <div>
```

```
                    <label for="subject" class="block text-sm font-medium text-gray-700 mb-1">Subject</label>
```

```
                    <input type="text" id="subject" class="w-full px-4 py-2 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-primary outline-none transition-all">
```

```
placeholder="Project Inquiry">
  </div>
```

```
  <div>
    <label for="message" class="block text-sm font-medium text-gray-700 mb-
1">Message</label>
    <textarea id="message" rows="5" class="w-full px-4 py-2 border border-gray-300
rounded-lg focus:ring-2 focus:ring-primary focus:border-primary outline-none transition-all"
placeholder="Tell me about your project..."></textarea>
  </div>
```

```
    <button type="submit" class="w-full px-6 py-3 bg-primary hover:bg-primary/90 text-
white font-medium rounded-lg transition-all shadow-lg hover:shadow-primary/50">
      Send Message
    </button>
  </form>
```

```
  <div class="text-center mt-4 text-sm text-gray-500">
    <p>This is a demo contact form. In a real implementation, it would be connected to a
backend service.</p>
  </div>
</div>
```

```
<div class="space-y-8">
  <div class="bg-white rounded-xl p-8 shadow-lg">
    <h3 class="text-2xl font-bold mb-6">Contact Information</h3>

    <div class="space-y-4">
      <div class="flex items-start">
        <div class="w-10 h-10 rounded-lg gradient-bg flex items-center justify-center mr-4
shrink-0">
          <svg class="w-5 h-5 text-white" fill="none" stroke="currentColor" viewBox="0 0
24 24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M3
8l7.89 5.26a2 2 0 02.22 0L21 8M5 19h14a2 2 0 02-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2 0
002 2z"></path>
          </svg>
        </div>
        <div>
          <h4 class="font-medium text-gray-700">Email</h4>
          <a href="mailto:contact@johndoe.dev" class="text-primary
hover:underline">contact@johndoe.dev</a>
        </div>
      </div>

      <div class="flex items-start">
```

```
<div class="w-10 h-10 rounded-lg gradient-bg flex items-center justify-center mr-4
shrink-0">
    <svg class="w-5 h-5 text-white" fill="none" stroke="currentColor" viewBox="0 0
24 24" xmlns="http://www.w3.org/2000/svg">
        <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M3
5a2 2 0 012-2h3.28a1 1 0 01.948.684l1.498 4.493a1 1 0 01-.502 1.21l-2.257 1.13a11.042 11.042 0
005.516 5.516l1.13-2.257a1 1 0 011.21-.502l4.493 1.498a1 1 0 01.684.949V19a2 2 0 01-2 2h-
1C9.716 21 3 14.284 3 6V5z"></path>
    </svg>
</div>
<div>
    <h4 class="font-medium text-gray-700">Phone</h4>
    <a href="tel:+1234567890" class="text-primary hover:underline">+1 (234) 567-
890</a>
</div>
</div>

<div class="flex items-start">
    <div class="w-10 h-10 rounded-lg gradient-bg flex items-center justify-center mr-4
shrink-0">
        <svg class="w-5 h-5 text-white" fill="none" stroke="currentColor" viewBox="0 0
24 24" xmlns="http://www.w3.org/2000/svg">
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2"
d="M17.657 16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 111.314 0z"></path>
            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2"
d="M15 11a3 3 0 11-6 0 3 3 0 016 0z"></path>
        </svg>
    </div>
    <div>
        <h4 class="font-medium text-gray-700">Location</h4>
        <p class="text-gray-600">San Francisco, California</p>
    </div>
</div>
</div>

<div class="bg-white rounded-xl p-8 shadow-lg">
    <h3 class="text-2xl font-bold mb-6">Connect With Me</h3>

    <div class="flex space-x-4">
        <a href="#" class="w-10 h-10 rounded-full gradient-bg flex items-center justify-
center text-white hover:scale-110 transition-transform">
            <i class="fab fa-github"></i>
        </a>
        <a href="#" class="w-10 h-10 rounded-full gradient-bg flex items-center justify-
center text-white hover:scale-110 transition-transform">
```



```

<div class="flex flex-col items-center md:items-end">
  <div class="flex space-x-4 mb-4">
    <a href="#" class="text-gray-400 hover:text-white transition-colors">
      <i class="fab fa-github text-xl"></i>
    </a>
    <a href="#" class="text-gray-400 hover:text-white transition-colors">
      <i class="fab fa-linkedin text-xl"></i>
    </a>
    <a href="#" class="text-gray-400 hover:text-white transition-colors">
      <i class="fab fa-twitter text-xl"></i>
    </a>
    <a href="#" class="text-gray-400 hover:text-white transition-colors">
      <i class="fas fa-envelope text-xl"></i>
    </a>
  </div>
  <p class="text-gray-400">© 2023 John Doe. All rights reserved.</p>
</div>
</div>
</div>
</footer>

```

```

<script>
  // Mobile menu toggle
  const menuToggle = document.getElementById('menu-toggle');
  const mobileMenu = document.getElementById('mobile-menu');

  menuToggle.addEventListener('click', () => {
    mobileMenu.classList.toggle('hidden');
  });

  // Smooth scrolling for anchor links
  document.querySelectorAll('a[href^="#"]').forEach(anchor => {
    anchor.addEventListener('click', function(e) {
      e.preventDefault();

      const targetId = this.getAttribute('href');
      const targetElement = document.querySelector(targetId);

      if (targetElement) {
        window.scrollTo({
          top: targetElement.offsetTop - 80,
          behavior: 'smooth'
        });
      }

      // Close mobile menu if open
      if (!mobileMenu.classList.contains('hidden')) {

```

```

        mobileMenu.classList.add('hidden');
    }
}
});
});

```

// Create animated particles

```

function createParticles() {
    const particles = document.querySelectorAll('.particle');

    particles.forEach((particle, index) => {
        const size = Math.floor(Math.random() * 70) + 30;
        const posX = Math.floor(Math.random() * 100);
        const posY = Math.floor(Math.random() * 100);
        const delay = Math.random() * 5;

        particle.style.width = `${size}px`;
        particle.style.height = `${size}px`;
        particle.style.top = `${posY}%`;
        particle.style.left = `${posX}%`;
        particle.style.animationDelay = `${delay}s`;
    });
}

```

```

createParticles();

```

// Highlight active section in navigation

```

window.addEventListener('scroll', () => {
    const sections = document.querySelectorAll('section');
    const navLinks = document.querySelectorAll('.nav-link');

    let current = "";

    sections.forEach(section => {
        const sectionTop = section.offsetTop;
        const sectionHeight = section.clientHeight;

        if (pageYOffset >= sectionTop - 100) {
            current = section.getAttribute('id');
        }
    });
});

```

```

navLinks.forEach(link => {
    link.classList.remove('text-primary');
    if (link.getAttribute('href') === `#${current}`) {
        link.classList.add('text-primary');
    }
});

```

```
        }  
    });  
});  
</script>  
</body>  
</html>
```