

Question 2:

```
CREATE OR REPLACE FUNCTION log_customer_changes()
RETURNS TRIGGER AS $$
BEGIN
    IF (TG_OP = 'INSERT') THEN
        INSERT INTO customer_audit (customer_id, customer_name, action, action_time)
        VALUES (NEW.customer_id, NEW.customer_name, 'ADDED',
CURRENT_TIMESTAMP);

        RETURN NEW;

    ELSIF (TG_OP = 'DELETE') THEN
        INSERT INTO customer_audit (customer_id, customer_name, action, action_time)
        VALUES (OLD.customer_id, OLD.customer_name, 'REMOVED',
CURRENT_TIMESTAMP);

        RETURN OLD;

    END IF;

    RETURN NULL;
END;
$$ LANGUAGE plpgsql;

CREATE TRIGGER trg_customer_audit
AFTER INSERT OR DELETE ON bank_customer
FOR EACH ROW
EXECUTE FUNCTION log_customer_changes();
```

```
INSERT INTO bank_customer VALUES
```

```
(7, 'Aman', 60000),
```

```
(4, 'Priya', 82000),
```

```
(5, 'Vikram', 45000),
```

```
(6, 'Ananya', 95000);
```

```
SELECT * FROM customer_audit;
```

Messages Explain × Notifications					
Showing rows					
id integer	customer_id integer	customer_name character varying (50)	action character varying (20)	action_time timestamp without time zone	
1	3	Aman	ADDED	2026-09-28 10:10:32.81545	
2	1	Rahul	REMOVED	2026-09-28 10:10:59.334511	