Aayush Shah
Batch D1
19BCE245
29 April 2021

Practical 8

Do as directed.

1. **Write a query to determine who earns more than Mr. Lex.**
   - SQL> SELECT first_name, salary FROM employees out WHERE salary>(SELECT salary FROM employees WHERE first_name='Lex');
     FIRST_NAME SALARY

     -------------------- ----------
     Steven 24000

2. **Write a query find the job with the highest average salary.**
   - SQL> ed
     Wrote file afiedt.buf
     1 SELECT job_id, AVG(salary)
     2 FROM employees
     3 GROUP BY job_id
     4* HAVING AVG(salary) = (SELECT MAX(AVG(salary)) FROM employees GROUP BY job_id) SQL> /
     JOB_ID AVG(SALARY)

     ---------- -----------

     PRESIDENT 24000

3. **Write a query to print employee id along with their manager id.**

   SQL> SELECT employee_id,manager_id FROM employees;

   EMPLOYEE_ID MANAGER_ID

   ---------- ----------

   100 103

101 100

102 100

103 102

104 103

105 103

106 103

114 100

119 114

206 205

4. **Write a query to print employees name who earns more than that of their managers.**

- SQL> ed
  Wrote file afiedt.buf
  1* SELECT first_name, salary FROM employees out WHERE salary>(SELECT salary FROM employees WHERE out.manager_id=employee_id)
  SQL> /
  FIRST_NAME SALARY

  ---------- ----------
  Steven 24000

5. **Write a query to print the name of employee who earns more than that of their department's average.**

- SQL> ed
  Wrote file afiedt.buf
  1* SELECT first_name, salary FROM employees out WHERE salary>(SELECT AVG(salary) FROM employees WHERE out.department_id=department_id)

  SQL> /

  FIRST_NAME SALARY

  ---------- ----------

  Steven 24000

Alexander 9000

Den 11000

6. **Write a query to print the name and id of those department whose total no employee is greater than at least one of the departments.**

```
SQL> ed
Wrote file afiedt.buf

1* SELECT dname, department_id, count(*) FROM employees e INNER
JOIN department ON dept_no = department_id GROUP BY dname,
department_id HAVING count(*) > (SELECT MIN(count(*)) FROM
employees GROUP BY department_id)

SQL> /

DNAME DEPARTMENT_ID COUNT(*)

-------------------- ------------- ----------

RESEARCH 60 4

ACCOUNTING 30 2
SALES 90 4
```

7. **Write a query to print the name of employee who draw second lowest salary in the company.**

```
SQL> ed
Wrote file afiedt.buf

1 SELECT first_name, salary
2 FROM employees
3* WHERE salary = (SELECT MIN(salary) FROM employees WHERE

salary>(SELECT MIN(salary) FROM employees) ) SQL> /

FIRST_NAME SALARY

-------------------- ----------
David 4800
```

8. **Write a query to print the name of employee who draw second lowest salary in their respective departments. What should be the output of the following query:**

- SQL> SELECT t0.* FROM employees t0 JOIN(SELECT MAX(t1.salary) AS max, t1.department_id FROM employees t1 WHERE

2 t1.salary<(SELECT MAX(salary) FROM employees t2 WHERE t1.department_id=t2.department_id)GROUP BY

3 t1.department_id) t3 ON t0.department_id=t3.department_id AND t0.salary=t3.max;

```
EMPLOYEE_ID FIRST_NAME          LAST_NAME                 EMAIL
PHONE_NUMBER                        HIRE_DATE   JOB_ID
SALARY COMMISSION_PCT MANAGER_ID DEPARTMENT_ID
----------- -------------------- ------------------------- ------------------------ --------
------------ --------- ---------------------------------------- ---------- -------------- ---
------- -------------
       101 Neena                Kochhar                   NKOCHHAR
515.123.4568       18-JUN-12 VICE PRESIDENT                  17000
0       100          90
       102 Lex                  De Haan                   LDEHAAN
123.515.4569       19-JUN-17 VICE PRESIDENT                  17000
100          90
       104 Bruce          Ernst                BERNST              590.423.4568
20-MAY-14 FINANCIAL MANAGER                    6000       0
103          60
       119 Karen                Colmenares                KCOLMENA
515.127.4566       06-JUL-87 CLERK                           2500
114          30
```

9. **select employee_id from employees where salary < all (select salary from employees where department_id=30);**

- select employee_id from employees where salary < all (select salary from employees where department_id=30);
  OUTPUT:
  no rows selected
  →Trying with a different employee ID so that output can be known SQL> select employee_id from employees where salary < all (select salary from employees where department_id=90);
  EMPLOYEE_ID

```
-----------
       114

       103

       206

       104
```

105

106

119

10. **select employee_id from employees where salary < (select min(salary) from employees where department_id=60);**
    - select employee_id from employees where salary < (select min(salary) from employees where department_id=60);
      OUTPUT:
      EMPLOYEE_ID ----------
      119

11. **select last_name from employees where department_id in(select department_id from departments where department_name='Sales');**
    - SQL> SELECT last_name FROM employees WHERE department_id IN(SELECT dept_no FROM department WHERE dname='SALES');
      LAST_NAME

      De

      Haan

      Kochhar
      King