


WeCASOR Portal & EDC

Full UI System Blueprint, Navigation Logic, and Developer Directive

Prepared for Ahmar verification, refinement, and completion of the platform



Current study portfolio view used as reference for refinement.

Ahmar, thank you for the work done so far. The visual foundation is visible and appreciated. This document is meant to help us move from a basic admin interface to a disciplined multi-site research portal that functions like a true clinical operations platform. Please verify each requirement below against the live portal or staging environment. If a feature is not already available and functioning properly, please add it, test it, and show proof.

1. Final pressure test before build-out

Before expanding the portal further, I want us to pressure test the product one more time so we do not keep polishing the wrong architecture.

- The portal must stop behaving like a generic admin dashboard and start behaving like a study-centric research operations system.
- Documents cannot remain globally loose. They must be linked to study, site, and when relevant subject.

- Different users log in at different times and with different responsibilities, so the interface cannot be identical for everyone.
- Offline-friendly workflows are important in African operating environments, but not every module needs offline capability. We should be intentional about what is cached and what remains online only.
- The super admin should be able to see the full portfolio at a glance, but ordinary users should only see what is relevant to their role, study, country, and site.
- The platform must make daily work easier for coordinators, monitors, country leads, and PIs; it must not just look attractive.

Pressure test verdict

Domain	Verdict	Direction
Portal structure	Needs redesign	Re-anchor everything around Study → Site → Subject → Data → Documents.
Document handling	Weak	Split the vault into study, site, and subject document layers with role restrictions.
Role-based views	Partial	Give every role its own landing view, work queue, and action permissions.
Study operations	Partial	Build study workspaces with enrollment, sites, protocol package, CRFs, and status controls.
eCRFs	Not yet explicit	Add proper form library, visit schedule logic, draft/final states, and examples.
Queries & reminders	Not yet visible	Add field-level query workflow, aging, reminders, and one-click resend actions.
Offline feasibility	Must be deliberate	Allow offline capture only for the modules that truly need it.
African usability	Can be improved	Reduce clicks, lighten pages, support low bandwidth, and show local work queues clearly.

2. Strategic positioning: WeCASOR vs PIREs


WeCASOR should remain the execution layer for active research operations. PIREs should remain the training and readiness layer. They should complement each other, but they should not be merged into a confusing single document repository or generic learning portal.

- PIREs prepares people through training, onboarding, certification, SOP familiarization, and simulated CRFs.
- WeCASOR runs live studies, site operations, subject data, regulatory packs, queries, analytics, and audit evidence.
- A PIREs-trained user can be granted role-based access into WeCASOR after meeting readiness requirements.

- Study data and regulated operations should stay inside WeCASOR. Training materials and readiness content can be synced or linked from PIREs where helpful.

WeCASOR Platform Architecture

Execution layer, governance layer, and training interoperability



Recommended separation of responsibilities: PIREs for readiness, WeCASOR for active study execution, and a dedicated governance layer to prove what happened.

3. Required portal hierarchy and navigation logic

The portal must be rebuilt mentally and visually around a strict hierarchy. Every record, document, alert, and action should know exactly where it belongs.

- Study: protocol package, study status, sites, dashboards, exports, lock status, CRF library, study documents.
- Site: site status, country and city, site team, training downloads, regulatory submissions, site performance.
- Subject: screening and enrollment status, visit schedule, forms, queries, documents, audit trail, sync status.
- Data: eCRFs, outcomes, deviations, queries, reminders, exports.
- Documents: linked to study, site, or subject context; never just floating globally without context.

Primary Portal Navigation Flow

Role-sensitive pathways from login to data, documents, queries, and analytics



Recommended primary navigation flow from login through study, site, subject, action modules, and evidence layer.

Recommended left navigation

- Dashboard
- Studies
- Sites
- Subjects
- eCRFs / Visits
- Queries
- Documents
- Analytics
- Audit Log
- Users & Roles
- Settings

Context-sensitive navigation rule

When a user is inside a specific study, the menu and page titles should become study-aware. The same principle applies inside a site and inside a subject. This avoids users getting lost in a generic portal.

4. Role-based experience design

Different users should enter the system through different doors. The landing dashboard and visible actions must reflect the user's actual work.

Role-Based View Model

Role	Default landing vie	Can view	Can act on	Cannot access by default
Super Admin	Global command dashboard	All studies, all sites, all docs, analytics	Create studies, lock data, export, assign roles, inspect audit	Nothing except restricted credentials / passwords
Study Admin	Study operations dashboard	Assigned study across all sites	Open/close study, manage study docs, review sites, send reminders	Unassigned studies
Country Lead	Country portfolio dashboard	Sites and subjects within country	Track performance, review documents, escalate queries	Other countries
Site Coordinator	Site work queue	Own site subjects, site docs, training pack	Enter CRFs, answer queries, upload regulatory docs	Other sites, global analytics
Monitor / Auditor	Monitoring dashboard	Assigned study/site records and audit	Raise queries, review audit, run exports	Direct data editing unless permitted
Read-only / PI reviewer	Approval dashboard	Approved scope only	Read, review, download	Data editing and admin controls

Role-based view model showing who lands where, what they can see, and what they can act on.

Role-specific landing pages

Role	Landing page	Primary widgets	Primary actions
Super Admin	Global command dashboard	All studies, all sites, open queries, expiring docs, sync failures, enrollment trends	Create studies, assign roles, inspect docs, export, lock data, send portfolio notices
Study Admin	Study operations dashboard	Study status, site roster, protocol package, missing forms, open queries, lock readiness	Open/close study, manage study docs, review sites, send reminders
Country Lead	Country portfolio dashboard	Country sites, pending regulatory docs, overdue visits, open site issues	Follow up with sites, track performance, escalate unresolved items
Site Coordinator	Site work queue	Due visits, draft forms, open queries, pending uploads, training downloads	Enter forms, answer queries, upload regulatory docs, download study pack
Monitor / Auditor	Monitoring dashboard	Query burden, audit hot spots, source review list, document gaps	Raise queries, review audit, inspect site packs, export logs
PI / Reviewer	Approval dashboard	Enrollment snapshot, safety summary, signatures pending, protocol docs	Review, approve, comment, download

5. Screen-by-screen UI blueprint


Below is the recommended screen logic with copy-ready labels, widgets, and actions. The goal is to leave nothing in the dark.

A. Global command dashboard (Super Admin)

- Header cards: Active studies, active sites, enrolled subjects, open queries, overdue visits, pending regulatory documents, failed sync events.
- Portfolio chart section: Enrollment by study, enrollment by country, query aging trend, document expiry heatmap.
- Alerts ribbon: sites with expired approvals, studies nearing lock, devices with sync failures, subjects overdue for follow-up.
- Quick actions: New study, assign role, send bulk reminder, download portfolio export, review lock candidates.
- Document insight panel: Total study documents, site documents awaiting review, subject documents requiring verification, training packs available.

B. Studies page

The current study portfolio screen is a good starting point visually, but it needs stronger workflow logic.



Reference: current study portfolio screen. Keep the clean look, but add deeper workflow actions and study context.

- Columns should include: Study title, code, status, PI, enrollment target, current enrollment, active sites, last activity, actions.
- Actions should include: Open study workspace, view documents, manage sites, open CRF library, run export, view analytics, lock study.
- A study row should be clickable, not just decorative.

- Status labels should be meaningful: Planning, Onboarding, Active / Recruiting, Active / Follow-up, Locked, Closed.

C. Study workspace

When a user opens one study, the portal should switch into a full study workspace rather than showing generic system forms.

Section	What it shows	Expected actions
Study overview	Study title, code, status, scientific summary, PI, target enrollment, lock status	Edit metadata, change status, assign PI
Protocol package	Protocol, amendment history, CRF package, study SOPs, schedule of assessments	Upload new version, archive old version, notify sites
Sites on study	Site list, country, city, site status, approvals, team readiness	Activate site, flag gaps, open site workspace
Enrollment & progress	Current enrollment, screening log summary, follow-up completion, visit status	Run performance view, export metrics
Queries & data quality	Open queries, aged queries, unresolved discrepancies, validation warnings	Send reminders, assign follow-up
Study documents	Study-level documents only	Upload, version, download, retire, share to sites

D. Study governance edit screen



Refining null

System Admin ADMINISTRATOR SY

MAIN MENU

Dashboard

Studies

Document Vault

Institutions

Users

SYSTEM REPOSITORY

Audit Log

Profile

Settings

Project Governance

STUDY TITLE

WACASO Registry

INTERNAL STUDY CODE

STATUS

Phase: Active / Recruiting

SCIENTIFIC DESCRIPTION

West African Stroke Outcomes Registry

Metrics & Target Parameters

LEAD PI NAME

TARGET ENROLLMENT

100

ABORT CHANGES

COMMIT MODIFICATIONS

SIGN OUT ACCOUNT

Reference: current governance edit screen. Useful layout, but it needs stronger study code logic, PI assignment, study package tabs, and lock controls.

- Rename the top title so it reflects the study name instead of generic text such as 'Refining null'.
- Internal study code must not be blank. Use a generated or approved format such as WEC-STR-2026-001.
- Lead PI should be a controlled dropdown linked to active users, not a blank free text field.
- Add tabs below the governance card: Overview, Sites, CRF Library, Documents, Lock / Export, Audit.
- Commit button should persist changes and write to audit. Add a clear success message and last-updated record.

E. Site workspace

Sites should have a proper workspace of their own because a site is not the same thing as a study and not the same thing as a subject.

Section	Content	Actions
Site profile	Site ID, country, city, facility, site PI, coordinator, site status	Edit profile, activate / pause site

Regulatory pack	IRB/ethics approvals, contracts, delegation logs, CVs, licenses, GCP certificates	Upload, review, approve, expire, renew
Training & operations	Site SOPs, training videos, manuals, study toolkit, source guidance	Download training pack, acknowledge receipt
Performance view	Screening, enrollment, follow-up completion, open queries, missing docs	Run site review, send reminder
Site users	Authorized users, roles, training completion, activation state	Add / deactivate user, assign permissions
Site communications	Notices, reminders, outstanding actions, data lock messages	Send one-click email, log follow-up

F. Subject registry and subject profile

Every subject should live inside a clean subject registry with filters and a timeline-driven subject profile.

- Registry filters: study, country, site, status, subject ID, visit due status, query status, sync state.
- Registry columns: Subject ID, screening date, enrollment date, subject status, next visit due, open queries, last update, site.
- Subject profile tabs: Summary, Visits, Forms, Queries, Documents, Audit, Sync history.
- Timeline view: Screened → Eligible → Enrolled → Baseline → Discharge → 30-day → 90-day → 180-day → Completed / Withdrawn / Deceased.

Subject ID and site numbering logic

Because multiple sites can exist in the same city, the site identifier should not rely on city alone. The site code should come first in the subject ID.

Item	Recommended format	Example
Site code	Country-SiteNumber or short approved pattern	NGA-001 or CMR-004
Subject ID	SiteCode-SequentialSubjectNumber	NGA-001-0001
Offline allocation	Reserve subject ranges per site/device	NGA-001 device A gets 0001–0100

Subject IDs must be auto-generated, non-editable after assignment, and logged in the audit trail. Site numbers should be assigned centrally so several sites in the same city can still remain unique and cleanly traceable.

6. Document architecture: no more generic vault

The current Document Vault concept is too generic for a research platform. Documents should be visible by context and permission.

Level	Typical documents	Who should see them	Key actions
-------	-------------------	---------------------	-------------

Study	Protocol, amendments, CRF package, study SOPs, schedule of assessments, manuals	Study admin, country leads, site users on study, monitors, super admin	Upload, version, distribute, retire
Site	IRB approval, contract, delegation log, training certificates, licenses, CVs	Site team, study admin, monitor, country lead, super admin	Upload, review, approve, flag expiry
Subject	Consent, source snapshots if permitted, subject-specific notes, required attachments	Authorized site users, monitor if permitted, super admin in controlled cases	Upload, verify, download, mark complete
Training / Ops	Site manuals, quick guides, checklists, reference videos, job aids	Contracted site users and study admins	Download, acknowledge, replace version

- A site user should be able to upload site regulatory documents and also download only the training or operations materials that apply to that site and study.
- Super admin should be able to see the total picture at a glance: all uploaded documents, pending reviews, upcoming expirations, rejected files, and unfilled document requirements.
- Document records should store: document type, study link, site link, subject link if any, uploaded by, uploaded date, version, status, review notes, expiry date where relevant.

7. eCRF library and sample forms

Below are full sample forms so the developer can understand clearly what a CRF is, how it should look, and how it should behave.

General CRF behavior rules

- Every CRF should display the study name, site code, subject ID, visit name, visit window, form status, and last updated stamp.
- Every CRF should support Save Draft, Submit, Reopen with reason, and Audit Trail view.
- Validation should distinguish between hard stops and warnings.
- If a field change happens after submission, reason for change should be required.

Sample eCRF 1: Baseline / Admission Form

Field	Type	Allowed values / rule	Required	Behavior note
Subject ID	Auto	Generated from site code + sequence	Yes	Read only
Screening date	Date	Cannot be after enrollment date	Yes	Hard stop if invalid
Enrollment date	Date	Cannot be future date	Yes	Hard stop if invalid
Age	Integer	0–120	Yes	Warning if >100
Sex	Dropdown	Male; Female; Other; Unknown	Yes	Controlled list

Stroke type	Dropdown	Ischemic; Hemorrhagic; Unknown	Yes	Controlled list
Admission date	Date	Must exist if enrolled	Yes	Cross-check against discharge
Blood pressure systolic	Integer	50–300	No	Warning outside typical range
Blood pressure diastolic	Integer	20–180	No	Warning outside typical range
NIHSS	Integer	0–42	No	Query if required by study and blank
Imaging performed	Dropdown	CT; MRI; Both; None; Unknown	No	May open follow-up field
Acute treatment received	Dropdown	None; Thrombolysis; Thrombectomy; Other	No	Conditional note field if Other
Comorbidities summary	Multi-select	Hypertension; Diabetes; AF; Prior stroke; Other	No	Controlled list with Other text field

Sample eCRF 2: Discharge Form

Field	Type	Allowed values / rule	Required	Behavior note
Subject ID	Auto	Linked subject	Yes	Read only
Discharge date	Date	Must be on or after admission date	Yes	Hard stop if invalid
Discharge status	Dropdown	Alive; Deceased; Transferred; Left against advice	Yes	Controlled list
Discharge destination	Dropdown	Home; Rehab; Another hospital; Deceased; Other	No	Conditional if transferred
In-hospital complications	Multi-select	None; Pneumonia; DVT; Seizure; Recurrent stroke; Other	No	Controlled list
Length of stay	Calculated	Discharge date minus admission date	No	Auto-calculate if possible
Medication at discharge	Text / structured	Antiplatelet, anticoagulant, statin, antihypertensive	No	Can be structured later

Query-ready notes	Long text	Free text note	No	Visible in monitoring
-------------------	-----------	----------------	----	-----------------------

Sample eCRF 3: Follow-up Form

Field	Type	Allowed values / rule	Required	Behavior note
Subject ID	Auto	Linked subject	Yes	Read only
Visit type	Auto	30-day, 90-day, or 180-day	Yes	Read only
Visit date	Date	Must sit within visit window or require override note	Yes	Warning if outside window
Alive?	Dropdown	Yes; No; Unknown	Yes	If No, open date of death
Date of death	Date	Required if Alive = No	Conditional	Conditional rule
mRS score	Dropdown	0; 1; 2; 3; 4; 5; 6	Yes	Controlled list
Rehospitalized since last contact	Dropdown	Yes; No; Unknown	No	If Yes, open details
Rehab access	Dropdown	Yes; No; Unknown	No	Can support sub-study later
Medication continuity	Dropdown	Continuing; Stopped; Unknown	No	Simple patient follow-up field
Contact method	Dropdown	In person; Phone; Chart review; Relative	No	Useful for audit

Optional screening log fields

- Screened subject log number
- Eligibility result
- Reason not enrolled
- Date screened
- Site code
- Screening coordinator

8. Query engine, reminders, and one-click communications

The portal must include a genuine discrepancy and follow-up workflow, not just comments.

Component	Expectation	Example	Notes
-----------	-------------	---------	-------

Auto-query	Rules should raise queries from missing or impossible data	NIHSS blank where required; discharge date before admission	Must link to subject, form, and field
Manual query	Monitor or admin raises a query manually	Clarify discharge destination	Must be logged
Lifecycle	Open → Answered → Resolved → Closed → Reopened	Site answers; monitor closes	Timestamp all changes
Aging	Track how long query stays open	3 days, 7 days, 15 days	Use dashboard and reminder logic
One-click reminder	Trigger reminder to site or all sites	Resend all open queries older than 7 days	Log every reminder event
One-click data lock notice	Notify sites that forms are frozen or close to freeze	Study lock effective Friday at 5 PM	Useful for study readiness

Copy-ready sample email: outstanding queries

Subject: WeCASOR – Outstanding Queries for Site [SITE CODE]

Dear Site Team,

You have [X] unresolved queries in the WeCASOR portal for [STUDY NAME].

Please log in and review the following items:

- Subject [SUBJECT ID] – Missing NIHSS
- Subject [SUBJECT ID] – Invalid discharge date
- Subject [SUBJECT ID] – Follow-up outcome incomplete

Please resolve these items as soon as possible.

Thank you,

WeCASOR Data Team

Copy-ready sample email: data lock notice

Subject: WeCASOR – Data Lock Notice for [STUDY NAME]

Dear Site Team,

This is to notify you that [STUDY NAME] is scheduled for data lock on [DATE / TIME].

Please review all pending forms, open queries, and missing regulatory items before the lock takes effect.

After data lock, changes will only be allowed through authorized unlock workflow and will be fully audited.

Thank you,

WeCASOR Core Team

9. Offline, sync, and African feasibility requirements

The portal should be practical for African field realities without overcomplicating the first build.

- Keep high-level admin functions online only: user management, study configuration, full analytics, heavy exports.
- Allow selected offline-friendly functions: subject screening, enrollment, CRF draft entry, follow-up capture, limited attachment queue.
- Show sync state clearly on each pending item: Pending, Synced, Failed, Conflict.
- Use lightweight pages, compressed images, and simple tables so performance remains acceptable on weak connections.
- Cache only what is needed; do not try to make the entire platform offline from day one.
- If several devices may work offline, allocate subject ID ranges carefully by site and device.

Minimum low-bandwidth design standards

- Avoid oversized hero graphics inside work pages.
- Prefer clean cards, compact tables, and clear action buttons.
- Keep the most important queue visible above the fold.
- Do not force users to open many nested pages for routine work.
- Provide simple mobile and tablet responsiveness for coordinators who may not always work from a desktop.

10. Dashboards and analytics

The super admin should absolutely be able to see all available documents and analyze results from a dashboard. The key is to do it without exposing irrelevant content to ordinary users.

Super Admin analytics widgets

- Active studies by status
- Enrollment by study
- Enrollment by country and site
- Follow-up completion rate
- Open query count and aging
- Documents pending review
- Upcoming expiries for regulatory files

- Failed sync events and affected devices
- Sites with no recent activity
- Potential lock-readiness score by study

Study-level analytics widgets

- Target vs actual enrollment
- Site ranking by screening and enrollment
- Visit completion and overdue follow-ups
- Query count by site
- Document completeness by site
- Subjects with unresolved critical fields

Site-level dashboard widgets

- Subjects due today
- Draft forms not submitted
- Open queries
- Pending uploads
- Training pack available
- Latest study notices

11. Audit trail, data lock, and evidence layer

This portal will not be trusted simply because it looks clean. It will be trusted because it can prove what happened.

- Audit log should capture who changed what, when, where, and why.
- Field-level audit should show old value, new value, timestamp, user, and reason for change after submission.
- Data lock should support at least Open, Soft Lock, and Hard Lock.
- Unlocks should be rare, permission-controlled, and fully audited.
- Exports should include audit-ready logs for queries, documents, and data changes.

12. Developer confirmation matrix

Ahmar, please complete the following confirmation for every major module. Any item without proof should be treated as not implemented.

Module	Exists	Works	Configurable	Offline?	Proof / notes
Role-based login and dashboards	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Study workspace	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment

Site workspace	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Subject registry	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Subject profile timeline	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Study documents	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Site documents	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Subject documents	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Training / operations downloads	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
CRF library	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Baseline CRF	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Discharge CRF	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Follow-up CRF	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Query engine	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Query reminders	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Bulk email notices	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Audit trail	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Data lock	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Exports	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Sync status	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
Low-bandwidth optimization	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment

Analytics dashboards	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Yes / No / Partial	Screenshot, demo, DB proof, or comment
----------------------	--------------------	--------------------	--------------------	--------------------	--

13. Clear closing instruction to Ahmar

Ahmar, thank you again for the work done so far. Please use this document as a direct build and verification guide. Where a feature already exists, please confirm it with proof and refine it to match the expected standard. Where it does not exist, please add it cleanly and keep the design simple, fast, and practical.

- Please verify whether each recommended module is already available in the portal.
- If available, please confirm that it functions properly and is connected to the right role and data context.
- If missing, please add it to the portal using the examples and flows in this document.
- Please keep the portal easy to use in low-resource African settings and avoid unnecessary complexity.
- Please treat documents as study-specific, site-specific, or subject-specific rather than globally loose.
- Please make sure every major action is visible, understandable, and auditable.

Appendix A. Reference screens from the current portal



MAIN MENU

Dashboard

Studies

Document Vault

Institutions

Users

SYSTEM REPOSITORY

Audit Log

Profile

Settings

SIGN OUT ACCOUNT

Research Portfolio

System Admin ADMINISTRATOR SY

Studies Overview

Manage all research projects and their statuses.

+ NEW RESEARCH STUDY

Active Portfolio

STUDY DETAILS	CODE	STATUS	PI NAME	ACTIONS
W WeCASOR Stroke Outcomes Registry Pilot WEC-STR-2026-001	WEC-STR-2026-001	PLANNING	Elvis Tamo Achu	
S Stroke Transition Study TEST-001	Test-001	PLANNING	Test	
R Rehab Access Study		PLANNING	Not Assigned	
W WACASO Registry		ACTIVE	Not Assigned	

Current Studies Overview: Useful visual style, but it needs stronger workflow controls, additional columns, and study-aware actions.



MAIN MENU

Dashboard

Studies

Document Vault

Institutions

Users

SYSTEM REPOSITORY

Audit Log

Profile

Settings

Refining null

System Admin

ADMINISTRATOR

SY

Project Governance

STUDY TITLE

WACASO Registry

INTERNAL STUDY CODE

STATUS

Phase: Active / Recruiting

SCIENTIFIC DESCRIPTION

West African Stroke Outcomes Registry

Metrics & Target Parameters

LEAD PI NAME

TARGET ENROLLMENT

100

ABORT CHANGES

COMMIT MODIFICATIONS

SIGN OUT ACCOUNT

Current Study Governance Screen: Good card structure, but it needs meaningful page title, controlled study code, PI assignment, tabs, and audit-aware save logic.



MAIN MENU

Dashboard

Studies

Document Vault

Institutions

Users

SYSTEM REPOSITORY

Audit Log

Profile

Settings

Governance Audit

System Admin

ADMINISTRATOR

SY

Archival Ledger

INSTITUTIONAL OVERSIGHT & SYSTEM EVENT LOG

SEARCH PROTOCOLS...

EXPORT RECORDS

IDENTITY	PROTOCOL ACTION	SOURCE IP	TEMPORAL STAMP	METADATA
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	173.73.83.24	4/2/2026 6:51:08 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	3FA LOGIN VERIFIED	173.73.83.24	4/2/2026 6:51:08 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	173.73.83.24	4/2/2026 6:51:29 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	173.73.83.24	4/2/2026 6:51:08 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	LOGIN	173.73.83.24	4/2/2026 6:51:28 PM	INSPECT DIGEST
A AHMAR ADMIN SHAHAMAR@WECASORMAIL.COM	UPDATED	282.145.239.283	3/28/2026 10:06:08 PM	INSPECT DIGEST
A AHMAR ADMIN SHAHAMAR@WECASORMAIL.COM	UPDATED	282.145.239.283	3/28/2026 10:06:08 PM	INSPECT DIGEST
A AHMAR ADMIN SHAHAMAR@WECASORMAIL.COM	LOGIN	282.145.239.283	3/28/2026 10:06:08 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	68.53.242.28	3/26/2026 6:45:12 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	CREATED	68.53.242.28	3/26/2026 6:44:14 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	CREATED	68.53.242.28	3/26/2026 6:35:48 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	68.53.242.28	3/26/2026 6:33:34 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	3FA LOGIN VERIFIED	68.53.242.28	3/26/2026 6:23:54 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	68.53.242.28	3/26/2026 6:23:30 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	68.53.242.28	3/26/2026 6:23:29 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	LOGIN	68.53.242.28	3/26/2026 6:23:29 PM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	LOGOUT	282.145.239.283	3/25/2026 7:23:19 AM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	282.145.239.283	3/25/2026 7:23:19 AM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	3FA CONFIRMED	282.145.239.283	3/25/2026 7:23:19 AM	INSPECT DIGEST
W WECASOR ADMIN ADMIN@PORTAL.WECASOR.COM	UPDATED	282.145.239.283	3/25/2026 7:23:09 AM	INSPECT DIGEST

DISPLAYING 1-20 OF 145 ARCHIVAL ENTRIES

1

2

3

4

5

6

7

8

NEXT

SIGN OUT ACCOUNT

Current Audit Log Screen: Strong visual direction, but audit must move beyond generic system events and include field-level change history.