


BFS

For Goal = N



Solution Path: A,B,E,H,N
Solution Cost: 4


Goal Check
(before adding to frontier)

Expanded	Frontier
	A
A	B,C
B	C,D,E
C	D,E,F,G
D	E,F,G
E	F,G,H,I
F	G,H,I
G	H,I,J,K
H	I,J,K,L,M,N
Traversal Path is calculated based on the nodes for which goal check is performed.	

Traversal Path: A,B,C,D,E,F,G,H,I,J,K,L,M,N
Traversal Cost: 13

DFS

For Goal = N





Solution Path: A,B,E,H,N
Solution Cost: 4

Goal Check
(when node expanded)

Expanded	Frontier
	A
A	B,C
B	D,E,C
D	E,C
E	H,I,C
H	L,M,N,I,C
L	M,N,I,C
M	N,I,C
N	I,C
Traversal Path is calculated based on the nodes for which goal check is performed.	



Traversal Path: A,B,D,E,H,L,M,N
Traversal Cost: 7



BFS Table

Step	Node Expanded	Children Generated	Frontier (Queue)
1			A
2	A	CB	CB
3	C	EF	BEF
4	B	CD	EFD
5	E	F	FD
6	F	GH	DGH
7	D	IJ	GHIJ
8	G	IK	H IJ
9	H		IJK
10			

Traversal Path: ACBEFDGHIJK
 Traversal Cost: 10




DFS Table

Goal
if check


Step	Node Expanded	Children Generated	Stack
1			A
2	A	CB	CB
3	C	EF	EFB
4	E	F	FB
5	F	G, H	G, H, B
6	G	E	H, B
7	H	K, I	K, I, B
8	K		
9			
10			

Goal

Traversal path : ACEFGHK
Traversal cost : 6



Starting from node S and attempting to reach the goal node G



$h(n)$:

$$h(A) = 7$$

$$h(B) = 5$$

$$h(C) = 3$$

$$h(U) = 4$$

$$h(E) = 2$$

$$h(G) = 3$$

$$h(I) = 6$$

$$h(J) = 2$$

$$h(K) = 1$$

$$h(Y) = 2$$

$$h(M) = 0$$

Starting from node A and attempting to reach the goal node M

