

NAME : SHAH FAISAL

ROLL NO : 23I-0058



SECTION : BSE – 6A

COMPUTER NETWORKS LAB



BSSE SPRING 2026



LAB 13


Name: Shah Faisal
 Roll Number: 231-0058
 Section: BSE-6A
 Lab 13




Name: Shah Faisal
 Roll Number: 231-0058
 Section: BSE-6A
 Lab 13









Name: Shah Faisal
Roll Number: 231-0058
Section: BSE-6A
Lab 13



Name: Shah Faisal
Roll Number: 231-0058
Section: BSE-6A
Lab 13



Name: Shah Faisal
Roll Number: 231-0058
Section: BSE-6A
Lab 13



PC3

☐ DHCP ☒ Static

IPv4 Address: 192.168.2.20

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.2.1

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address:

Link Local Address: FE80::200:CFF:FEA3:7EBB

Default Gateway:

DNS Server:

☐ 802.1X

☐ Use 802.1X Security

☐ Top

Router0

```


$LINEPROTO-5=UPDOWN: line protocol on interface
GigabitEthernet0/0, changed state to up

Building configuration...
[OK]
Router(config)#enable
% Incomplete command.
Router(config)#configure terminal
^
% Invalid input detected at '^' marker.

Router(config)#router eigrp 30
Router(config-router)#network 192.168.1.0 0.0.0.255
Router(config-router)#network 10.10.10.0 0.0.0.3
Router(config-router)#network 10.10.10.4 0.0.0.3
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]
Router(config)#
          
```

Copy Paste

☐ Top



Name: Shah Faisal
 Roll Number: 23I-0058
 Section: BSE-6A
 Lab 13


```

Router3
%LINEPROTO-5-UPDOWN: Line protocol on Interface
GigabitEthernet0/1, changed state to up

Building configuration...
[OK]
Router(config)#
Router(config)#enable
% Incomplete command.
Router(config)#configure terminal
^
% Invalid input detected at '^' marker.

Router(config)#router eigrp 30
Router(config-router)#network 10.10.10.4 0.0.0.3
Router(config-router)#network 10.10.10.12 0.0.0.3
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]
Router(config)#
  
```

Name: Shah Faisal
 Roll Number: 23I-0058
 Section: BSE-6A
 Lab 13



```

Router1
Physical Config CLI Attributes
IOS Command Line Interface
GigabitEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface
GigabitEthernet0/1, changed state to up

Building configuration...
[OK]
Router(config)#enable
% Incomplete command.
Router(config)#configure terminal
^
% Invalid input detected at '^' marker.

Router(config)#router eigrp 30
Router(config-router)#network 10.10.10.0 0.0.0.3
Router(config-router)#network 10.10.10.8 0.0.0.3
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]
Router(config)#
  
```

Name: Shah Faisal
 Roll Number: 23I-0058
 Section: BSE-6A
 Lab 13

