

DentalAI

Dental Caries Detection Report

Patient Name	Kashif Bhutto	Patient ID	PT-2026-4MZU0
Report ID	RPT-1FUQNWEB	Date of Analysis	May 05, 2026
Time of Analysis	10:03 AM	Analyzed File	00037_png_jpg.rf.2061635f2df1f7458ae7a356365383e3.jpg
Generated By	DentalAI AI-Assisted Dental Analysis System	Cavity Confidence	3 cavity detections, 31.1% max confidence

This report is AI-generated and is intended for informational purposes only. It does not constitute a medical diagnosis. Please consult a licensed dental professional for clinical evaluation.

Radiographic Analysis - Annotated Image




Figure 1: AI-detected regions of interest are highlighted. When no cavity is detected, the original image is shown without bounding boxes.

Class	Region Coordinates	Confidence Score	Severity Level
cavity	(252, 289) - (322, 327)	31.1%	Low Concern / Monitor
cavity	(193, 291) - (248, 337)	29.4%	Low Concern / Monitor
cavity	(248, 277) - (321, 328)	26.2%	Low Concern / Monitor

Image-Specific Findings

This scan contains 3 cavity detection(s). The findings below are generated from this specific image only and do not include non-cavity detections.

Region	Class	Bounding Box	Confidence	Image-Specific Note
Region 1	cavity	(252, 289) - (322, 327)	31.1%	Cavity-only detection used for report generation.
Region 2	cavity	(193, 291) - (248, 337)	29.4%	Cavity-only detection used for report generation.
Region 3	cavity	(248, 277) - (321, 328)	26.2%	Cavity-only detection used for report generation.

Clinical interpretation is limited to what the model highlighted in this specific image. Non-cavity predictions are excluded from the report to keep the output image-specific and clinically clearer.

Final Verdict

Verdict Level: Mild

Early or mild signs of dental caries may be present in 3 region(s). Professional evaluation is advised to confirm findings and discuss preventive care.

General Dental Health Recommendations

- Brush twice daily with fluoride toothpaste.
- Floss daily to remove interproximal plaque.
- Limit sugary and acidic food and drink intake.
- Schedule professional cleanings every 6 months.
- Drink fluoridated water where available.
- Do not ignore tooth sensitivity - seek early evaluation.